


Lighting Price List 2016 V1.1

LED Daylight Ballasts Tungsten Fluorescent Professional Lighting Accessories



ABOUT ARRI

ARRI GROUP

With headquarters located in Munich, Germany, Arnold and Richter Cine Technik (ARRI) was founded in 1917 and is the world's largest manufacturer and distributor of motion picture camera, digital intermediate and lighting equipment. The ARRI Group comprises a global network of subsidiaries, agents and representatives that covers all aspects of the film industry: design, engineering, production, equipment rental, turnkey lighting solutions, post production, film and sound laboratory services, and visual effects. The Academy of Motion Picture Arts and Sciences has recognized ARRI's engineers and their technical contributions with 18 Scientific and Engineering Awards.



Award-winning Daylight technology, ARRIMAX® M-Series® (Scientific and Engineering Award).



ARRI Lighting R&D and production facilities in Stephanskirchen near Rosenheim (Germany).

ARRI LIGHTING

ARRI's extensive range of lighting products offers an abundance of creative lighting solutions. ARRI lights are put to use across the world on feature film and TV productions, in TV studios, at major events, in theaters and for industrial applications. With more than 95 years manufacturing tradition in Southern Germany, ARRI products are renowned for quality and reliability. Since 1953 the luminaire production facility has been located in Stephanskirchen (Rosenheim) offering a total of 6.000 square meters of manufacturing floor space. Based on the variety of 200 active products, up to 50 thousand lamp heads are assembled and shipped on a yearly basis.

ARRI SYSTEM GROUP

As well as being a major manufacturer of lighting equipment, ARRI is also an expert in how this equipment can be put to best use. Our engineers and project leaders manage the execution of lighting solutions. The ARRI System Group is specialized in complex project work and can offer complete services for turnkey solutions of new installations or upgrades. The service options include technical and conceptual consulting, system planning and design, project management and controlling, logistics, installation, acceptance tests, training and customer service. Our clients are film and television studios, Theaters, event organizers, and industrial companies. With a world-wide network of system specialists ARRI is offering regional support from Berlin, Milan, Hong Kong, and Blauvelt (New York City area).



Green Studio turnkey solutions with innovative LED technology.

TABLE OF CONTENTS

KITS11



LED KITS

L5 / LoCaster LED Kit I 12

L5 / LoCaster LED Kit II 13

L5 LED Kit III..... 14

ARRI LoCaster 2 Plus Kits 15



DAYLIGHT KITS

ARRILUX POCKETPAR® Kits 16



TUNGSTEN KITS

ARRILITE 750 Plus Kits 18

ARRILITE 2000 Plus Kits 20

Softbank I Plus Kit..... 21

Softbank IV Plus Kit 22

ARRI 650/3 Kit 23

300/650 Fresnel Combo Kit 24

SETS25



DAYLIGHT SETS

M-Series® Sets 26

ARRISUN® Sets 28

Daylight Fresnel Sets 30

LED33



SKYPANEL®

SkyPanel® S30-C **NEW** 34

SkyPanel® S30-RP **NEW** 36

SkyPanel® S60-C **NEW** 40

SkyPanel® S60-RP **NEW** 42



L-SERIES®

L5 LED Fresnel 46

L7 LED Fresnel 48

L10 LED Fresnel 50



CASTER

LED Caster 2 Plus 52

TABLE OF CONTENTS


DAYLIGHT

55



M-SERIES®

M8	56
M18	58
M40	60
M90	62
ARRIMAX® 18/12	64



ARRISUN®

ARRISUN® 2	66
ARRISUN® 5	68
AS 18	70
AS 40	72
ARRISUN® 60	74
ARRISUN® 120	76



ARRISUN® 5 EVENT	78
ARRISUN® 18 EVENT	80



TRUE BLUE D®

True Blue® D5	82
True Blue® D12	84
True Blue® D25	86
True Blue® D40	88



COMPACT

COMPACT 200	90
COMPACT 6000 Plus	92
COMPACT 12000 Baby	94



DAYLIGHT FRESNEL

ARRI Daylight 18/12	96
---------------------------	----



COMPACT THEATER

COMPACT 2500 Theater	98
COMPACT 4000 Theater	100

TABLE OF CONTENTS

DAYLIGHT




ARRILUX

ARRILUX POCKETPAR® 125 102

ARRILUX POCKETPAR® 200 104

ARRILUX POCKETPAR® 400 106



ARRI X

ARRI X 5 108

ARRI X 12 110

ARRI X 40/25 112

ARRI X 60 114



ARRI X 40/25 Theater 116

BALLASTS 119



LOCATION BALLASTS

Electronic High Speed Ballasts 120

Electronic Location Ballasts 121

Electronic Lightweight Ballasts 122

Electronic Battery Ballasts 122

Electronic Booster Ballasts 122

Choke Ballasts 122



EVENT BALLASTS

Electronic Event Ballasts 123

TABLE OF CONTENTS

TUNGSTEN

125



ARRILITE PLUS

ARRILITE 750 Plus	126
ARRILITE 2000 Plus	128



ARRI FRESNEL

ARRI 150	130
ARRI 300 Plus	132
ARRI 650 Plus	134



TRUE BLUE T®

True Blue® T1	136
True Blue® T2	138
True Blue® T5	140



TRUE BLUE ST®

True Blue® ST1	142
True Blue® ST2/3	144
True Blue® ST5	146



TRUE BLUE ST® THEATER

True Blue® ST1/2 Theater	148
True Blue® ST5 Theater	149



STUDIO T

STUDIO T 12°	150
STUDIO T 24°	152



CYC / FLOOD LIGHT

CYC FLOOD	154
-----------------	-----

TABLE OF CONTENTS

FLUORESCENT 157



STUDIO COOL

STUDIO COOL 2 158

STUDIO COOL 2+2 159

STUDIO COOL 4 160

PLA - PROFESSIONAL LIGHTING ACCESSORIES 161



Event Accessories & Adapters 162

Cables 163

Barndoors 165

Filter frames 167

Spill Rings, Diffusion, Snoots & Louvers 168

Accessory Holders, Speed Rings & Lightbanks 170

Conversion Filters, Phosphor Panels & Protective Glasses 172

Lenses 174



Scrim & Scrim Bags 177

Stands, Wheels & Operating Poles 181

Grip 183

Motorization 185

KITS



L5 / LOCASTER LED KIT I



8-leaf barndoors depicted. Kit comes with 4-leaf barndoors.

L5 / LOCASTER LED KIT I

Ident. No.	Description	Price / EURO
L0.0003692	L5 / LoCaster LED Kit I	Schuko-Plug 5337.20 €
	1 x L1.0001764 L5-C	
	2 x L1.0001329 LoCaster 2 Plus	
	1 x L2.0001486 Mains cable, 3 m, powerCON TRUE1 / Schuko, with line switch	
	1 x L2.79470.0 4-leaf barndoor (168 mm / 6.6")	
	1 x L2.79490.0 Filter frame (168 mm / 6.6")	
	2 x L2.30089.0 Caster stirrup with battery pack attachment	
	2 x L2.30061.0 2-leaf barndoor for Caster, with gel frame slot	
	2 x L2.30059.0 Gel frame, fits Caster-Series 2-leaf barndoor	
	2 x L2.30083.0 Caster Series power supply (PowerDMX/Schuko) input: 100-240 V~, 50/60 Hz; output: 24 V=, 3 A	
	2 x L2.30081.0 PowerDMX extension cable (XLR 4 pin), 3 m	
	2 x L2.0003680 Baby Pin with 3/8" Threaded Stud	
	1 x L2.86272.0 Ceiling Scissor Clamp	
	3 x L2.76965.0 Compact ARRI Kit Stand LS.01 (050MKA)	
	1 x L2.0003679 Heavy Duty Case L5/Caster Kit	

L5 / LOCASTER LED KIT II



8-leaf barndoors depicted. Kit comes with 4-leaf barndoors.

L5 / LOCASTER LED KIT II

Ident. No.	Description	Price / EURO	
L0.0003691	L5 / LoCaster LED Kit II	Schuko-Plug	5.580 €
	2 x L1.0001764 L5-C		
	1 x L1.0001329 LoCaster 2 Plus		
	2 x L2.0001486 Mains cable, 3 m, powerCON TRUE1 / Schuko, with line switch		
	2 x L2.79470.0 4-leaf barndoor (168 mm / 6.6")		
	2 x L2.79490.0 Filter frame (168 mm / 6.6")		
	1 x L2.30089.0 Caster stirrup with battery pack attachment		
	1 x L2.30061.0 2-leaf barndoor for Caster, with gel frame slot		
	1 x L2.30059.0 Gel frame, fits Caster-Series 2-leaf barndoor		
	1 x L2.30083.0 Caster Series power supply (PowerDMX/Schuko) input: 100-240 V~, 50/60 Hz; output: 24 V=, 3 A		
	1 x L2.30081.0 PowerDMX extension cable (XLR 4 pin), 3 m		
	1 x L2.0003680 Baby Pin with 3/8" Threaded Stud		
	1 x L2.86272.0 Ceiling Scissor Clamp		
	3 x L2.76965.0 Compact ARRI Kit Stand LS.01 (050MKA)		
	1 x L2.0003679 Heavy Duty Case L5/Caster Kit		

L5 LED KIT III



8-leaf barndoors depicted. Kit comes with 4-leaf barndoors.

L5 LED KIT III

Ident. No.	Description	Price / EURO	
L0.0003690	L5 LED Kit III	Schuko-Plug	4678 €
	2 x L1.0001764 L5-C		
	2 x L2.0001486 Mains cable, 3 m, powerCON TRUE1 / Schuko, with line switch		
	2 x L2.79470.0 4-leaf barndoor (168 mm / 6.6")		
	2 x L2.79490.0 Filter frame (168 mm / 6.6")		
	2 x L2.76965.0 Compact ARRI Kit Stand LS.01 (050MKA)		
	1 x L2.0003679 Heavy Duty Case L5/Caster Kit		

ARRI LOCASTER 2 PLUS KITS



ARRI LOCASTER 2 PLUS KITS

Ident. No.	Description	Price / EURO
L0.0002336	LoCaster 2 Plus Kit	Schuko-Plug 1207 €
1 x L1.0001329	LoCaster 2 Plus LED Panel with Onboard Control, 35 W, 11-36 V $\overline{\text{=}}$	
1 x L2.30083.0	LoCaster power supply, max. 60 W Input: 100 - 240 V~, 50/60 Hz, Schuko-Plug; Output: 1 x 24 V $\overline{\text{=}}$ / 2,5 A (4-pin XLR)	
1 x L2.30081.0	PowerDMX extension cable (XLR 4 pin), 3 m	
1 x L2.30089.0	Caster Stirrup with battery attachment	
1 x L2.30099.0	Light case for 1 x Caster & accessories, empty	
L0.0002337	LoCaster 2 Plus Kit with Barndoor and Filter Frame	Schuko-Plug 1327 €
1 x L1.0001329	LoCaster 2 Plus LED Panel with Onboard Control, 35 W, 11-36 V $\overline{\text{=}}$	
1 x L2.30083.0	Caster Series power supply (PowerDMX/Schuko) input: 100-240 V~, 50/60 Hz; output: 24 V $\overline{\text{=}}$, 3 A	
1 x L2.30081.0	PowerDMX extension cable (XLR 4 pin), 3 m	
1 x L2.30089.0	Caster stirrup with battery attachment	
1 x L2.30061.0	2-leaf barndoor for Caster, with gel frame slot	
1 x L2.30059.0	Gel frame, fits Caster-Series 2-leaf barndoor	
1 x L2.30099.0	Light case for 1 x Caster & accessories, empty	

ARRILUX POCKETPAR® KITS



ARRILUX POCKETPAR® KITS

Ident. No.	Description	Price / EURO	
L0.73375.0	ARRILUX POCKETPAR® 125 Profi Kit	Binder	4460 €
1 x L1.73375.0	POCKETPAR® 125		
1 x L2.76013.B	EB® 125/200 ALF		
1 x L2.73380.0	4-leaf barndoor, ARRILUX 125 (78 mm / 3.1")		
1 x L2.73382.0	Head-to-Ballast cable 125 W, 7 m, Binder		
1 x L2.73402.0	ARRILUX 125 narrow flood lens (78 mm / 3.1")		
1 x L2.73404.0	ARRILUX 125 flood lens (78 mm / 3.1")		
1 x L2.73462.0	ARRILUX 125 super flood lens (78 mm / 3.1")		
1 x L2.73464.0	ARRILUX 125 super flood lens frosted (78 mm / 3.1")		
1 x L2.73488.0	Conversion Filter 3/4 CTO, 5600 to 3200 K		
1 x L2.73408.0	Handgrip 16 mm spigot size with threat 3/8"		
1 x L2.73406.0	Adapter for handgrip (micro-yoke)		
1 x L2.73407.0	Head/Ballast Adapter, metal		
1 x L2.72927.0	Offset screwdriver size 4		
1 x L2.73388.A	Case for ARRILUX 125 Kit (55 x 38 x 30 cm)		
L0.70790.C	ARRILUX POCKETPAR® 200 Kit	Amphenol	4484 €
1 x L1.70790.0	POCKETPAR® 200		
1 x L2.76013.B	EB® 125/200 with ALF		
1 x L2.79170.0	4-leaf barndoor (130 mm / 5.1")		
1 x L2.73372.0	Head-to-Ballast cable 200 W, 7 m, Amphenol		
1 x L2.70832.0	ARRILUX 200 narrow flood lens (112 mm / 4.4")		
1 x L2.70833.0	ARRILUX 200 flood lens (112 mm / 4.4")		
1 x L2.70834.0	ARRILUX 200 super flood lens (112 mm / 4.4")		
1 x L2.70835.0	ARRILUX 200 super flood lens frosted (112 mm / 4.4")		
1 x L2.77818.0	Lens bag for max. 5 lenses up to Ø 235 mm, empty		
1 x L2.73408.0	Handgrip 16 mm spigot size with threat 3/8"		
1 x L2.70839.0	Case for ARRILUX 200 Kit (58 x 28 x 39 cm)		

ARRILUX - POCKETPAR® KITS (CONTINUE)

L0.70790.E	ARRILUX POCKETPAR® 200 Lighthouse Kit	Amphenol	5226.1	€
1 x L1.70790.0	POCKETPAR® 200			
1 x L2.76013.B	EB® 125/200 with ALF			
1 x L2.79170.0	4-leaf barndoor (130 mm / 5.1")			
1 x L2.73372.0	Head-to-Ballast cable 200 W, 7 m, Amphenol			
1 x L2.70832.0	ARRILUX 200 narrow flood lens (112 mm / 4.4")			
1 x L2.70833.0	ARRILUX 200 flood lens (112 mm / 4.4")			
1 x L2.70834.0	ARRILUX 200 super flood lens (112 mm / 4.4")			
1 x L2.70835.0	ARRILUX 200 super flood lens frosted (112 mm / 4.4")			
1 x L2.77818.0	Lens bag for max. 5 lenses up to Ø 235 mm, empty			
1 x L2.73408.0	Handgrip 16 mm spigot size with threat 3/8"			
1 x L2.70825.0	Lighthouse 200, clear glass			
1 x L2.70826.0	Shutter for lighthouse			
1 x L2.70865.0	Stirrup for lighthouse			
1 x L2.70838.0	Speed ring, complete with adapter			
1 x L2.70839.0	Case for ARRILUX 200 Kit (58 x 28 x 39 cm)			

L0.70880.C	ARRILUX POCKETPAR® 400 Kit	Inter-national (VEAM)	5999	€
1 x L1.70880.0	POCKETPAR® 400			
1 x L2.76260.0	EB® 400/575 with ALF			
1 x L2.79470.0	4-leaf barndoor (168 mm / 6.6")			
1 x L2.70857.0	Head-to-Ballast cable 400 W, 7 m, International (VEAM)			
1 x L2.77826.0	DROP-IN lens, spot, blue (130 mm / 5.1")			
1 x L2.77828.0	DROP-IN lens, narrow flood (130 mm / 5.1")			
1 x L2.77830.0	DROP-IN lens, flood (130 mm / 5.1")			
1 x L2.77832.0	DROP-IN lens, super flood (130 mm / 5.1")			
1 x L2.77834.0	DROP-IN lens, super flood frosted (130 mm / 5.1")			
1 x L2.77818.0	Lens bag for max. 5 lenses up to Ø 235 mm, empty			
1 x L2.73408.0	Handgrip 16 mm spigot size with threat 3/8"			
1 x L2.70903.0	Case for ARRILUX 400 Kit (71 x 41 x 32 cm)			

L0.70880.E	ARRILUX POCKETPAR® 400 Lighthouse Kit	Inter-national (VEAM)	6999	€
1 x L1.70880.0	POCKETPAR® 400			
1 x L2.76260.0	EB® 400/575 with ALF			
1 x L2.79470.0	4-leaf barndoor (168 mm / 6.6")			
1 x L2.70857.0	Head-to-Ballast cable 400 W, 7 m, VEAM			
1 x L2.77826.0	DROP-IN lens, spot, blue (130 mm / 5.1")			
1 x L2.77828.0	DROP-IN lens, narrow flood (130 mm / 5.1")			
1 x L2.77830.0	DROP-IN lens, flood (130 mm / 5.1")			
1 x L2.77832.0	DROP-IN lens, super flood (130 mm / 5.1")			
1 x L2.77834.0	DROP-IN lens, super flood frosted (130 mm / 5.1")			
1 x L2.77818.0	Lens bag for max. 5 lenses up to Ø 235 mm, empty			
1 x L2.70860.0	Lighthouse for ARRILUX 400, clear glass			
1 x L2.70888.0	Speed ring, complete with adapter			
1 x L2.70867.0	Shutter for ARRILUX 400 lighthouse			
1 x L2.73408.0	Handgrip 16 mm spigot size with threat 3/8"			
1 x L2.70865.0	Stirrup for ARRILUX 200/400 lighthouse			
1 x L2.70902.0	Profi case for ARRILUX 400 Kit with lighthouse compartment (80 x 42 x 32 cm)			

ARRILITE 750 PLUS KITS



ARRILITE 750 PLUS LIGHTING KITS

Ident. No.	Description	Price / EURO	
L0.36700.D	ARRILITE 750 Plus, 3 Tungsten Lighting Kit - with wheels 3 x L3.36700.D ARRILITE 750 Plus with line switch incl. 4-leaf barndoor and accessory holder 3 x L2.36800.0 Lamp HPL* 750 W / 230 V G9,5 (Osram) 3 x L2.76965.0 Compact ARRI Kit Stand AS-01 (050MKA) 1 x L2.79460.0 Set of 4 Scrims (168 mm / 6.6 ") 1 x L2.77180.0 ARRI Filter Pack (2 x Frost F2, Heavy Frost 129, Daylight Blue Frost 224, Daylight 3/4 Blue 201) 1 x L2.36806.R Case for 3 lampheads (81 x 36 x 34 cm) with wheels	Schuko-Plug	2205.5 €
L0.36700.0	ARRILITE 750 Plus, 3 Tungsten Lighting Kit 3 x L3.36700.D ARRILITE 750 Plus with line switch incl. 4-leaf barndoor and accessory holder 3 x L2.36800.0 Lamp HPL* 750 W / 230 V G9,5 (Osram) 3 x L2.76965.0 Compact ARRI Kit Stand AS-01 (050MKA) 1 x L2.79460.0 Set of 4 Scrims (168 mm / 6.6 ") 1 x L2.77180.0 ARRI Filter Pack (2 x Frost F2, Heavy Frost 129, Daylight Blue Frost 224, Daylight 3/4 Blue 201) 1 x L2.36806.0 Case for 3 lampheads (81 x 36 x 34 cm)	Schuko-Plug	2156 €

* HPL lamp invented by and licensed from David Cunningham

ARRILITE 750 PLUS KITS (CONTINUE)

Ident. No.	Description		Price / EURO
L0.36700.B	ARRILITE 750 Plus, 3 Tungsten Lighting Kit - with wheels	bare ends	2205.5 €
	3 x L3.36700.B ARRILITE 750 Plus with line switch incl. 4-leaf barndoor and accessory holder		
	3 x L2.36800.0 Lamp HPL* 750 W / 230 V G9,5 (Osram)		
	3 x L2.76965.0 Compact ARRI Kit Stand AS-01 (050MKA)		
	1 x L2.79460.0 Set of 4 Scrims (168 mm / 6.6 ")		
	1 x L2.77180.0 ARRI Filter Pack (2 x Frost F2, Heavy Frost 129, Daylight Blue Frost 224, Daylight 3/4 Blue 201)		
	1 x L2.36806.R Case for 3 lampheads (81 x 36 x 34 cm) with wheels		
L0.36700.E	ARRILITE 750 Plus, 3 Tungsten Lighting Kit	bare ends	2156 €
	3 x L3.36700.B ARRILITE 750 Plus with line switch incl. 4-leaf barndoor and accessory holder		
	3 x L2.36800.0 Lamp HPL* 750 W / 230 V G9,5 (Osram)		
	3 x L2.76965.0 Compact ARRI Kit Stand AS-01 (050MKA)		
	1 x L2.79460.0 Set of 4 Scrims (168 mm / 6.6 ")		
	1 x L2.77180.0 ARRI Filter Pack (2 x Frost F2, Heavy Frost 129, Daylight Blue Frost 224, Daylight 3/4 Blue 201)		
	1 x L2.36806.0 Case for 3 lampheads (81 x 36 x 34 cm)		

* HPL lamp invented by and licensed from David Cunningham

ARRILITE 2000 PLUS KITS



ARRILITE 2000 PLUS LIGHTING KITS

Ident. No.	Description		Price / EURO
L0.36500.D	ARRILITE 2000 Plus, 2 Tungsten Lighting Kit	Schuko-Plug	1676.4 €
2 x L3.36500.D	ARRILITE 2000 Plus with line switch incl. 4-leaf barndoor		
2 x L2.89212.0	Lamp FEX 2000 W / 230 V RX7s P2/27 (Osram)		
1 x L2.76950.0	Set of 4 Scrims (254 mm / 10.0 ")		
1 x L2.77180.0	ARRI Filter Pack (2 x Frost F2, Heavy Frost 129, Daylight Blue Frost 224, Daylight 3/4 Blue 201)		
1 x L2.76956.P	Case for 2 lampheads (70 x 39 x 37 cm)		
L0.36500.B	ARRILITE 2000 Plus, 2 Tungsten Lighting Kit	bare ends	1676.4 €
2 x L3.36500.B	ARRILITE 2000 Plus with line switch incl. 4-leaf barndoor		
2 x L2.89212.0	Lamp FEX 2000 W / 230 V RX7s P2/27 (Osram)		
1 x L2.76950.0	Set of 4 Scrims (254 mm / 10.0 ")		
1 x L2.77180.0	ARRI Filter Pack (2 x Frost F2, Heavy Frost 129, Daylight Blue Frost 224, Daylight 3/4 Blue 201)		
1 x L2.76956.P	Case for 2 lampheads (70 x 39 x 37 cm)		

SOFTBANK I PLUS KIT



SOFTBANK I PLUS LIGHTING KIT

Ident. No.	Description	Price / EURO	
L0.76597.S	Softbank I Plus Lighting Kit	Schuko-Plug	3470 €
1 x L3.79200.D	ARRI 300 Plus with line switch incl. 4-leaf barndoor, filter frame		
2 x L3.79400.D	ARRI 650 Plus with line switch incl. 4-leaf barndoor, filter frame		
1 x L3.36700.D	ARRILITE 750 Plus with line switch incl. 4-leaf barndoor, accessory holder		
1 x	Lamp T 300 W / 240 V GY 9,5 CP/81 (Osram)		
2 x	Lamp T 650 W / 230 V GY 9,5 CP/89 (Osram)		
1 x	Lamp HPL* 750 W / 230 V G9,5 (Osram)		
1 x	Scrim, full single (130 mm / 5.1 ")		
1 x	Scrim, full double (130 mm / 5.1 ")		
3 x	Scrim, full single (168 mm / 6.6 ")		
3 x	Scrim, full double (168 mm / 6.6 ")		
1 x	Chimera Lightbank Video Pro Plus "S"		
4 x	Medium ARRI Kit Stand AS-2 (050A)		
1 x	Accessory Pack		
1 x	Heavy Duty Case with wheels (102 x 48 x 34 cm)		

* HPL lamp invented by and licensed from David Cunningham

SOFTBANK IV PLUS KIT



SOFTBANK IV PLUS LIGHTING KIT

Ident. No.	Description	Price / EURO	
L0.76599.S	Softbank IV Plus Lighting Kit	Schuko-Plug	3470.50 €
2 x L3.79360.D	ARRI 150 with line switch incl. 4-leaf barndoor, filter frame		
1 x L3.79200.D	ARRI 300 Plus with line switch incl. 4-leaf barndoor, filter frame		
1 x L3.79400.D	ARRI 650 Plus with line switch incl. 4-leaf barndoor, filter frame		
1 x L3.36700.D	ARRILITE 750 Plus with line switch incl. 4-leaf barndoor, accessory holder		
2 x	Lamp T 150 W / 240 V GX 6,35 (Osram)		
1 x	Lamp T 300 W / 240 V GY 9,5 CP/81 (Osram)		
1 x	Lamp T 650 W / 230 V GY 9,5 CP/89 (Osram)		
1 x	Lamp HPL* 750 W / 230 V G9,5 (Osram)		
2 x	Scrim, full single (78 mm / 3.1")		
2 x	Scrim, full double (78 mm / 3.1")		
1 x	Scrim, full single (130 mm / 5.1 ")		
1 x	Scrim, full double (130 mm / 5.1 ")		
2 x	Scrim, full single (168 mm / 6.6")		
2 x	Scrim, full double (168 mm / 6.6")		
1 x	Chimera Lightbank Video Pro Plus "S"		
1 x	Accessory Pack		
1 x	Super Clamp with 5/8" Stud		
1 x	Ceiling Scissor Clamp		
4 x	Medium ARRI Kit Stand AS-2 (050A)		
1 x	Heavy Duty Case with wheels (102 x 48 x 34 cm)		

* HPL lamp invented by and licensed from David Cunningham

ARRI 650/3 KIT



ARRI 650/3 LIGHTING KIT

Ident. No.	Description	Price / EURO
L0.79400.C	ARRI 650/3 Lighting Kit	Schuko-Plug 2348.5 €
	3 x L3.79400.D ARRI 650 Plus with line switch incl. 4-leaf barndoor, filter frame	
	3 x Lamp T 650 W / 230 V GY 9,5 CP/89 (Osram)	
	3 x Scrim, full single (168 mm / 6.6")	
	3 x Scrim, full double (168 mm / 6.6")	
	3 x Compact ARRI Kit Stand AS-01 (050MKA)	
	1 x Compact 3-Light case with wheels (83 x 43 x 27 cm)	



300/650 FRESNEL COMBO KIT



300/650 FRESNEL COMBO LIGHTING KIT

Ident. No.	Description	Price / EURO	
L0.76598.F	300/650 Fresnel Combo Lighting Kit	Schuko-Plug	3085.5 €
	2 x L3.79200.D ARRI 300 Plus with line switch incl. 4-leaf barndoor, filter frame		
	2 x L3.79400.D ARRI 650 Plus with line switch incl. 4-leaf barndoor, filter frame		
	2 x Lamp T 650 W / 230 V GY 9,5 CP/89 (Osram)		
	2 x Lamp T 300 W / 240 V GY 9,5 CP/81 (Osram)		
	2 x Scrim, full single (130 mm / 5.1 ")		
	2 x Scrim, full double (130 mm / 5.1 ")		
	2 x Scrim, full single (168 mm / 6.6 ")		
	2 x Scrim, full double (168 mm / 6.6 ")		
	4 x Medium ARRI Kit Stand AS-2 (050A)		
	1 x Accessory Pack		
	1 x Heavy Duty Case with wheels (102 x 48 x 34 cm)		

SETS - LAMPHEAD, BALLAST & ACCESSORIES



M-SERIES® SETS



M-SERIES® SETS

Ident. No.	Description		Price / EURO
L0.37200HS	M8 High Speed Set	International (VEAM)	6297.5 €
	1 x L1.37200.B	M8, blue/silver	
	1 x L2.76184KH	EB® 575/800 HS with ALF, CCL, DMX, 1000 Hz	
	1 x L2.39870.0	4-leaf barndoor, True Blue® (245 mm / 9.7")	
	1 x L2.37207.0	Spill Rings (230 mm / 9.1")	
	1 x L2.75600.0	Head-to-Ballast cable 575/800/1200/1800 W, 7 m	
L0.37600HS	M18 High Speed Set	International (VEAM)	9344.5 €
	1 x L1.37600.B	M18, blue/silver	
	1 x L2.76625KH	EB® 1200/1800 HS with ALF, CCL, 1000 Hz	
	1 x L2.40950.0	4-leaf barndoor, True Blue® (344 mm / 13.5")	
	1 x L2.37670.0	Spill Rings (330 mm / 13.0")	
	1 x L2.75600.0	Head-to-Ballast cable 575/800/1200/1800 W, 7 m	
L0.37600.B	M18 Set	International (VEAM)	8475.5 €
	1 x L1.37600.B	M18, blue/silver	
	1 x L2.76625.0	EB® 1200/1800 with ALF, CCL	
	1 x L2.40950.0	4-leaf barndoor, True Blue® (344 mm / 13.5")	
	1 x L2.37670.0	Spill Rings (330 mm / 13.0")	
	1 x L2.75600.0	Head-to-Ballast cable 575/800/1200/1800 W, 7 m	

M-SERIES® SETS (CONTINUE)

SETS	Ident. No.	Description	Price / EURO	
	L0.37400AS	M40 High Speed Set - AutoScan	International (VEAM)	15262.5 €
	NEW	1 x L1.37400.B M40, blue/silver		
		1 x L2.76655KH EB® 2.5/4 HS AutoScan with ALF, DMX, CCL 1000 Hz		
		1 x L2.41200.0 4-leaf barndoor, True Blue® (413 mm / 16.3")		
		1 x L2.37305.0 Spill Rings (400 mm / 15.8")		
		1 x L2.75620.0 Head-to-Ballast cable 2500/4000 W, 7 m		
	L0.37400BC	M40 Set	International (VEAM)	13293.5 €
		1 x L1.37400.B M40, blue/silver		CORRECTED
		1 x L2.76650.0 EB® 2.5/4 with ALF, CCL		
		1 x L2.41200.0 4-leaf barndoor, True Blue® (413 mm / 16.3")		
		1 x L2.37305.0 Spill Rings (400 mm / 15.8")		
		1 x L2.75620.0 Head-to-Ballast cable 2500/4000 W, 7 m		
	L0.37480AS	M90 High Speed Set - AutoScan	International (VEAM)	25558.50 €
	NEW	1 x L1.37480.B M90, blue/silver		
		1 x L2.76185KH EB® 6/9 HS AutoScan with ALF, CCL, DMX, 1000 Hz		
		1 x L2.37560.0 4-leaf barndoor (584 mm / 23.0")		
		1 x L2.37561.0 Spill Rings (571 mm / 22.5")		
		1 x L2.77940.A Head-to-Ballast cable 6000/9000 W, 15 m		
	L0.37480.B	M90 Set	International (VEAM)	23485 €
		1 x L1.37480.B M90, blue/silver		
		1 x L2.76181.0 EB® 6/9 with ALF, CCL, DMX		
		1 x L2.37560.0 4-leaf barndoor (584 mm / 23.0")		
		1 x L2.37561.0 Spill Rings (571 mm / 22.5")		
		1 x L2.77940.B Head-to-Ballast cable 6000/9000 W, 10 m		
	L0.37950AS	ARRIMAX® 18/12 High Speed Set - AutoScan	International (VEAM)	38434 €
	NEW	1 x L1.37950.B ARRIMAX® 18/12, blue/silver		
		1 x L2.76295KH EB® 12/18 HS AutoScan with ALF, DMX, 1000 Hz & trolley		
		1 x L2.71100.0 4-leaf barndoor (740 mm / 29.1")		
		1 x L2.82294.0 Head-to-Ballast/Dimmer cable 12/18/24 kW, 15 m		
	L0.37950.0	ARRIMAX® 18/12 Set - with barndoor	International (VEAM)	37482.5 €
		1 x L1.37950.B ARRIMAX® 18/12, blue/silver		
		1 x L2.76295.0 EB® 12/18 with ALF, DMX & trolley		
		1 x L2.71100.0 4-leaf barndoor (740 mm / 29.1")		
		1 x L2.82294.0 Head-to-Ballast/Dimmer cable 12/18/24 kW, 15 m		
	L0.37950.R	ARRIMAX® 18/12 Set - with snoot	International (VEAM)	38093 €
		1 x L1.37950.B ARRIMAX® 18/12, blue/silver		
		1 x L2.76295.0 EB® 12/18 with ALF, DMX & trolley		
		1 x L2.37941.0 Snoot (740 mm / 29.1") with variable frame		
		1 x L2.37940.0 Spot reflector for ARRIMAX® 18/12, 8° - 15° Half Peak Angle		
		1 x L2.82294.0 Head-to-Ballast/Dimmer cable 12/18/24 kW, 15 m		

ARRISUN® SETS



ARRISUN® SETS

Ident. No.	Description	Price / EURO
L0.0009675	ARRISUN® 5 Set	International (VEAM) 7139 €
NEW	1 x L1.77850.B ARRISUN® 5, blue/silver	
	1 x L2.76425.0 EB® 575/1200 with ALF	
	1 x L2.79670.0 4-leaf barndoor (197 mm / 7.8")	
	1 x L2.77864.0 DROP-IN lens, spot (175 mm / 6.9")	
	1 x L2.77866.0 DROP-IN lens, narrow flood (175 mm / 6.9")	
	1 x L2.77868.0 DROP-IN lens, flood (175 mm / 6.9")	
	1 x L2.77870.0 DROP-IN lens, super flood (175 mm / 6.9")	
	1 x L2.77872.0 DROP-IN lens, super flood frosted (175 mm / 6.9")	
	1 x L2.77853.0 Case for 1 x ARRISUN® 5, ballast, lenses & accessories (45 x 32 x 47 cm)	
	1 x L2.75600.0 Head-to-Ballast cable 575/800/1200/1800 W, 7 m	
L0.37570.B	AS 18 Set	International (VEAM) 9768 €
	1 x L1.37570.B AS 18, blue/silver	
	1 x L2.76625.0 EB® 1200/1800 with ALF, CCL	
	1 x L2.40950.0 4-leaf barndoor, True Blue® (344 mm / 13.5")	
	1 x L2.76821.0 DROP-IN lens, spot (250 mm / 9.8")	
	1 x L2.76822.0 DROP-IN lens, narrow flood (250 mm / 9.8")	
	1 x L2.76823.0 DROP-IN lens, flood (250 mm / 9.8")	
	1 x L2.76824.0 DROP-IN lens, super flood (250 mm / 9.8")	
	1 x L2.76825.0 DROP-IN lens, super flood frosted (250 mm / 9.8")	
	1 x L2.76827.0 Lens case for 5 lenses, empty (36 x 21 x 41 cm)	
	1 x L2.75600.0 Head-to-Ballast cable 575/800/1200/1800 W, 7 m	

ARRISUN® SETS (CONTINUE)

SETS	Ident. No.	Description	Price / EURO	
	L0.77480DX	ARRISUN® 60 Set	International (VEAM)	20839,5 €
	1 x L1.77480.B	ARRISUN® 60, blue/silver		
	1 x L2.76193.0	EB® 6000 Baby with ALF		
	1 x L2.82150.0	4-leaf barndoor (510 mm / 20.1")		
	1 x L2.76887.0	DROP-IN lens, spot (420 mm / 16.5")		
	1 x L2.76888.0	DROP-IN lens, narrow flood (420 mm / 16.5")		
	1 x L2.76889.0	DROP-IN lens, flood (420 mm / 16.5")		
	1 x L2.76890.0	DROP-IN lens, super flood (420 mm / 16.5")		
	1 x L2.76891.0	DROP-IN lens, super flood frosted (420 mm / 16.5")		
	1 x L2.77932.0	Lens case for 5 lenses up to Ø 495 mm, empty (66 x 35 x 69 cm), expandable for Ø 600 mm lenses		
	1 x L2.77940.0	Head-to-Ballast cable 6000/9000 W, 7 m		

DAYLIGHT FRESNEL SETS



TRUE BLUE® D SETS

Ident. No.	Description	Price / EURO
L0.33770HS NEW	True Blue® D5 High Speed Set 1 x L1.33770.B True Blue® D5, blue/silver 1 x L2.76184KH EB® 575/800 HS with ALF, CCL, DMX, 1000Hz 1 x L2.39670.0 4-leaf barndoor, True Blue® (197 mm / 7.8") 1 x L2.79690.0 Filter frame (197 mm / 7.8") 1 x L2.75600.0 Head-to-Ballast cable 575/800/1200/1800 W, 7 m	International (VEAM) 5820.1 €
L0.0001665	True Blue® D5 Set - with ALF, DMX 1 x L1.33770.B True Blue® D5, blue/silver 1 x L2.76426.0 EB® 575/1200 with ALF, DMX 1 x L2.39670.0 4-leaf barndoor, True Blue® (197 mm / 7.8") 1 x L2.79690.0 Filter frame (197 mm / 7.8") 1 x L2.75600.0 Head-to-Ballast cable 575/800/1200/1800 W, 7 m	International (VEAM) 6172.1 €
L0.0001664	True Blue® D5 Set - with ALF 1 x L1.33770.B True Blue® D5, blue/silver 1 x L2.76425.0 EB® 575/1200 with ALF 1 x L2.39670.0 4-leaf barndoor, True Blue® (197 mm / 7.8") 1 x L2.79690.0 Filter frame (197 mm / 7.8") 1 x L2.75600.0 Head-to-Ballast cable 575/800/1200/1800 W, 7 m	International (VEAM) 5743.1 €
L0.33730HS NEW	True Blue® D12 High Speed Set 1 x L1.33730.B True Blue® D12, blue/silver 1 x L2.76425KH EB® 575/1200 with ALF, 1000Hz 1 x L2.39870.0 4-leaf barndoor, True Blue® (245 mm / 9.7") 1 x L2.79890.0 Filter frame (230 mm / 9.1") 1 x L2.75600.0 Head-to-Ballast cable 575/800/1200/1800 W, 7 m	International (VEAM) 7222.6 €
L0.0001660	True Blue® D12 Set - with ALF, DMX 1 x L1.33730.B True Blue® D12, blue/silver 1 x L2.76426.0 EB® 575/1200 with ALF, DMX 1 x L2.39870.0 4-leaf barndoor, True Blue® (245 mm / 9.7") 1 x L2.79890.0 Filter frame (230 mm / 9.1") 1 x L2.75600.0 Head-to-Ballast cable 575/800/1200/1800 W, 7 m	International (VEAM) 7002.6 €

DAYLIGHT FRESNEL SETS (CONTINUE)

L0.0001659	True Blue® D12 Set - with ALF	International (VEAM)	6573.6 €
	1 x L1.33730.B True Blue® D12, blue/silver		
	1 x L2.76425.0 EB® 575/1200 with ALF		
	1 x L2.39870.0 4-leaf barndoor, True Blue® (245 mm / 9.7")		
	1 x L2.79890.0 Filter frame (230 mm / 9.1")		
	1 x L2.75600.0 Head-to-Ballast cable 575/800/1200/1800 W, 7 m		

L0.33670AS	True Blue® D25 Set - AutoScan	International (VEAM)	13643.3 €
NEW	1 x L1.33670.B True Blue® D25, blue/silver		
	1 x L2.76655KH EB® 2.5/4 HS AutoScan with ALF, CCL, DMX, 1000 Hz		
	1 x L2.40950.0 4-leaf barndoor, True Blue® (344 mm / 13.5")		
	1 x L2.80970.0 Filter frame (330 mm / 13.0")		
	1 x L2.75620.0 Head-to-Ballast cable 2500/4000 W, 7 m		

L0.0001661	True Blue® D25 Set - with ALF, DMX	International (VEAM)	11509.3 €
	1 x L1.33670.B True Blue® D25, blue/silver		CORRECTED
	1 x L2.76641.0 EB® 2.5/4 with ALF, DMX		
	1 x L2.40950.0 4-leaf barndoor, True Blue® (344 mm / 13.5")		
	1 x L2.80970.0 Filter frame (330 mm / 13.0")		
	1 x L2.75620.0 Head-to-Ballast cable 2500/4000 W, 7 m		

L0.0001662	True Blue® D25 Set - with ALF	International (VEAM)	11014.3 €
	1 x L1.33670.B True Blue® D25, blue/silver		
	1 x L2.76640.0 EB® 2.5/4 with ALF		
	1 x L2.40950.0 4-leaf barndoor, True Blue® (344 mm / 13.5")		
	1 x L2.80970.0 Filter frame (330 mm / 13.0")		
	1 x L2.75620.0 Head-to-Ballast cable 2500/4000 W, 7 m		

L0.33670.X	True Blue® D25 Set - with ALF	International (VEAM)	10645.8 €
	1 x L1.33670.B True Blue® D25, blue/silver		
	1 x L2.76635.0 EB® 2500 with ALF		
	1 x L2.40950.0 4-leaf barndoor, True Blue® (344 mm / 13.5")		
	1 x L2.80970.0 Filter frame (330 mm / 13.0")		
	1 x L2.75620.0 Head-to-Ballast cable 2500/4000 W, 7 m		

L0.33670XB	True Blue® D25 Set - Baby	International (VEAM)	9941.8 €
	1 x L1.33670.B True Blue® D25, blue/silver		
	1 x L2.76695.0 EB® 2500 Baby with ALF		
	1 x L2.40950.0 4-leaf barndoor, True Blue® (344 mm / 13.5")		
	1 x L2.80970.0 Filter frame (330 mm / 13.0")		
	1 x L2.75620.0 Head-to-Ballast cable 2500/4000 W, 7 m		

L0.34000AS	True Blue® D40 Set - AutoScan	International (VEAM)	15026 €
NEW	1 x L1.34000.B True Blue® D40, blue/silver		
	1 x L2.76655KH EB® 2.5/4 HS AutoScan with ALF, CCL, DMX, 1000 Hz		
	1 x L2.41200.0 4-leaf barndoor, True Blue® (413 mm / 16.3")		
	1 x L2.81220.0 Filter frame (400 mm / 15.8")		
	1 x L2.75620.0 Head-to-Ballast cable 2500/4000 W, 7 m		

DAYLIGHT FRESNEL SETS (CONTINUE)


COMPACT SETS

Ident. No.	Description		Price / EURO
L0.73330SD	Compact 200 Set - with Case	Amphenol	3496.9 €
	1 x L1.73330.B Compact 200, blue/silver		
	1 x L2.76013.B EB® 125/200 with ALF		
	1 x L2.79470.0 4-leaf barndoor (168 mm / 6.6")		
	1 x L2.79490.0 Filter frame (168 mm / 6.6")		
	1 x L2.73372.0 Head-to-Ballast cable 200 W, 7 m		
	1 x L2.73365.0 Case, empty (43 x 29 x 34 cm)		
L0.0001658	Compact 6000 Plus Set - with EB® 6/12	International (VEAM)	22726 €
	1 x L1.75720.B Compact 6000 Plus, blue/silver		
	1 x L2.76172.0 EB® 6/12 with ALF		
	1 x L2.82150.0 4-leaf barndoor (510 mm / 20.1")		
	1 x L2.82155.0 Filter frame (495 mm / 19.5")		
	1 x L2.77940.0 Head-to-Ballast cable 6000/9000 W, 7 m		
L0.75720.X	Compact 6000 Plus Set - with EB® 6000 Baby	International (VEAM)	20691 €
	1 x L1.75720.B Compact 6000 Plus, blue/silver		
	1 x L2.76193.0 EB® 6000 Baby with ALF		
	1 x L2.82150.0 4-leaf barndoor (510 mm / 20.1")		
	1 x L2.82155.0 Filter frame (495 mm / 19.5")		
	1 x L2.77940.0 Head-to-Ballast cable 6000/9000 W, 7 m,		

ARRI DAYLIGHT SET

Ident. No.	Description		Price / EURO
L0.71160.X	ARRI Daylight 18/12 Set	International (VEAM)	34903 €
	1 x L1.71160.B ARRI Daylight 18/12, blue/silver		
	1 x L2.76290.0 EB® 12/18 with ALF & trolley		
	1 x L2.71100.0 4-leaf barndoor (740 mm / 29.1")		
	1 x L2.71110.0 Filter frame (740 mm / 29.1")		
	1 x L2.82294.0 Head-to-Ballast/Dimmer cable 12/18/24 kW, 15 m		

LED





SKYPANEL® S30-C

NEW

Type of Lamphead:	LED Soft Light
Lamp Type:	RGB+W LED Light Engine
Light Aperture:	355 x 300 mm
Mounting:	Spigot 28 mm (short), 16 mm Socket
Size (HxWxL) /	507 x 133 x 426 mm /
Packed Size:	670 x 293 x 458 mm
Packed Volume:	0,9 m ³
Weight / Packed Weight	MAN: approx. 8 kg / 14 kg
(incl. PSU):	P.O.: approx. 9 kg / 16 kg
Protection Class / IP Rating:	I / IP20
Certifications:	Pending CE, CB, GS, cNTRLus, FCC

ALL VERSIONS INCLUDE

S30 Power Supply Unit (PSU)	Onboard control panel
DC Header Cable (3-pin XLR)	5-pin DMX in and thru connector (XLR)
PowerCON TRUE1 Mains Cable (110 - 250 V~)	4-pin DC battery input (XLR)
Rail Mount Adapter for SkyPanel® PSU	EtherCon LAN Connector
Standard Diffusion Panel	USB-A Connector

MANUAL

Aluminum Yoke with 16 mm / 28 mm Combo Pin (Baby 5/8" / Junior 1 1/8" Combo Pin)
3 m DC Header Cable
3 m (10 ft) Mains Cable with Edison connector
3 m (10 ft) Mains Cable with Schuko connector
3 m (10 ft) Mains Cable with Chinese connector

POLE OPERATED (P.O.)

Steel Yoke with 28 mm Junior Pin
1 m DC Header Cable
3 m (10 ft) Mains Cable with Bare Ends
Pole Operation for pan and tilt

NOT INCLUDED

Barndoors, eggcrates and extra diffusions must be ordered separately

SkyPanel® S30-C NEW

Color Controllable - Tuneable White (2,800 K - 10,000 K), Green-Magenta Adjustment and Full RGBW Color Gamut

Ident. No.	Description				Price / EURO
L0.0007711	S30-C	MAN	blue/silver	Edison	3619 €
L0.0007712	S30-C	MAN	blue/silver	Schuko	3619 €
L0.0007713	S30-C	MAN	blue/silver	Chinese	3619 €
L0.0007714	S30-C	P.O.	blue/silver	Bare Ends	3619 €
L0.0007716	S30-C	P.O.	black	Bare Ends	3619 €

SkyPanel® S30-RP (CONTINUE)

REMOTE PHOSPHOR:

Ident. No.	Description	Price / EURO
L2.0007325	Standard Diffusion S30	55 €
L2.0007326	Heavy Diffusion S30	55 €
L2.0007327	Lite Diffusion S30	55 €
L2.0007823	Intensifier S30	181.5 €

LED

See page 38 for more S30 accessories.



SKYPANEL® S30-RP NEW

Type of Lamphead:	LED Soft Light
Lamp Type:	Blue LED Light Engine (for Remote Phosphor Panels)
Light Aperture:	355 x 300 mm
Mounting:	Spigot 28 mm (short), 16 mm Socket
Size (HxWxL) /	507 x 133 x 426 mm /
Packed Size:	670 x 293 x 458 mm
Packed Volume:	0,9 m³
Weight / Packed Weight	MAN: approx. 8 kg / 14 kg
(incl. PSU):	P.O.: approx. 9 kg / 16 kg
Protection Class / IP Rating:	I / IP20
Certifications:	Pending CE, CB, GS, cNTRLus, FCC

ALL VERSIONS INCLUDE

S30 Power Supply Unit (PSU)	Onboard control panel
DC Header Cable (3-pin XLR)	5-pin DMX in and thru connector (XLR)
PowerCON TRUE1 Mains Cable (110 - 250 V~)	4-pin DC battery input (XLR)
Rail Mount Adapter for SkyPanel® PSU	EtherCon LAN Connector
Remote Phosphor Panel (3,200 or 5,600 K)	USB-A Connector

MANUAL

Aluminum Yoke with 16 mm / 28 mm Combo Pin (Baby 5/8" / Junior 1 1/8" Combo Pin)
3 m DC Header Cable
3 m (10 ft) Mains Cable with Edison connector
3 m (10 ft) Mains Cable with Schuko connector
3 m (10 ft) Mains Cable with Chinese connector

POLE OPERATED (P.O.)

Steel Yoke with 28 mm Junior Pin
1 m DC Header Cable
3 m (10 ft) Mains Cable with Bare Ends
Pole Operation for pan and tilt

NOT INCLUDED

Barndoors, eggcrates und extra Remote Phosphor Panels must be ordered separately
--

SkyPanel® S30-RP NEW

White Light - Interchangeable Remote Phosphor Panels (3,200 K or 5,600 K)

Ident. No.	Description					Price / EURO	
L0.0007717	S30-RP	3,200 K	MAN	blue/silver	Edison	2409	€
L0.0007718	S30-RP	3,200 K	MAN	blue/silver	Schuko	2409	€
L0.0007720	S30-RP	3,200 K	MAN	blue/silver	Chinese	2409	€
L0.0007721	S30-RP	3,200 K	P.O.	blue/silver	Bare Ends	2409	€
L0.0007722	S30-RP	3,200 K	P.O.	black	Bare Ends	2409	€
L0.0007723	S30-RP	5,600 K	MAN	blue/silver	Edison	2409	€
L0.0007724	S30-RP	5,600 K	MAN	blue/silver	Schuko	2409	€
L0.0007725	S30-RP	5,600 K	MAN	blue/silver	Chinese	2409	€
L0.0007726	S30-RP	5,600 K	P.O.	blue/silver	Bare Ends	2409	€
L0.0007727	S30-RP	5,600 K	P.O.	black	Bare Ends	2409	€

SkyPanel® S30-RP (CONTINUE)

REMOTE PHOSPHOR:

Ident. No.	Description	Price / EURO
L2.0007520	Remote Phosphor Panel S30 - 2,700 K	489.5 €
L2.0007521	Remote Phosphor Panel S30 - 3,200 K	489.5 €
L2.0007522	Remote Phosphor Panel S30 - 4,300 K	489.5 €
L2.0007523	Remote Phosphor Panel S30 - 5,600 K	489.5 €
L2.0007524	Remote Phosphor Panel S30 - 6,500 K	489.5 €
L2.0007789	Remote Phosphor Panel S30 - 10,000 K	489.5 €
L2.0007525	Remote Phosphor Panel S30 - Chroma Green	962.5 €

LED

See page 38 for more S30 accessories.

SkyPanel® S30 (CONTINUE)

ACCESSORIES FOR S30-C AND S30-RP:

LIGHT CONTROL:

Ident. No.	Description	Price / EURO
L2.0008187	4-leaf barndoor S30	192.5 €
L2.0008048	4-Chamber Eggcrate S30	77 €
L2.0008064	Honeycomb 60° S30	187 €
L2.0008065	Honeycomb 30° S30	187 €
L2.0008019	Snoot S30	66 €
L2.0008189	Extra Diffusion Slot S30	55 €

LIGHTBANKS:

Ident. No.	Description	Price / EURO
L2.0008142	DoP Choice SnapGrid 40° for S30	236.5 €
L2.0008140	DoP Choice SnapGrid 40° for SnapBag S30	291.5 €
L2.0008141	DoP Choice SnapBag for S30	330 €
L2.0008196	Chimera Lightbank with frame for S30	792 €

MOUNTING:

Ident. No.	Description	Price / EURO
L2.0008078	Center Mount Yoke	209 €
L2.0008080	Fixed Center Mount Yoke	66 €
L2.0008184	Double Vertical Yoke S30	220 €
L2.0008082	Rail Mount Adapter for SkyPanel® PSU	33 €
L2.0006921	Super Clamp Adapter for SkyPanel® PSU	55 €

CABLES:

Ident. No.	Description	Price / EURO
L2.0007492	DC Cable 0.5 m (XLR3) SkyPanel®	27.5 €
L2.0007491	DC Cable 1 m (XLR3) SkyPanel®	38.5 €
L2.0007493	DC Cable 3 m (XLR3) SkyPanel®	60.5 €
L2.0007494	DC Cable 10 m (XLR3) SkyPanel®	110 €
L2.0007860	DC Cable 15 m (XLR3) SkyPanel®	165 €
L2.0007516	Mains cable, 3 m, powerCON TRUE1 / Schuko	44 €
L2.0007515	Mains cable, 3 m, powerCON TRUE1 / Edison	44 €
L2.0007514	Mains cable, 3 m, powerCON TRUE1 / Chinese	44 €
L2.0005974	Mains cable, 3 m, powerCON TRUE1 / Bare Ends	44 €

SkyPanel® S30 (CONTINUE)

ACCESSORIES FOR S30-C AND S30-RP:

SAFETY:

Ident. No.	Description	Price / EURO
L2.76990.0	Safety cable (4 mm) 1 m, with Carabiner	24.2 €

BATTERY ADAPTERS:

Ident. No.	Description	Price / EURO
L2.0008070	V-Mount Battery Adapter Plate	297 €
L2.0008071	Battery Adapter Plate for Anton/Bauer	297 €

POWER SUPPLY:

Ident. No.	Description	Price / EURO
L2.0007735	Power Supply Unit S30 - blue/silver	352 €
L2.0007886	Power Supply Unit S30 - black	352 €

LED

SKYPANEL® S60-C

NEW



Type of Lamphead:	LED Soft Light
Lamp Type:	RGB+W LED Light Engine
Light Aperture:	645 x 300 mm / 25.4 x 11.8 inches
Mounting:	Spigot 28 mm (1 1/8")
Size (HxWxL) /	433 x 813 x 133 mm /
Packed Size:	458 x 849 x 293 mm
Packed Volume:	0.11 m ³
Weight / Packed Weight:	MAN: approx. 12 kg / 20 kg
(incl. PSU)	P.O.: approx. 13 kg / 21 kg
Protection Class / IP Rating:	I / IP20
Certifications:	Pending CE, CB, GS, cNTRLus, FCC

ALL VERSIONS INCLUDE

Steel Yoke and 28 mm Junior Pin	Onboard control panel
S60 Power Supply Unit (PSU)	5-pin DMX in and thru connector (XLR)
DC Header Cable (3-pin XLR)	4-pin DC battery input (XLR)
PowerCON TRUE1 Mains Cable (110 - 250 V~)	EtherCon LAN Connector
Rail Mount Adapter for SkyPanel® PSU	USB-A Connector
Standard Diffusion Panel	

MANUAL

3 m DC Header Cable
3 m (10 ft) Mains Cable with Edison connector
3 m (10 ft) Mains Cable with Schuko connector
3 m (10 ft) Mains Cable with Chinese connector

POLE OPERATED (P.O.)

1 m DC Header Cable
3 m (10 ft) Mains Cable with Bare Ends
Pole Operation for pan and tilt

NOT INCLUDED

Barndoors, eggcrates and extra diffusions must be ordered separately

SkyPanel® S60-C NEW

Color Controllable - Tuneable White (2,800 K - 10,000 K), Green-Magenta Adjustment and Full RGBW Color Gamut

Ident. No.	Description				Price / EURO
L0.0007063	S60-C	MAN	blue/silver	Edison	5159 €
L0.0007064	S60-C	MAN	blue/silver	Schuko	5159 €
L0.0007065	S60-C	MAN	blue/silver	Chinese	5159 €
L0.0007066	S60-C	P.O.	blue/silver	Bare Ends	5159 €
L0.0007067	S60-C	P.O.	black	Bare Ends	5159 €

SkyPanel® S60-C (CONTINUE)

DIFFUSION:

Ident. No.	Description	Price / EURO
L2.0003345	Standard Diffusion S60	110 €
L2.0003903	Heavy Diffusion S60	110 €
L2.0003904	Lite Diffusion S60	110 €
L2.0007818	Intensifier S60	269.5 €

LED

See page 44 for more S60 accessories.

SKYPANEL® S60-RP **NEW**



Type of Lamphead:	LED Soft Light
Lamp Type:	Blue LED Light Engine (for Remote Phosphor Panels)
Light Aperture:	645 x 300 mm / 25.4 x 11.8 inches
Mounting:	Spigot 28 mm (1 1/8")
Size (HxWxL) /	433 x 813 x 133 mm /
Packed Size:	458 x 849 x 293 mm
Packed Volume:	0.11 m³
Weight / Packed Weight:	MAN: approx. 12 kg / 20 kg
(incl. PSU)	P.O.: approx. 13 kg / 21 kg
Protection Class / IP Rating:	I / IP20
Certifications:	Pending CE, CB, GS, cNTRLus, FCC

ALL VERSIONS INCLUDE

Steel Yoke and 28 mm Junior Pin	Onboard control panel
S60 Power Supply Unit (PSU)	5-pin DMX in and thru connector (XLR)
DC Header Cable (3-pin XLR)	4-pin DC battery input (XLR)
PowerCON TRUE1 Mains Cable (110 - 250 V~)	EtherCon LAN Connector
Rail Mount Adapter for SkyPanel® PSU	USB-A Connector
Remote Phosphor Panel (3,200 or 5,600 K)	

MANUAL

3 m DC Header Cable
3 m (10 ft) Mains Cable with Edison connector
3 m (10 ft) Mains Cable with Schuko connector
3 m (10 ft) Mains Cable with Chinese connector

POLE OPERATED (P.O.)

1 m DC Header Cable
3 m (10 ft) Mains Cable with Bare Ends
Pole Operation for pan and tilt

NOT INCLUDED

Barndoors, eggcrates and extra Remote Phosphor Panels must be ordered separately
--

SkyPanel® S60-RP **NEW**

White Light - Interchangeable Remote Phosphor Panels (3,200 K oder 6,500 K)

Ident. No.	Description					Price / EURO	
L0.0007068	S60-RP	3,200 K	MAN	blue/silver	Edison	3619	€
L0.0007069	S60-RP	3,200 K	MAN	blue/silver	Schuko	3619	€
L0.0007070	S60-RP	3,200 K	MAN	blue/silver	Chinese	3619	€
L0.0007071	S60-RP	3,200 K	P.O.	blue/silver	Bare Ends	3619	€
L0.0007072	S60-RP	3,200 K	P.O.	black	Bare Ends	3619	€
L0.0007073	S60-RP	5,600 K	MAN	blue/silver	Edison	3619	€
L0.0007074	S60-RP	5,600 K	MAN	blue/silver	Schuko	3619	€
L0.0007075	S60-RP	5,600 K	MAN	blue/silver	Chinese	3619	€
L0.0007076	S60-RP	5,600 K	P.O.	blue/silver	Bare Ends	3619	€
L0.0007077	S60-RP	5,600 K	P.O.	black	Bare Ends	3619	€

SkyPanel® S60-RP (CONTINUE)

REMOTE PHOSPHOR:

Ident. No.	Description	Price / EURO
L2.0003347	Remote Phosphor Panel S60 - 2,700 K	803 €
L2.0003348	Remote Phosphor Panel S60 - 3,200 K	803 €
L2.0003349	Remote Phosphor Panel S60 - 4,300 K	803 €
L2.0003350	Remote Phosphor Panel S60 - 5,600 K	803 €
L2.0003346	Remote Phosphor Panel S60 - 6,500 K	803 €
L2.0007778	Remote Phosphor Panel S60 - 10,000 K	803 €
L2.0003351	Remote Phosphor Panel S60 - Chroma Green	1424.5 €

LED

See page 44 for more S60 accessories.

SkyPanel® S60 (CONTINUE)

ACCESSORIES FOR S60-C AND S60-RP:

LIGHT CONTROL:

Ident. No.	Description	Price / EURO
L2.0007530	4-leaf barndoor S60	214.5 €
L2.0007977	8-Chamber Eggcrate S60	126.5 €
L2.0008058	Honeycomb 60° S60	275 €
L2.0008059	Honeycomb 30° S60	275 €
L2.0007999	Snoot S60	99 €
L2.0008188	Extra Diffusion Slot S60	66 €

LIGHTBANKS:

Ident. No.	Description	Price / EURO
L2.0008144	DoP Choice SnapGrid 40° for S60	302.5 €
L2.0008143	DoP Choice SnapGrid 40° for SnapBag S60	357.5 €
L2.0008145	DoP Choice SnapBag for S60	451 €
L2.0008197	Chimera Lightbank with frame for S60	880 €
L2.0008195	Chimera Lightbank Shallow with frame for S60	946 €

MOUNTING:

Ident. No.	Description	Price / EURO
L2.0008078	Center Mount Yoke	209 €
L2.0008080	Fixed Center Mount Yoke	66 €
L2.0008098	Double Vertical Yoke S60	264 €
L2.0008082	Rail Mount Adapter for SkyPanel® PSU	33 €
L2.0006921	Super Clamp Adapter for SkyPanel® PSU	55 €
L2.0008185	Space Light Silk Mounting Adapter S60	82.5 €

CABLES:

Ident. No.	Description	Price / EURO
L2.0007492	DC Cable 0.5 m (XLR3) SkyPanel®	27.5 €
L2.0007491	DC Cable 1 m (XLR3) SkyPanel®	38.5 €
L2.0007493	DC Cable 3 m (XLR3) SkyPanel®	60.5 €
L2.0007494	DC Cable 10 m (XLR3) SkyPanel®	110 €
L2.0007860	DC Cable 15 m (XLR3) SkyPanel®	165 €
L2.0007516	Mains cable, 3 m, powerCON TRUE1 / Schuko	44 €
L2.0007515	Mains cable, 3 m, powerCON TRUE1 / Edison	44 €
L2.0007514	Mains cable, 3 m, powerCON TRUE1 / Chinese	44 €
L2.0005974	Mains cable, 3 m, powerCON TRUE1 / Bare Ends	44 €

SkyPanel® S60 (CONTINUE)

ACCESSORIES FOR S60-C AND S60-RP:

SAFETY:

Ident. No.	Description	Price / EURO
L2.80864.0	Safety cable (5 mm) 1 m, with Carabiner	22 €

BATTERY ADAPTERS:

Ident. No.	Description	Price / EURO
L2.0008070	V-Mount Battery Adapter Plate	297 €
L2.0008071	Battery Adapter Plate for Anton/Bauer	297 €

POWER SUPPLY:

Ident. No.	Description	Price / EURO
L2.0007573	Power Supply Unit S60 - blue/silver	605 €
L2.0007878	Power Supply Unit S60 - black	605 €

LED



L-Series L5

Type of Lamphead:	LED Fresnel
Lamp Type:	LED
Lens Diameter:	137 mm
Mounting:	Spigot 28 mm (short), 16 mm Socket
Size (HxWxL) /	MAN: 321 x 278 x 280 mm / P.O.: 315 x 270 x 280 mm
Packed Size:	470 x 400 x 410 mm
Packed Volume:	0.08 m³
Weight / Packed Weight:	MAN: approx. 5 kg / 6 kg P.O.: approx. 7 kg / 7 kg
Protection Class / IP Rating:	I / IP20
Certifications:	CE, CB, GS, cNTRLus, FCC

ALL VERSIONS

include the following configuration:

Exchangeable powerCON TRUE1 mains cable (90 - 250 V~)
Onboard control panel
5-pin DMX in and thru connector
4-pin battery connector (22 - 36 V~)
16 mm / 28 mm Combo Pin (Baby 5/8" / Junior 1 1/8" Combo Pin)

STAND-MOUNT

7 m (23 ft) Mains Cable with Edison connector and line switch
3 m (10 ft) Mains Cable with Schuko connector and line switch

HANGING

1.5 m (5 ft) Mains Cable with Bare Ends

POLE OPERATED (P.O.)

1.5 m (5 ft) Mains Cable with Bare Ends
Pole Operation for pan, tilt and focus

NOT INCLUDED

Barndoors (have to be ordered separately)

ARRI L5-C

Color Controllable - Tuneable White (2,800 K - 10,000 K), Green-Magenta Adjustment and Full RGBW Color Gamut

Ident. No.	Description				Price / EURO
L0.0001956	L5-C	Stand-Mount	blue/silver	7 m Edison connector	1925 €
L0.0001955	L5-C	Stand-Mount	blue/silver	3 m Schuko connector	1925 €
L0.0001958	L5-C	Hanging	blue/silver	Bare Ends	1925 €
L0.0001954	L5-C	Hanging	black	Bare Ends	1925 €
L0.0001953	L5-C	P.O.	blue/silver	Bare Ends	2035 €
L0.0001952	L5-C	P.O.	black	Bare Ends	2035 €

ARRI L5-TT

Tuneable Tungsten - Tuneable White (2,600 K - 3,600 K) and Green-Magenta Adjustment

Ident. No.	Description				Price / EURO
L0.0001980	L5-TT	Stand-Mount	blue/silver	7 m Edison connector	1760 €
L0.0001979	L5-TT	Stand-Mount	blue/silver	3 m Schuko connector	1760 €
L0.0001982	L5-TT	Hanging	blue/silver	Bare Ends	1760 €
L0.0001978	L5-TT	Hanging	black	Bare Ends	1760 €
L0.0001977	L5-TT	P.O.	blue/silver	Bare Ends	1870 €
L0.0001976	L5-TT	P.O.	black	Bare Ends	1870 €

ARRI L5-DT

Tuneable Daylight - Tuneable White (5,000 K - 6,500 K) and Green-Magenta Adjustment

Ident. No.	Description				Price / EURO
L0.0001991	L5-DT	Stand-Mount	blue/silver	7 m Edison connector	1925 €
L0.0001990	L5-DT	Stand-Mount	blue/silver	3 m Schuko connector	1925 €
L0.0001992	L5-DT	Hanging	blue/silver	Bare Ends	1925 €
L0.0001988	L5-DT	Hanging	black	Bare Ends	1925 €
L0.0001987	L5-DT	P.O.	blue/silver	Bare Ends	2035 €
L0.0001986	L5-DT	P.O.	black	Bare Ends	2035 €

ACCESSORIES L5:

LIGHT CONTROL:

Ident. No.	Description				Price / EURO
L2.79470.0	4-leaf barndoor (168 mm / 6.6")				64.9 €
L2.79471.0	4-leaf barndoor, black/silver (168 mm / 6.6")				126.5 €
L2.79500.0	8-leaf barndoor (168 mm / 6.6")				121 €
L2.79490.0	Filter frame (168 mm / 6.6")				22 €
L2.79480.0	Snoot (168 mm / 6.6")				71.5 €

LIGHTBANKS:

Ident. No.	Description				Price / EURO
L2.70844.0	Chimera Lightbank Video Pro Plus "S", incl. 3 front screens (8125)				489.5 €
L2.89068.0	Speed ring circular (9670) (168 mm / 6.6")				154 €

MOUNTING:

Ident. No.	Description				Price / EURO
L2.40701.3	Spigot 28 mm, long, with flange & allen screw, fits profile stirrups without sleeve cuff				16.5 €

CABLES:

Ident. No.	Description				Price / EURO
L2.0001485	Mains cable, 1.5 m, powerCON TRUE1 / bare ends				55 €
L2.0001486	Mains cable, 3 m, powerCON TRUE1 / Schuko, with line switch				55 €
L2.0001487	Mains cable, 7 m, powerCON TRUE1 / Edison, with line switch				55 €

STANDS:

Ident. No.	Description				Price / EURO
L2.76976.0	Medium ARRI Kit Stand LS.2 (050A)				83.6 €
L2.76965.0	Compact ARRI Kit Stand LS.01 (050MKA)				90.2 €
L2.88679.0	Wheel set with brakes, Ø 75 mm / 22 mm mount (110)				86.9 €

SAFETY:

Ident. No.	Description				Price / EURO
L2.76990.0	Safety cable (4 mm) 1 m, with Carabiner				24.2 €

LED



L-Series L7

Type of Lamphead:	LED Fresnel
Lamp Type:	LED
Lens Diameter:	175 mm
Mounting:	Spigot 28 mm (1 1/8")
Size (HxWxL) /	349 x 374 x 423 mm /
Packed Size:	480 x 400 x 400 mm
Packed Volume:	0.76 m³
Weight / Packed Weight:	MAN: approx. 8 kg / 12 kg P.O.: approx. 10 kg / 13 kg
Protection Class / IP	I / IP20
Rating:	
Certifications:	CE, CB, GS, cNTRLus, FCC

LE2

Light Engine 2 with improved brightness

ALL VERSIONS INCLUDE

Onboard control panel
5-pin DMX in and thru connector
28 mm (1 1/8") Junior Pin

STAND-MOUNT

7 m (23 ft) Mains Cable with Edison connector and line switch
3 m (10 ft) Mains Cable with Schuko connector and line switch

HANGING

1.5 m (5 ft) Mains Cable with Bare Ends

POLE OPERATED (P.O.)

1.5 m (5 ft) Mains Cable with Bare Ends
Pole Operation for pan, tilt and focus

NOT INCLUDED

Barndoors (have to be ordered separately)

ARRI L7-C LE2

Color Controllable - Tuneable White (2,800 K - 10,000 K), Green-Magenta Adjustment and Full RGBW Color Gamut

Ident. No.	Description					Price / EURO	
L1.0003645	L7-C	LE2	Stand-Mount	blue/silver	7 m Edison connector	2739	€
L1.0003647	L7-C	LE2	Stand-Mount	blue/silver	3 m Schuko connector	2739	€
L1.0003646	L7-C	LE2	Hanging	blue/silver	Bare Ends	2739	€
L1.0003649	L7-C	LE2	Hanging	black	Bare Ends	2739	€
L1.0003648	L7-C	LE2	P.O.	blue/silver	Bare Ends	2849	€
L1.0003650	L7-C	LE2	P.O.	black	Bare Ends	2849	€

ARRI L7-TT

Tuneable Tungsten - Tuneable White (2,600 K to 3,600 K) and Green-Magenta Adjustment

Ident. No.	Description				Price / EURO
L1.31530TD	L7-TT	Stand-Mount	blue/silver	3 m Schuko connector	2464 €
L1.31530TA	L7-TT	Stand-Mount	blue/silver	7 m Edison connector	2490.4 €
L1.31530TC	L7-TT	Hanging	blue/silver	Bare Ends	2464 €
L1.31535TC	L7-TT	Hanging	black	Bare Ends	2464 €
L1.31530TR	L7-TT	P.O.	blue/silver	Bare Ends	2552 €
L1.31535TR	L7-TT	P.O.	black	Bare Ends	2552 €

ARRI L7-DT

Tuneable Daylight - Tuneable White (5,000 K - 6,500 K) and Green-Magenta Adjustment

Ident. No.	Description				Price / EURO
L1.31530DD	L7-DT	Stand-Mount	blue/silver	3 m Schuko connector	2464 €
L1.31530DA	L7-DT	Stand-Mount	blue/silver	7 m Edison connector	2491.5 €
L1.31530DC	L7-DT	Hanging	blue/silver	Bare Ends	2464 €
L1.31535DC	L7-DT	Hanging	black	Bare Ends	2464 €
L1.31530DR	L7-DT	P.O.	blue/silver	Bare Ends	2552 €
L1.31535DR	L7-DT	P.O.	black	Bare Ends	2552 €

LED

ACCESSORIES L7:

LIGHT CONTROL:

Ident. No.	Description	Price / EURO
L2.39700.0	8-Leaf Barndoor, True Blue® (197 mm / 7.8")	132 €
L2.39670.0	4-Leaf Barndoor, True Blue® (197 mm / 7.8")	88 €
L2.79690.0	Filter frame (197 mm / 7.8")	23.1 €

SAFETY:

Ident. No.	Description	Price / EURO
L2.76990.0	Safety cable (4 mm) 1 m, with Carabiner	24.2 €

LIGHT ENGINE:

Ident. No.	Description	Price / EURO
L2.0003894	L7-C LE2 Upgrade: Brightness Upgrade for L7-C with first generation Light Engine	880 €
L2.0005922	L7-C LE2 Upgrade - Hybrid Version: Brightness Upgrade for L7-C Hybrid with first generation Light Engine	880 €



L-Series L10

Type of Lamphead:	L10 LED Fresnel
Lamp Type:	LED
Lens Diameter:	274 mm
Mounting:	Spigot 28 mm (1 1/8")
Size (HxWxL) / Packed Size:	MAN: 581 x 490 x 560 mm / 660 x 595 x 665 mm P.O.: 604 x 490 x 560 mm / 660 x 595 x 665 mm
Packed Volume:	0.25 m³
Weight / Packed Weight:	MAN: approx. 19 kg / 26 kg P.O.: approx. 21 kg / 27 kg
Protection Class / IP Rating:	I / IP20
Certifications:	CE, CB, GS, cNTRLus, FCC

ALL VERSIONS INCLUDE

PowerCON TRUE1 mains cable
Onboard control panel
5-pin DMX in and thru connector
28 mm (1 1/8") spigot (Junior Pin)

STAND-MOUNT

7 m (23 ft) Mains Cable with Edison connector and line switch
3 m (10 ft) Mains Cable with Schuko connector and line switch

HANGING

1.5 m (5 ft) Mains Cable with Bare Ends

POLE OPERATED (P.O.)

1.5 m (5 ft) Mains Cable with Bare Ends
Pole Operation for pan, tilt and focus

NOT INCLUDED

Barndoors (have to be ordered separately)

ARRI L10-C

Color Controllable - Tuneable White (2,800 K - 10,000 K), Green-Magenta Adjustment and Full RGBW Color Gamut

Ident. No.	Description				Price / EURO
L0.0003381	L10-C	Stand-Mount	blue/silver	7 m Edison connector	4614.5 €
L0.0003382	L10-C	Stand-Mount	blue/silver	3 m Schuko connector	4614.5 €
L0.0003383	L10-C	Hanging	blue/silver	Bare Ends	4614.5 €
L0.0003384	L10-C	Hanging	black	Bare Ends	4614.5 €
L0.0003385	L10-C	P.O.	blue/silver	Bare Ends	4724.5 €
L0.0003386	L10-C	P.O.	black	Bare Ends	4724.5 €

ARRI L10-TT

Tuneable Tungsten - Tuneable White (2,600 K - 3,600 K) and Green-Magenta Adjustment

Ident. No.	Description				Price / EURO
L0.0003387	L10-TT	Stand-Mount	blue/silver	7 m Edison connector	4125 €
L0.0003388	L10-TT	Stand-Mount	blue/silver	3 m Schuko connector	4125 €
L0.0003389	L10-TT	Hanging	blue/silver	Bare Ends	4125 €
L0.0003390	L10-TT	Hanging	black	Bare Ends	4125 €
L0.0003391	L10-TT	P.O.	blue/silver	Bare Ends	4235 €
L0.0003392	L10-TT	P.O.	black	Bare Ends	4235 €

ARRI L10-DT

Tuneable Daylight - Tuneable White (5,000 K - 6,500 K) and Green-Magenta Adjustment

Ident. No.	Description				Price / EURO
L0.0003393	L10-DT	Stand-Mount	blue/silver	7 m Edison connector	4614.50 €
L0.0003394	L10-DT	Stand-Mount	blue/silver	3 m Schuko connector	4614.50 €
L0.0003395	L10-DT	Hanging	blue/silver	Bare Ends	4614.50€
L0.0003396	L10-DT	Hanging	black	Bare Ends	4614.50 €
L0.0003397	L10-DT	P.O.	blue/silver	Bare Ends	4724.5 €
L0.0003398	L10-DT	P.O.	black	Bare Ends	4724.5 €

ACCESSORIES L10:

LIGHT CONTROL:

Ident. No.	Description	Price / EURO
L2.40950.0	4-leaf barndoor, TRUE BLUE (344 mm / 13.5")	110 €
L2.80951.0	4-leaf barndoor, black/silver (344 mm / 13.5")	203.5 €
L2.40960.0	8-leaf barndoor, TRUE BLUE (344 mm / 13.5")	231 €
L2.80970.0	Filter frame (330 mm / 13.0")	41.8 €
L2.80975.0	Snoot (344 mm / 13.5") with variable aperture	132 €

LIGHTBANKS:

Ident. No.	Description	Price / EURO
L2.89054.0	Chimera Lightbank Quartz Plus "S", incl. 3 front screens (8425)	946 €
L2.89055.0	Chimera Lightbank Quartz Plus "M", incl. 3 front screens (8435)	1210 €
L2.76247.0	Speed ring circular (9305) (343 mm / 13.5")	489.5 €

MOUNTING:

Ident. No.	Description	Price / EURO
L2.76989.0	ARRI Swivelling C Clamp (C150)	130.9 €

CABLES:

Ident. No.	Description	Price / EURO
L2.0001485	Mains cable, 1.5 m, powerCON TRUE1 / bare ends	55 €
L2.0001486	Mains cable, 3 m, powerCON TRUE1 / Schuko, with line switch	55 €
L2.0001487	Mains cable, 7 m, powerCON TRUE1 / Edison, with line switch	55 €

STANDS:

Ident. No.	Description	Price / EURO
L2.76979.0	Universal ARRI Steel Stand LS.5 (126A)	217.8 €
L2.8800561	ARRI Wind-up Stand LS.6 (083NWA)	621.5 €

SAFETY:

Ident. No.	Description	Price / EURO
L2.80864.0	Safety cable (5 mm) 1 m, with Carabiner	22 €

LED

LED CASTER 2 PLUS



Type of Lamphead:	ARRI Floodlight, 35 W
Lamp Type:	LED
Mounting:	Thread 3/8"
Size (HxWxL) /	96 x 70 x 218 mm /
Packed Size:	115 x 80 x 235 mm
Packed Volume:	0.002 m³
Weight / Packed Weight:	approx. 1 kg / 1 kg
Protection Class / IP Rating:	III / IP20
Certifications:	CE, FCC

ALL VERSIONS INCLUDE

3/8" Thread on device

LOCASTER 2 PLUS

4-pin XLR PowerDMX input (11 - 36 V $\overline{\text{~}}$)
ON/OFF switch with status indication
Control knobs for brightness, color temperature and Green/Magenta correction

BROADCASTER 2 PLUS

4-pin PowerDMX Input
4-pin PowerDMX Output (Thru)
BCD selector with status indication, for DMX addressing or color temperature presets:

Channel 900 - 2,800 K
Channel 901 - 3,200 K
Channel 902 - 4,000 K
Channel 903 - 4,800 K
Channel 904 - 5,600 K
Channel 905 - 6,500 K

NOT INCLUDED

Power supply (60 W or 300 W)
Power/DMX cables
any other accessories (have to be ordered separately)

CASTER 2 PLUS

Tuneable White (2,800 K - 6,500 K), Green-Magenta Adjustment

Ident.-No.	Description				Price / EURO	
L1.0001329	LoCaster 2 Plus	with Onboard Controls	black	11 - 36 V $\overline{\text{~}}$	825	€
L1.0002309	BroadCaster 2 Plus	with PowerDMX Control	black	11 - 36 V $\overline{\text{~}}$	825	€

ACCESSORIES LED CASTER 2 PLUS:

LIGHT CONTROL:

Ident. No.	Description	Price / EURO
L2.30061.0	2-leaf barndoor, square, Caster-Series	55 €
L2.30059.0	Filter frame for Caster	30.8 €
L2.30058.0	Caster folding intensifier	143 €

MOUNTING:

Ident. No.	Description	Price / EURO
L2.30992.0	ARRI Swiveling / Noga Arm	121 €
L2.30089.0	Caster stirrup with battery pack attachment	84.7 €
L2.76100.0	ARRI Super Clamp with plate for EB® / EBB	93.5 €
L2.76985.0	ARRI Super Clamp (035)	30.8 €
L2.30991.0	Adapter for Hot Shoe, 3/8"	52.8 €
L2.88681.0	Adapter spigot, 1/4" + 3/8", female threads	4.4 €
L2.88639.0	Female Adapter for 16 mm (5/8") spigot with 3/8" stud	13.2 €
L2.30088.0	Adapter stud 16 mm + 120 mm for Gobo head mounting	33 €
L2.76986.0	Stud 16 mm with thread 3/8" (036-38), plugs into Superclamp (035)	6.6 €
L2.30130.0	Multi Connector joining bracket with stud 16 mm / 5/8", for two Casters	62.7 €
L2.72937.0	Car power adapter for LoCaster, cigarette lighter (BSS) to XLR 4-pin	38.5 €

CABLES:

Ident. No.	Description	Price / EURO
L2.30081.0	Power-DMX cable (4-pin XLR), 3 m	66 €
L2.30071.0	Power-DMX cable (4-pin XLR), 5 m	77 €
L2.30105.0	Battery cable (4-pin XLR), 3 m (with blue marking on cable)	63.8 €

STANDS:

Ident. No.	Description	Price / EURO
L2.76975.0	Small ARRI Kit Stand LS.1 (050KA)	86.9 €
L2.8803653	Master Stand (1004BAC)	143 €

SAFETY:

Ident. No.	Description	Price / EURO
L2.76809.0	Safety cable (3 mm) 0,6 m, with Carabiner	18.7 €

TRANSPORT:


Ident. No.	Description	Price / EURO
L2.30099.0	Light case for 1 x Caster & accessories, empty	154 €

POWER SUPPLY:

Ident. No.	Description	Price / EURO
L2.30083.0	LoCaster power supply, max. 60 W Input: 100 - 240 V~, 50/60 Hz, Schuko-Plug; Output: 1 x 24 V~ / 2,5 A (4-pin XLR)	110 €
L2.30084.0	BroadCaster power supply, max. 300 W Input: 100 - 240 V~, 50/60 Hz, Schuko-Plug Output: 24 V~ / 6 A, 3 x PowerDMX (4-pin XLR)	880 €
L2.30085.0	LoCaster battery pack, rechargeable, NiMH 30 V~ / 81 Wh	605 €
L2.30086.0	LoCaster battery charger, 100 - 240 V~, 50/60 Hz	264 €

LED

DAYLIGHT





M-Series M8

Type of Lamphead:

Lamp Type:

Lamp Base:

Lens Diameter:

Mounting:

Size (HxWxL) /

Packed Size:

Packed Volume:

Weight / Packed Weight:

Protection Class / IP Rating:

Certifications:

Open Face with Facetted Reflector, 800 W

Metal Halide 800 W/SE only!

No 575 W lamps!

G22

200 mm

Spigot 28 mm

458 x 344 x 311 mm /

440 x 400 x 460 mm

0.08 m³

approx. 8 kg / 10 kg

I / IP23

CE, CB, GS, cNTRLus

OPEN FACE DAYLIGHT LAMPHEAD WITH MAX TECHNOLOGY®

(cable length 0.5 m, without barndoor)

Ident. No.	Beschreibung				Preis / EURO
L1.37200.B	M8	MAN	blue/silver	International (VEAM)	2530 €

ELECTRONIC HIGH SPEED BALLASTS

Blue standard housing with handle

Mains frequency 50/60 Hz; given mains voltages are nominal values

Ident. No.	Description					Price / EURO
L2.76184KH	EB® 575/800 HS	ALF, CCL, DMX	50/60/75/1000 Hz	International (VEAM)	120/230 V~ Schuko-Plug	3294.5 €

ACCESSORIES M8:

DIFFUSION:

Ident. No.	Description	Price / EURO
L2.37208.0	Frosted glass (242 mm / 9.5")	104.5 €

LIGHT CONTROL:

Ident. No.	Description	Price / EURO
L2.39870.0	4-leaf barndoor, True Blue® (245 mm / 9.7")	99 €
L2.39900.0	8-leaf barndoor, True Blue® (245 mm / 9.7")	165 €
L2.79860.0	Set of 4 scrims (230 mm / 9.1")	99 €
L2.79860.A	Scrim, full single (230 mm / 9.1")	28.3 €
L2.79860.B	Scrim, full double (230 mm / 9.1")	26.4 €
L2.79860.C	Scrim, half single (230 mm / 9.1")	25.3 €
L2.79860.D	Scrim, half double (230 mm / 9.1")	26.4 €
L2.37207.0	Spill Rings (230 mm / 9.1")	66 €
L2.79890.0	Filter frame (230 mm / 9.1")	28.6 €
L2.79880.0	Snoot (245 mm / 9.7") with variable aperture	115.5 €

LIGHTBANKS:

Ident. No.	Description	Price / EURO
L2.89055.0	Chimera Lightbank Quartz Plus "M", incl. 3 front screens (8435)	1210 €
L2.76248.0	Speed ring circular (9205) (245 mm / 9.7")	528 €

MOUNTING:

Ident. No.	Description	Price / EURO
L2.76989.0	ARRI Swivelling C Clamp (C150)	130.9 €

CABLES:

Ident. No.	Description	Price / EURO
L2.75600.0	Head-to-Ballast cable 575/800/1200/1800 W, 7 m, International connector (VEAM)	308 €
L2.75600.C	Head-to-Ballast cable 575/800/1200/1800 W, 15 m, International connector (VEAM)	390.5 €

STANDS:

Ident. No.	Description	Price / EURO
L2.88717.0	Universal ARRI Cine Stand LS.4 (007BA)	171.6 €
L2.88679.0	Braked wheels set 110 for LS.4 Stand - wheels Ø 75 mm / 22 mm mount	86.9 €

SAFETY:

Ident. No.	Description	Price / EURO
L2.76990.0	Safety cable (4 mm) 1 m, with Carabiner	24.2 €

LAMPS:

Ident. No.	Description	Price / EURO
L2.0003872	Lamp DIS 800 W/SE G22 UV-B (Koto)	214.5 €
L2.37240.0	Lamp HMI 800 W/SEL G22 HR UV (Osram)	237.5 €

DAYLIGHT



M-Series M18

Type of Lamphead:
Lamp Type:

Open Face with Facetted Reflector, 1800 W
Metal Halide 1800 W/SE
Metal Halide 1200 W/SE

Lamp Base:

G38

Lens Diameter:

250 mm

Mounting:

Spigot 28 mm

Size (HxWxL) /

567 x 387 x 388 mm /

Packed Size:

530 x 510 x 555 mm

Packed Volume:

0.15 m³

Weight / Packed Weight:

approx. 11 kg / 16 kg

Protection Class / IP Rating:

I / IP23

Certifications:

CE, CB, GS, cNTRLus

OPEN FACE DAYLIGHT LAMPHEAD WITH MAX TECHNOLOGY®

(cable length 0.5 m, without barndoor)

Ident. No.	Description					Price / EURO
L1.37600.B	M18	MAN	blue/silver	International (VEAM)		3520 €

ELECTRONIC HIGH SPEED BALLASTS

Blue standard housing with handle

Mains frequency 50/60 Hz; given mains voltages are nominal values

Ident. No.	Description					Price / EURO
L2.76625KH	EB® 1200/1800 HS	ALF, CCL	50/75/1000 Hz	International (VEAM)	120/230 V~ Schuko-Plug	5324 €

ELECTRONIC LOCATION BALLASTS

Blue standard housing with handle

Mains frequency 50/60 Hz; given mains voltages are nominal values

Ident. No.	Description					Price / EURO
L2.76625.0	EB® 1200/1800	ALF, CCL	50/60/75 Hz	International (VEAM)	120/230 V~ Schuko-Plug	4455 €

ACCESSORIES M18:

DIFFUSION:

Ident. No.	Description	Price / EURO
L2.0001006	Frosted glass (330 mm / 13.0")	187 €

LIGHT CONTROL:

Ident. No.	Description	Price / EURO
L2.40950.0	4-leaf barndoor, True Blue® (344 mm / 13.5")	110 €
L2.40960.0	8-leaf barndoor, True Blue® (344 mm / 13.5")	231 €

ACCESSORIES M18 (CONTINUE)

L2.80980.0	Set of 4 scrims (330 mm / 13.0")	148.5 €
L2.80980.A	Scrim, full single (330 mm / 13.0")	38.5 €
L2.80980.B	Scrim, full double (330 mm / 13.0")	44 €
L2.80980.C	Scrim, half single (330 mm / 13.0")	38.5 €
L2.80980.D	Scrim, half double (330 mm / 13.0")	44 €
L2.37670.0	Spill Rings (330 mm / 13.0")	82.5 €
L2.80970.0	Filter frame (330 mm / 13.0")	41.8 €
L2.80975.0	Snoot (344 mm / 13.5") with variable aperture	132 €

LIGHTBANKS:

Ident. No.	Description	Price / EURO
L2.89054.0	Chimera Lightbank Quartz Plus "S", incl. 3 front screens (8425)	946 €
L2.89055.0	Chimera Lightbank Quartz Plus "M", incl. 3 front screens (8435)	1210 €
L2.76247.0	Speed ring circular (9305) (343 mm / 13.5")	489.5 €

MOUNTING:

Ident. No.	Description	Price / EURO
L2.76989.0	ARRI Swivelling C Clamp (C150)	130.9 €

CABLES:

Ident. No.	Description	Price / EURO
L2.75600.0	Head-to-Ballast cable 575/800/1200/1800 W, 7 m, International connector (VEAM)	308 €
L2.75600.C	Head-to-Ballast cable 575/800/1200/1800 W, 15 m, International connector (VEAM)	390.5 €

STANDS:

Ident. No.	Description	Price / EURO
L2.76979.0	Universal ARRI Steel Stand LS.5 (126A)	217.8 €
L2.88679.0	Wheel set with brakes, Ø 75 mm / 22 mm mount (110)	86.9 €

SAFETY:

Ident. No.	Description	Price / EURO
L2.76990.0	Safety cable (4 mm) 1 m, with Carabiner	24.2 €

LAMPS:

Ident. No.	Description	Price / EURO
L2.0003885	Lamp DIS 1200 W/SE G38 UV-B (Koto)	181.5 €
L2.89254.P	Lamp MSR 1200 W/SE G38 HR (Philips)	242 €
L2.89254L0	Lamp HMI 1200 W/SE G38 Longlife UV (Osram)	203.5 €
L2.0003884	Lamp DIS 1800 W/SE G38 (Koto)	324.5 €
L2.37590.0	Lamp HMI 1800 W/SE G38 UV (Osram)	368.5 €

MISCELLANEOUS:

Ident. No.	Description	Price / EURO
L2.77572.2	Conversion Kit from M18 to AS 18: PAR Reflector, three brackets and one top latch	209 €



M-Series M40

Type of Lamphead:
Lamp Type:

Open Face with Facetted Reflector, 4000 W
Metal Halide 4000 W/SE
Metal Halide 2500 W/SE

Lamp Base:
Lens Diameter:

G38
300 mm

Mounting:

Spigot 28 mm

Size (HxWxL) /

670 x 402 x 511 mm /

Packed Size:

660 x 595 x 665 mm

Packed Volume:

0.25 m³

Weight / Packed Weight:

approx. 19 kg / 23 kg

Protection Class / IP Rating:

I / IP23

Certifications:

CE, CB, GS, cNTRLus

OPEN FACE DAYLIGHT LAMPHEAD WITH MAX TECHNOLOGY®

(cable length 0.5 m, without barndoor)

Ident. No.	Description				Price / EURO
L1.37400.B	M40	MAN	blue/silver	International (VEAM)	5632 €

ELECTRONIC HIGH SPEED BALLASTS

Blue standard housing with handle

Mains frequency 50/60 Hz; given mains voltages are nominal values

Ident. No.	Description					Price / EURO
L2.76651KH	EB® 2.5/4 HS	ALF, CCL, DMX	50/75/1000 Hz	International (VEAM)	230 V~, bare ends	8684.5 €
L2.76675KH	EB® 2.5/4 HS	ALF	60/75/1000 Hz	International (VEAM)	120/230 V~, bare ends	8189.5 €
L2.76640KH	EB® 2.5/4 HS	ALF	50/75/1000 Hz	International (VEAM)	230 V~, bare ends	7529.5 €

ELECTRONIC LOCATION BALLASTS

Blue standard housing with handle

Mains frequency 50/60 Hz; given mains voltages are nominal values

Ident. No.	Description					Price / EURO
L2.76651.0	EB® 2.5/4	ALF, CCL, DMX	50/60/75 Hz	International (VEAM)	230 V~, bare ends	7832 €
L2.76676.0	EB® 2.5/4	ALF, DMX	50/60/75 Hz	International (VEAM)	120/230 V~, bare ends	7397.5 €
L2.76640.0	EB® 2,5/4	ALF	50/60/75 Hz	International (VEAM)	230 V~ ohne Stecker	6440.5 €

ACCESSORIES M40:

LIGHT CONTROL:

Ident. No.	Description	Price / EURO
L2.41200.0	4-leaf barndoor, True Blue® (413 mm / 16.3")	132 €
L2.81210.0	8-leaf barndoor (413 mm / 16.3")	253 €
L2.81230.0	Set of 4 scrims (400 mm / 15.8")	170.5 €
L2.81230.A	Scrim, full single (400 mm / 15.8")	44 €
L2.81230.B	Scrim, full double (400 mm / 15.8")	49.5 €
L2.81230.C	Scrim, half single (400 mm / 15.8")	44 €
L2.81230.D	Scrim, half double (400 mm / 15.8")	49.5 €
L2.37305.0	Spill Rings (400 mm / 15.8")	110 €
L2.81220.0	Filter frame (400 mm / 15.8")	44 €
L2.81225.0	Snoot (413 mm / 16.3") with variable aperture	269.5 €

LIGHTBANKS:

Ident. No.	Description	Price / EURO
L2.89055.0	Chimera Lightbank Quartz Plus "M", incl. 3 front screens (8435)	1210 €
L2.89062.0	Speed ring circular (9365) (411 mm / 16.2")	566.5 €

MOUNTING:

Ident. No.	Description	Price / EURO
L2.76989.0	ARRI Swivelling C Clamp (C150)	130.9 €

CABLES:

Ident. No.	Description	Price / EURO
L2.75620.0	Head-to-Ballast cable 2500/4000 W, 7 m, International connector (VEAM)	319 €
L2.75620.C	Head-to-Ballast cable 2500/4000 W, 15 m, International connector (VEAM)	429 €

STANDS:

Ident. No.	Description	Price / EURO
L2.8800561	ARRI Wind-up Stand LS.6 (083NWA)	621.5 €
L2.76959.0	Wheel set with brakes, Ø 75 mm / M10 mount with brakes (104)	77 €
L2.88096.0	Wheel set with brakes, Ø 160 mm / M10 mount with brakes (374)	294.8 €

SAFETY:

Ident. No.	Description	Price / EURO
L2.80864.0	Safety cable (5 mm) 1 m, with Carabiner	22 €

LAMPS:

Ident. No.	Description	Price / EURO
L2.0003883	Lamp DIS 2500 W/SE G38 UV-B (Koto)	275 €
L2.89255.0	Lamp HMI 2500 W/SE XS G38 (Osram)	308 €
L2.0003882	Lamp DIS 4000 W/SE G38 UV-B (Koto)	467.5 €
L2.89256.0	Lamp HMI 4000 W/SE XS G38 (Osram)	528 €



M-Series M90

Type of Lamphead:
Lamp Type:

Open Face with Facetted Reflector, 9000 W
Metal Halide 9000 W/SE
Metal Halide 6000 W/SE

Lamp Base:

GX38

Lens Diameter:

500 mm

Mounting:

Spigot 28 mm

Size (HxWxL) /

947 x 713 x 716 mm /

Packed Size:

930 x 790 x 910 mm

Packed Volume:

0,66 m³

Weight / Packed Weight:

approx. 40 kg / 55 kg

Protection Class / IP Rating:

I / IP23

Certifications:

CE, CB, GS, cNTRLus

OPEN FACE DAYLIGHT LAMPHEAD WITH MAX TECHNOLOGY®

(cable length 0.5 m, without barndoor)

Ident. No.	Description					Price / EURO
L1.37480.B	M90	MAN	blue/silver	International (VEAM)		10384 €

ELECTRONIC HIGH SPEED BALLASTS

Blue standard housing with handle

Mains frequency 50/60 Hz; given mains voltages are nominal values

Ident. No.	Description					Price / EURO
L2.76185KH	EB® 6/9 HS AutoScan	ALF, CCL, DMX	50/75/1000 Hz	International (VEAM)	230 V~ bare ends	13475 €

NEW

ELECTRONIC LOCATION BALLASTS

Blue standard housing with handle

Mains frequency 50/60 Hz; given mains voltages are nominal values

Ident. No.	Description					Price / EURO
L2.76181.0	EB® 6/9	ALF, CCL, DMX	50/60/75 Hz	International (VEAM)	230 V~ bare ends	11550 €

ACCESSORIES M90:

LIGHT CONTROL:

	Ident. No.	Description	Price / EURO
	L2.37560.0	4-leaf barndoor (584 mm / 23.0")	595 €
NEW	L2.0008688	Set of 4 scrims (571 mm / 22.5")	346.5 €
NEW	L2.0008690	Scrim, full single (571 mm / 22.5")	93.5 €
NEW	L2.0008689	Scrim, full double (571 mm / 22.5")	99 €
NEW	L2.0008692	Scrim, half single (571 mm / 22.5")	93.5 €
NEW	L2.0008691	Scrim, half double (571 mm / 22.5")	99 €
	L2.37561.0	Spill Rings (571 mm / 22.5")	132 €

LIGHTBANKS:

Ident. No.	Description	Price / EURO
L2.37475.0	Speed ring circular (9465) (581 mm / 22.9")	539 €

CABLES:

Ident. No.	Description	Price / EURO
L2.77940.A	Head-to-Ballast cable 6000/9000 W, 15 m, International connector (VEAM)	973.5 €

LAMPS:

Ident. No.	Description	Price / EURO
L2.0003879	Lamp DIS 9000 W/SE G38 (Koto)	2321 €
L2.37482.0	Lamp HMI 9000 W/SE XS GX38 (Osram)	2623.5 €

DAYLIGHT



ARRIMAX® 18/12

Type of Lamphead:

Lamp Type:

Lamp Base:

Lens Diameter:

Mounting:

Size (HxWxL) /

Packed Size:

Packed Volume:

Weight / Packed Weight:

Protection Class / IP Rating:

Certifications:

Open Face with Facetted Reflector, 18000 W

Metal Halide 18000 W/SE

Metal Halide 12000 W/SE

GX51 / GX38

630 mm

Spigot 28 mm

1051 x 784 x 942 mm /

1135 x 1050 x 1170 mm

1.4 m³

approx. 65 kg / 101 kg (with pallet)

I / IP23

CE, CB, GS, cNTRLus

OPEN FACE DAYLIGHT LAMPHEAD WITH MAX TECHNOLOGY®

(cable length 0.5 m, without barndoor)

Ident. No.	Description				Price / EURO
L1.37950.B	ARRIMAX® 18/12	MAN	blau/silber	International (VEAM)	19624 €

ELECTRONIC HIGH SPEED BALLASTS

Blue standard housing with handle

Mains frequency 50/60 Hz; given mains voltages are nominal values

Ident. No.	Description					Price / EURO
L2.76295KH	EB® 12/18 HS	ALF, DMX	50/60/75/1000 Hz	International (VEAM)	230 V~, bare ends	17044.5 €

NEW

ELECTRONIC LOCATION BALLASTS

Blue standard housing with handle

Mains frequency 50/60 Hz; given mains voltages are nominal values

Ident. No.	Description					Price / EURO
L2.76295.0	EB® 12/18	ALF, DMX, with trolley	50/60/75 Hz	International (VEAM)	230 V~ bare ends	16093 €
L2.76290.0	EB® 12/18	ALF, with trolley	50/60/75 Hz	International (VEAM)	230 V~ bare ends	15020.5 €

ACCESSORIES ARRIMAX® 18/12:

LIGHT CONTROL:

Ident. No.	Description	Price / EURO
L2.71100.0	4-leaf barndoor (740 mm / 29.1")	698.5 €
L2.71115.0	Set of 4 scrims (740 mm / 29.1")	357.5 €
L2.71115.A	Scrim, full single (740 mm / 29.1")	88 €
L2.71115.B	Scrim, full double (740 mm / 29.1")	93.5 €
L2.71115.C	Scrim, half single (740 mm / 29.1")	88 €
L2.71115.D	Scrim, half double (740 mm / 29.1")	93.5 €
L2.37941.0	Snoot (740 mm / 29.1") with variable frame	786.5 €
L2.37940.0	Spot reflector for ARRIMAX® 18/12, 8° - 15° Half Peak Angle	522.5 €

CABLES:

Ident. No.	Description	Price / EURO
L2.82294.0	Head-to-Ballast/Dimmer cable 12/18/24 kW, 15 m, International connector (VEAM)	1067 €
L2.82294.A	Head-to-Ballast/Dimmer cable 12/18/24 kW, 20 m, International connector (VEAM)	1364 €

LAMPS:

Ident. No.	Description	Price / EURO
L2.00038.0	Lamp DIS 12000 W/SE G38 UV-B (Koto)	2365 €
L2.89261.0	Lamp HMI 12000 W/SE XS GX38 (Osram)	2640 €
L2.0003877	Lamp DIS 18000 W/SE G51 (Koto)	3646.5 €
L2.89262.0	Lamp HMI 18000 W/SE XS GX51 (Osram)	4169 €

MOTORIZATION:

Ident. No.	Description	Price / EURO
L2.0003613	Motorized Yoke BigBee, built-in DMX module, inkl. flight case	28875 €
L2.0003614	Motorized Yoke BigBee Focus-unit	4125 €

DAYLIGHT

ARRISUN® 2



Type of Lamphead:	PAR, 200 W
Lamp Type:	Metal Halide 200 W/SE
Lamp Base:	GZY 9,5
Lens Diameter:	135 mm
Mounting:	Socket 16 mm
Size (HxWxL) /	250 x 204 x 267 mm /
Packed Size:	290 x 225 x 260 mm
Packed Volume:	0.017 m ³
Weight / Packed Weight:	approx. 2 kg / 3 kg
Protection Class / IP Rating:	I / IP23
Certifications:	CE

DAYLIGHT PAR LIGHTS

(cable length 1 m, without barn door)

Ident. No.	Description					Price / EURO
L1.77820.B	ARRISUN® 2	MAN	blue/silver	Amphenol		1556.5 €

ELECTRONIC LOCATION BALLASTS

Blue standard housing with handle or Blue standard housing with handle or silver aluminium profile housing

Mains frequency 50/60 Hz; given mains voltages are nominal values

Ident. No.	Description					Price / EURO
L2.76115.0	EB® 200	ALF, IP23, w/o fan	200 Hz	Amphenol	120/230 V~ Schuko-Plug	1380.5 €
L2.76013.B	EB® 125/200	ALF	200 Hz	Binder Amphenol	120/230 V~ Schuko-Plug	1182.5 €

ELECTRONIC BATTERY BALLASTS

Silver aluminium profile housing

Ident. No.	Description					Price / EURO
L2.76040.B	EBB 125/200		150 Hz	Binder Amphenol	20-36 V~ XLR 4-Plug	1182.5 €
L2.76270.B	EBB 200/400		110 Hz	Amphenol International (VEAM)	20-36 V~ 2 x XLR 4-Plug	1985.5 €

ACCESSORIES ARRISUN® 2:

LIGHT CONTROL:

Ident. No.	Description	Price / EURO
L2.79470.0	4-leaf barn door (168 mm / 6.6")	64.9 €
L2.79471.0	4-leaf barn door, black/silver (168 mm / 6.6")	197.89 €
L2.79500.0	8-leaf barn door (168 mm / 6.6")	121 €
L2.79460.0	Set of 4 scrims (168 mm / 6.6")	82.5 €
L2.79460.A	Scrim, full single (168 mm / 6.6")	20.9 €
L2.79460.B	Scrim, full double (168 mm / 6.6")	24.2 €

ACCESSORIES ARRISUN® 2 (CONTINUE)

L2.79460.C	Scrim, half single (168 mm / 6.6")	20.9 €
L2.79460.D	Scrim, half double (168 mm / 6.6")	24.2 €
L0.77824.0	5 DROP-IN lens set (130 mm / 5.1") (spot, narrow flood, flood, super flood, super flood frosted)	770 €
L0.77825.0	4 DROP-IN lens set (130 mm / 5.1") (spot, narrow flood, flood, super flood)	616 €
L2.77826.0	DROP-IN lens, spot, blue (130 mm / 5.1")	154 €
L2.77828.0	DROP-IN lens, narrow flood, small rectangle, black (130 mm / 5.1")	154 €
L2.77830.0	DROP-IN lens, flood, large rectangle, green (130 mm / 5.1")	154 €
L2.77832.0	DROP-IN lens, super flood, honeycomb, red (130 mm / 5.1")	154 €
L2.77834.0	DROP-IN lens, super flood frosted, honeycomb, silver (130 mm / 5.1")	154 €
L2.77818.0	Lens bag for max. 5 lenses up to Ø 235 mm, empty	33 €

LIGHTBANKS:

Ident. No.	Description	Price / EURO
L2.70844.0	Chimera Lightbank Video Pro Plus "S", incl. 3 front screens (8125)	489.5 €
L2.89068.0	Speed ring circular (9670) (168 mm / 6.6")	154 €
L2.89074.0	Speed ring circular metal (9670AL) (168 mm / 6.6")	203.5 €
L2.89069.0	Speed ring circular (9672) (168 mm / 6.6")	203.5 €

MOUNTING:

Ident. No.	Description	Price / EURO
L2.74144.0	Ballast mount bracket with 16 mm socket	71.5 €
L2.76985.0	ARRI Super Clamp (035)	30.5 €
L2.76100.0	ARRI Super Clamp with plate for EB® / EBB	93.5 €
L2.73490.0	Universal Clamp with spigot 16 mm (camera mount)	137.5 €
L2.76986.0	Stud 16 mm with thread 3/8" (036-38), plugs into Superclamp (035)	6.6 €

CABLES:

Ident. No.	Description	Price / EURO
L2.73372.0	Head-to-Ballast cable 200 W, 7 m, Amphenol	220 €

STANDS:

Ident. No.	Description	Price / EURO
L2.76976.0	Medium ARRI Kit Stand LS.2 (050A)	83.6 €
L2.88679.0	Wheel set with brakes, Ø 75 mm / 22 mm mount (110)	86.9 €

SAFETY:

Ident. No.	Description	Price / EURO
L2.76809.0	Safety cable (3 mm) 0.6 m, with Carabiner	18.7 €

TRANSPORT:

Ident. No.	Description	Price / EURO
L2.77065.0	Case for 1 x ARRISUN® 2, ballast, lenses & accessories (47 x 34 x 35 cm)	412.5 €

LAMPS:

Ident. No.	Description	Price / EURO
L2.0003876	Lamp DIS 200 W/SE GZY 9,5 UV-B (Koto)	143 €
L2.89251.0	Lamp HMI 200 W/SE GZY 9,5 UV (Osram)	159.5 €

DAYLIGHT



ARRISUN® 5

Type of Lamphead:	PAR, 575 W
Lamp Type:	Metal Halide 575 W/SE
Lamp Base:	G22
Lens Diameter:	175 mm
Mounting:	Spigot 28 mm
Size (HxWxL) /	358 x 272 x 310 mm /
Packed Size:	340 x 490 x 380 mm
Packed Volume:	0.06 m³
Weight / Packed Weight:	approx. 4 kg / 6 kg
Protection Class / IP Rating:	I / IP23
Certifications:	CE

DAYLIGHT PAR LIGHTS

(cable length 0.5 m, without barn door)

Ident. No.	Description					Price / EURO
L1.77850.B	ARRISUN® 5	MAN	blue/silver	International (VEAM)		2326.5 €
L1.77850.F	ARRISUN® 5	MAN	blue/silver	Schaltbau (GTV-Standard)		2491.5 €

ELECTRONIC HIGH SPEED BALLASTS

Blue standard housing with handle

Mains frequency 50/60 Hz; given mains voltages are nominal values

Ident. No.	Description					Price / EURO
L2.76425KH	EB® 575/1200 HS	ALF	50/75/1000 Hz	International (VEAM)	120/230 V~ Schuko-Plug	3866.5 €

ELECTRONIC LOCATION BALLASTS

Blue standard housing with handle or silver aluminium profile housing

Mains frequency 50/60 Hz; given mains voltages are nominal values

Ident. No.	Description					Price / EURO
L2.76126.0	EB® 575/1200	DMX	50/60/75 Hz	International (VEAM)	120/230 V~ Schuko-Plug	3327.5 €
L2.76425.0	EB® 575/1200	ALF	50/60/75 Hz	International (VEAM)	120/230 V~ Schuko-Plug	3217.5 €
L2.76426.0	EB® 575/1200	ALF, DMX	50/60/75 Hz	International (VEAM)	120/230 V~ Schuko-Plug	3646.5 €
L2.76427.0	EB® 575/1200	ALF	50/60/75 Hz	Schaltbau	120/230 V~ Schuko-Plug	3217.5 €
L2.76260.0	EB® 400/575	ALF	110 Hz	International (VEAM)	120/230 V~ Schuko-Plug	2035 €
L2.76262.0	EB® 400/575	ALF	110 Hz	Schaltbau	120/230 V~ Schuko-Plug	2035 €

ACCESSORIES ARRISUN® 5:

LIGHT CONTROL:

Ident. No.	Description	Price / EURO
L2.39670.0	4-leaf barn door, True Blue® (197 mm / 7.8")	88 €
L2.39700.0	8-leaf barn door, True Blue® (197 mm / 7.8")	132 €

ACCESSORIES ARRISUN® 5 (CONTINUE)

L2.79660.0	Set of 4 scrims (197 mm / 7.8")	99	€
L2.79660.A	Scrim, full single (197 mm / 7.8")	25.3	€
L2.79660.B	Scrim, full double (197 mm / 7.8")	27.5	€
L2.79660.C	Scrim, half single (197 mm / 7.8")	25.3	€
L2.79660.D	Scrim, half double (197 mm / 7.8")	27.5	€
L0.77862.0	5 DROP-IN lens set (175 mm / 6.9") (spot, narrow flood, flood, super flood, super flood frosted)	775.5	€
L0.77863.0	4 DROP-IN lens set (175 mm / 6.9") (spot, narrow flood, flood, super flood)	621.5	€
L2.77864.0	DROP-IN lens, spot, blue (175 mm / 6.9")	154	€
L2.77866.0	DROP-IN lens, narrow flood, small rectangle, black (175 mm / 6.9")	154	€
L2.77868.0	DROP-IN lens, flood, large rectangle, green (175 mm / 6.9")	154	€
L2.77870.0	DROP-IN lens, super flood, honeycomb, red (175 mm / 6.9")	159.5	€
L2.77872.0	DROP-IN lens, super flood frosted, honeycomb, silver (175 mm / 6.9")	154	€

LIGHTBANKS:

Ident. No.	Description	Price / EURO
L2.70940.0	Chimera Lightbank Video Pro Plus "M", incl. 3 front screens (8135)	770 €
L2.89053.0	Chimera Lightbank Daylite Junior Plus "S", incl. 3 front screens (8225)	643.5 €
L2.76246.0	Speed ring circular (9190) (197 mm / 7.8")	242 €
L2.89060.0	Speed ring circular (9192) (197 mm / 7.8")	242 €

MOUNTING:

Ident. No.	Description	Price / EURO
L2.76989.0	ARRI Swivelling C Clamp (C150)	130.9 €
L2.76986.0	Stud 16 mm with thread 3/8" (036-38), plugs into Superclamp (035)	6.6 €

CABLES:

Ident. No.	Description	Price / EURO
L2.75600.0	Head-to-Ballast cable 575/800/1200/1800 W, 7 m, International connector (VEAM)	308 €
L2.75600.C	Head-to-Ballast cable 575/800/1200/1800 W, 15 m, International connector (VEAM)	390.5 €
L2.75600.F	Head-to-Ballast cable 575/1200/1800 W, 7 m, Schaltbau / Extension Cable EVENT 1200/1800 W	308 €
L2.75600.E	Head-to-Ballast cable 575/1200/1800 W, 15 m, Schaltbau / Extension Cable EVENT 1200/1800 W	390.5 €
L2.76339.0	Adapter for AS5 Event on regular (VEAM) ballasts	154 €

STANDS:

Ident. No.	Description	Price / EURO
L2.88717.0	Universal ARRI Cine Stand LS.4 (007BA)	171.6 €
L2.88679.0	Wheel set withww brakes, Ø 75 mm / 22 mm mount (110)	86.9 €

SAFETY:

Ident. No.	Description	Price / EURO
L2.76990.0	Safety Cable (4 mm) 1 m, with Carabiner	24.2 €

TRANSPORT:

Ident. No.	Description	Price / EURO
L2.77853.0	Case for 1 x ARRISUN® 5, ballast, lenses & accessories (45 x 32 x 47 cm)	423.5 €

LAMPS:

Ident. No.	Description	Price / EURO
L2.0003874	Lamp DIS 575 W/SE G22 UV-B (Koto)	165 €
L2.89253L0	Lamp HMI 575 W/SE G22 Longlife UV (Osram)	181.5 €

DAYLIGHT



AS 18

Type of Lamphead:	PAR, 1800 W
Lamp Type:	Metal Halide 1800 W/SE Metal Halide 1200 W/SE
Lamp Base:	G38
Lens Diameter:	250 mm
Mounting:	Spigot 28 mm
Size (HxWxL) /	595 x 387 x 416 mm /
Packed Size:	525 x 515 x 555 mm
Packed Volume:	0.15 m ³
Weight / Packed Weight:	approx. 11 kg / 13 kg
Protection Class / IP Rating:	I / IP23
Certifications:	CE, CB, GS, cNTRLus

DAYLIGHT PAR LIGHTS

(cable length 0.5 m, without barndoor)

Ident. No.	Description					Price / EURO
L1.37570.B	AS 18	MAN	blue/silver	International (VEAM)		3520 €
L1.37570.F	AS 18	MAN	blue/silver	Schaltbau (GTV-Standard)		3685 €

ELECTRONIC HIGH SPEED BALLASTS

Blue standard housing with handle

Mains frequency 50/60 Hz; given mains voltages are nominal values

Ident. No.	Description					Price / EURO
L2.76625KH	EB® 1200/1800 HS	ALF, CCL	50/75/1000 Hz	International (VEAM)	120/230 V~ Schuko-Plug	5324 €

ELECTRONIC LOCATION BALLASTS

Blue standard housing with handle

Mains frequency 50/60 Hz; given mains voltages are nominal values

Ident. No.	Description					Price / EURO
L2.76625.0	EB® 1200/1800	ALF, CCL	50/60/75 Hz	International (VEAM)	120/230 V~ Schuko-Plug	4455 €

ACCESSORIES AS 18:

LIGHT CONTROL:

Ident. No.	Description	Price / EURO
L2.40950.0	4-leaf barndoor, True Blue® (344 mm / 13.5")	110 €
L2.40960.0	8-leaf barndoor, True Blue® (344 mm / 13.5")	231 €
L2.80980.0	Set of 4 scrims (330 mm / 13.0")	148.5 €
L2.80980.A	Scrim, full single (330 mm / 13.0")	38.5 €
L2.80980.B	Scrim, full double (330 mm / 13.0")	44 €
L2.80980.C	Scrim, half single (330 mm / 13.0")	38.5 €
L2.80980.D	Scrim, half double (330 mm / 13.0")	44 €
L0.76817.0	5 DROP-IN lens set (250 mm / 9.8"), incl. case (spot, narrow flood, flood, super flood, super flood frosted)	1375 €
L0.76818.0	4 DROP-IN lens set (250 mm / 9.8"), incl. case (spot, narrow flood, flood, super flood)	1166 €

ACCESSORIES AS18 (CONTINUE)

L2.76821.0	DROP-IN lens, spot, blue (250 mm / 9.8")	209 €
L2.76822.0	DROP-IN lens, narrow flood, small rectangle, black (250 mm / 9.8")	209 €
L2.76823.0	DROP-IN lens, flood, large rectangle, green (250 mm / 9.8")	209 €
L2.76824.0	DROP-IN lens, super flood, honeycomb, red (250 mm / 9.8")	209 €
L2.76825.0	DROP-IN lens, super flood frosted, honeycomb, silver (250 mm / 9.8")	209 €
L2.76827.0	Lens case for 5 lenses, empty (36 x 21 x 41 cm)	330 €

LIGHTBANKS:

Ident. No.	Description	Price / EURO
L2.89054.0	Chimera Lightbank Quartz Plus "S", incl. 3 front screens (8425)	946 €
L2.89055.0	Chimera Lightbank Quartz Plus "M", incl. 3 front screens (8435)	1210 €
L2.76247.0	Speed ring circular (9305) (343 mm / 13.5")	489.5 €

MOUNTING:

Ident. No.	Description	Price / EURO
L2.76989.0	ARRI Swivelling C Clamp (C150)	130.9 €

CABLES:

Ident. No.	Description	Price / EURO
L2.75600.0	Head-to-Ballast cable 575/800/1200/1800 W, 7 m, International connector (VEAM)	308 €
L2.75600.C	Head-to-Ballast cable 575/800/1200/1800 W, 15 m, International connector (VEAM)	390.5 €
L2.75600.F	Head-to-Ballast cable 575/1200/1800 W, 7 m, Schaltbau / Extension Cable EVENT 1200/1800 W	308 €
L2.75600.E	Head-to-Ballast cable 575/1200/1800 W, 15 m, Schaltbau / Extension Cable EVENT 1200/1800 W	390.5 €

STANDS:

Ident. No.	Description	Price / EURO
L2.76979.0	Universal ARRI Steel Stand LS.5 (126A)	217.8 €
L2.88679.0	Wheel set with brakes, Ø 75 mm / 22 mm mount (110)	86.9 €

SAFETY:

Ident. No.	Description	Price / EURO
L2.76990.0	Safety cable (4 mm) 1 m, with Carabiner	24.2 €

LAMPS:

Ident. No.	Description	Price / EURO
L2.0003885	Lamp DIS 1200 W/SE G38 UV-B (Koto)	181.5 €
L2.89254.P	Lamp MSR 1200 W/SE G38 HR (Philips)	242 €
L2.89254L0	Lamp HMI 1200 W/SE G38 Longlife UV (Osram)	203.5 €
L2.0003884	Lamp DIS 1800 W/SE G38 (Koto)	324.5 €
L2.37590.0	Lamp HMI 1800 W/SE XS G38 UV (Osram)	368.5 €

MISCELLANEOUS:

Ident. No.	Description	Price / EURO
L2.37682.2	Conversion Kit from AS18 to M18: MAX Reflector, three brackets and one top latch	209 €



AS 40

Type of Lamphead:	PAR, 4000 W
Lamp Type:	Metal Halide 4000 W/SE Metal Halide 2500 W/SE
Lamp Base:	G38
Lens Diameter:	300 mm
Mounting:	Spigot 28 mm
Size (HxWxL) /	723 x 471 x 590 mm /
Packed Size:	650 x 600 x 670 mm
Packed Volume:	0.26 m ³
Weight / Packed Weight:	approx. 19 kg / 24 kg
Protection Class / IP Rating:	I / IP23
Certifications:	CE, CB, GS, cNTRLus

DAYLIGHT

DAYLIGHT PAR LIGHTS

(cable length 0.6 m, without barndoor)

Ident. No.	Description				Price / EURO	
L1.37300.B	AS 40	MAN	blue/silver	International (VEAM)	5632	€
L1.37300.F	AS 40	MAN	blue/silver	Schaltbau (GTV-Standard)	5797	€

ELECTRONIC HIGH SPEED BALLASTS

Blue standard housing with handle

Mains frequency 50/60 Hz; given mains voltages are nominal values

Ident. No.	Description					Price / EURO	
L2.76651KH	EB® 2.5/4 HS	ALF, CCL, DMX	50/75/1000 Hz	International (VEAM)	230 V~, bare ends	8684.5	€
L2.76675KH	EB® 2.5/4 HS	ALF	60/75/1000 Hz	International (VEAM)	120/230 V~ bare ends	8189.5	€
L2.76640KH	EB® 2.5/4 HS	ALF	50/75/1000 Hz	International (VEAM)	230 V~ bare ends	7529.5	€

ELECTRONIC LOCATION BALLASTS

Blue standard housing with handle

Mains frequency 50/60 Hz; given mains voltages are nominal values

Ident. No.	Description					Price / EURO	
L2.76651.0	EB® 2.5/4	ALF, CCL, DMX	50/60/75 Hz	International (VEAM)	230 V~, bare ends	7694.5	€
L2.76676.0	EB® 2.5/4	ALF, DMX	50/60/75 Hz	International (VEAM)	120/230 V~ bare ends	7595.5	€
L2.76640.0	EB® 2,5/4	ALF	50/60/75 Hz	International (VEAM)	230 V~ ohne Stecker	6440.5	€

ACCESSORIES AS 40:

LIGHT CONTROL:

Ident. No.	Description	Price / EURO
L2.41200.0	4-leaf barndoor, True Blue® (413 mm / 16.3")	132 €
L2.81210.0	8-leaf barndoor (413 mm / 16.3")	252 €
L2.81230.0	Set of 4 scrims (400 mm / 15.8")	170.5 €
L2.81230.A	Scrim, full single (400 mm / 15.8")	44 €
L2.81230.B	Scrim, full double (400 mm / 15.8")	49.5 €
L2.81230.C	Scrim, half single (400 mm / 15.8")	44 €
L2.81230.D	Scrim, half double (400 mm / 15.8")	49.5 €
L0.76864.0	5 DROP-IN lens set (300 mm / 11.8"), incl. case (spot, narrow flood, flood, super flood, super flood frosted)	1699.5 €
L0.76865.0	4 DROP-IN lens set (300 mm / 11.8"), incl. case (spot, narrow flood, flood, super flood)	1430 €
L2.76867.0	DROP-IN lens, spot, blue (300 mm / 11.8")	269.5 €
L2.76868.0	DROP-IN lens, narrow flood, small rectangle, black (300 mm / 11.8")	269.5 €
L2.76869.0	DROP-IN lens, flood, large rectangle, green (300 mm / 11.8")	269.5 €
L2.76870.0	DROP-IN lens, super flood, honeycomb, red (300 mm / 11.8")	269.5 €
L2.76871.0	DROP-IN lens, super flood frosted, honeycomb, silver (300 mm / 11.8")	269.5 €
L2.77483.0	Lens case for 5 lenses, empty (47 x 34 x 49 cm)	352 €

LIGHTBANKS:

Ident. No.	Description	Price / EURO
L2.89055.0	Chimera Lightbank Quartz Plus "M", incl. 3 front screens (8435)	1210 €
L2.89062.0	Speed ring circular (9365) (411 mm / 16.2")	566.5 €

MOUNTING:

Ident. No.	Description	Price / EURO
L2.76989.0	ARRI Swivelling C Clamp (C150)	130.9 €

CABLES:

Ident. No.	Description	Price / EURO
L2.75620.0	Head-to-Ballast cable 2500/4000 W, 7 m, International connector (VEAM)	319 €
L2.75620.C	Head-to-Ballast cable 2500/4000 W, 15 m, International connector (VEAM)	429 €
L2.75620.F	Head-to-Ballast cable 2500/4000 W, 7 m, Schaltbau	330 €
L2.75620.E	Head-to-Ballast cable 2500/4000 W, 15 m, Schaltbau	429 €

STANDS:

Ident. No.	Description	Price / EURO
L2.8800561	ARRI Wind-up Stand LS.6 (083NWA)	321.5 €
L2.76959.0	Wheel set with brakes, Ø 75 mm / M10 mount with brakes (104)	77 €
L2.88096.0	Wheel set with brakes, Ø 160 mm / M10 mount with brakes (374)	294.8 €

SAFETY:

Ident. No.	Description	Price / EURO
L2.80864.0	Safety cable (5 mm) 1 m, with Carabiner	22 €

LAMPS:

Ident. No.	Description	Price / EURO
L2.0003883	Lamp DIS 2500 W/SE G38 UV-B (Koto)	275 €
L2.89255.0	Lamp HMI 2500 W/SE XS G38 (Osram)	308 €
L2.0003882	Lamp DIS 4000 W/SE G38 UV-B (Koto)	467.5 €
L2.89256.0	Lamp HMI 4000 W/SE XS G38 (Osram)	528 €



ARRISUN® 60

Type of Lamphead:	PAR, 6000 W
Lamp Type:	Metal Halide 6000 W/SE
Lamp Base:	GX38
Lens Diameter:	420 mm
Mounting:	Spigot 28 mm
Size (HxWxL) /	872 x 562 x 680 mm /
Packed Size:	695 x 725 x 780 mm
Packed Volume:	0.39 m ³
Weight / Packed Weight:	approx. 27 kg / 33 kg
Protection Class / IP Rating:	I / IP23
Certifications:	CE, CB, GS, cNTRLus

DAYLIGHT PAR LIGHTS

(cable length 0.7 m, without barndoor)

Ident. No.	Description					Price / EURO
L1.77480.B	ARRISUN® 60	MAN	blue/silver	International (VEAM)		7469 €

ELECTRONIC HIGH SPEED BALLASTS

Blue standard housing with handle

Mains frequency 50/60 Hz; given mains voltages are nominal values

Ident. No.	Description					Price / EURO
L2.76185KH	EB® 6/9 HS AutoScan	ALF, CCL, DMX	50/75/1000 Hz	International (VEAM)	230 V~ bare ends	13475 €

ELECTRONIC LOCATION BALLASTS

Blue standard housing with handle

Mains frequency 50/60 Hz; given mains voltages are nominal values

Ident. No.	Description					Price / EURO
L2.76193.0	EB® 6000 Baby	ALF	50/60/75 Hz	International (VEAM)	230 V~ bare ends	9658 €

ACCESSORIES ARRISUN® 60:

LIGHT CONTROL:

Ident. No.	Description					Price / EURO
L2.82150.0	4-leaf barndoor (510 mm / 20.1")					451 €
L2.82160.0	Set of 4 scrims (495 mm / 19.5")					225.5 €
L2.82160.A	Scrim, full single (495 mm / 19.5")					60.5 €
L2.82160.B	Scrim, full double (495 mm / 19.5")					60.5 €
L2.82160.C	Scrim, half single (495 mm / 19.5")					60.5 €
L2.82160.D	Scrim, half double (495 mm / 19.5")					60.5 €

ACCESSORIES ARRISUN® 60 (CONTINUE)

L0.76885.0	4 DROP-IN lens set (420 mm / 16.5"), incl. case (spot, narrow flood, flood, super flood)	2178	€
L0.76882.0	5 DROP-IN lens set (420 mm / 16.5"), incl. case (spot, narrow flood, flood, super flood, super flood frosted)	2585	€
L2.76887.0	DROP-IN lens, spot, blue (420 mm / 16.5")	407	€
L2.76888.0	DROP-IN lens, narrow flood, small rectangle, black (420 mm / 16.5")	407	€
L2.76889.0	DROP-IN lens, flood, large rectangle, green (420 mm / 16.5")	407	€
L2.76890.0	DROP-IN lens, super flood, honeycomb, red (420 mm / 16.5")	407	€
L2.76891.0	DROP-IN lens, super flood frosted, honeycomb, silver (420 mm / 16.5")	407	€
L2.77483.0	Lens case for 5 lenses up to Ø 420 mm / 16.5", empty (47 x 34 x 49 cm)	407	€
L2.77932.0	Lens case for 5 lenses up to Ø 495 mm, empty (66 x 35 x 69 cm), expandable for Ø 600 mm lenses	550	€

LIGHTBANKS:

Ident. No.	Description	Price / EURO
L2.89055.0	Chimera Lightbank Quartz Plus "M", incl. 3 front screens (8435)	1210 €
L2.89056.0	Chimera Lightbank Quartz Plus "L", incl. 3 front screens (8445)	1925 €
L2.89058.0	Chimera Lightbank Daylite Plus "M", incl. 3 front screens (8635)	1512. €
L2.89059.0	Chimera Lightbank Daylite Plus "L", incl. 3 front screens (8645)	2299 €
L2.89063.0	Speed ring circular (9435) (508 mm / 20.0")	566.5 €

DAYLIGHT

MOUNTING:

Ident. No.	Description	Price / EURO
L2.76989.0	ARRI Swivelling C Clamp (C150)	130.9 €

CABLES:

Ident. No.	Description	Price / EURO
L2.77940.0	Head-to-Ballast cable 6000/9000 W, 7 m, International connector (VEAM)	676.5 €
L2.77940.A	Head-to-Ballast cable 6000/9000 W, 15 m, International connector (VEAM)	973.5 €

STANDS:

Ident. No.	Description	Price / EURO
L2.8800561	ARRI Wind-up Stand LS.6 (083NWA)	621.5 €
L2.76959.0	Wheel set with brakes, Ø 75 mm / M10 mount with brakes (104)	77 €
L2.88096.0	Wheel set with brakes, Ø 160 mm / M10 mount with brakes (374)	294.8 €

SAFETY:

Ident. No.	Description	Price / EURO
L2.80866.0	Safety Cable (6 mm) 1 m, with Carabiner	23.1 €

LAMPS:

Ident. No.	Description	Price / EURO
L2.0003881	Lamp DIS 6000 W/SE G38 UV-B (Koto)	1534.5 €
L2.89257.0	Lamp HMI 6000 W/SE G38 (Osram)	1705 €



ARRISUN® 120

Type of Lamphead:	PAR, 12000 W
Lamp Type:	Metal Halide 12000 W/SE
Lamp Base:	GX38
Lens Diameter:	500 mm
Mounting:	Spigot 28 mm
Size (HxWxL) /	948 x 760 x 850 mm /
Packed Size:	875 x 815 x 950 mm
Packed Volume:	0.67 m³
Weight / Packed Weight:	approx. 47 kg / 63 kg (with pallet)
Protection Class / IP Rating:	I / IP23
Certifications:	CE, CB, GS, cNTRLus

DAYLIGHT PAR LIGHTS

(cable length 1 m, without barndoor)

Ident. No.	Description				Price / EURO
L1.77890.B	ARRISUN® 120	MAN	blue/silver	International (VEAM)	13475 €

ELECTRONIC HIGH SPEED BALLASTS

Blue standard housing with handle

Mains frequency 50/60 Hz; given mains voltages are nominal values

Ident. No.	Description				Price / EURO
L2.76295KH	EB® 12/18 HS	ALF, DMX	50/60/75/1000 Hz	International (VEAM)	230 V~ bare ends 17044.5 €

NEW

ELECTRONIC LOCATION BALLASTS

Blue standard housing with handle

Mains frequency 50/60 Hz; given mains voltages are nominal values

Ident. No.	Description				Price / EURO
L2.76172.0	EB® 6/12	ALF	50/60/75 Hz	International (VEAM)	120 V~ (only 6kW) / 230 V~ bare ends 11693 €
L2.76182.0	EB® 6/12	ALF, DMX	50/60/75 Hz	International (VEAM)	120 V~ (only 6kW) / 230 V~ bare ends 12122 €
L2.76290.0	EB® 12/18	ALF, with trolley	50/60/75 Hz	International (VEAM)	230 V~ bare ends 15020.5 €
L2.76295.0	EB® 12/18	ALF, DMX, with trolley & indication of lamp power	50/60/75 Hz	International (VEAM)	230 V~ bare ends 16093 €

ACCESSORIES ARRISUN® 120:

LIGHT CONTROL:

Ident. No.	Description	Price / EURO
L2.79065.0	4-leaf barndoor (580 mm / 22.8")	594 €
L2.70634.0	Set of 4 scrims (530 mm / 20.9")	297 €
L2.70634.A	Scrim, full single (530 mm / 20.9")	77 €
L2.70634.B	Scrim, full double (530 mm / 20.9")	82.5 €
L2.70634.C	Scrim, half single (530 mm / 20.9")	77 €
L2.70634.D	Scrim, half double (530 mm / 20.9")	82.5 €
L0.77920.0	5 DROP-IN lens set (500 mm / 19.7"), incl. case (spot, narrow flood, flood, super flood, super flood frosted)	4224 €
L0.77921.0	4 DROP-IN lens set (500 mm / 19.7"), incl. case (spot, narrow flood, flood, super flood)	3454 €
L2.77923.0	DROP-IN lens, spot, blue (500 mm / 19.7")	720.5 €
L2.77926.0	DROP-IN lens, narrow flood, small rectangle, black (500 mm / 19.7")	720.5 €
L2.77924.0	DROP-IN lens, flood, large rectangle, green (500 mm / 19.7")	720.5 €
L2.77925.0	DROP-IN lens, super flood, honeycomb, red (500 mm / 19.7")	720.5 €
L2.77928.0	DROP-IN lens, super flood frosted, honeycomb, silver (500 mm / 19.7")	770 €
L2.77922.0	Lens case for 5 lenses, empty (66 x 35 x 69 cm)	572 €

DAYLIGHT

LIGHTBANKS:

Ident. No.	Description	Price / EURO
L2.89056.0	Chimera Lightbank Quartz Plus "L", incl. 3 front screens (8445)	1925 €
L2.89077.0	Speed ring circular (9445) (530 mm / 20.9")	566.5 €

CABLES:

Ident. No.	Description	Price / EURO
L2.82294.0	Head-to-Ballast/Dimmer cable 12/18/24 kW, 15 m, International connector (VEAM)	1067 €
L2.82294.A	Head-to-Ballast/Dimmer cable 12/18/24 kW, 20 m, International connector (VEAM)	1364 €

LAMPS:

Ident. No.	Description	Price / EURO
L2.00038.0	Lampe DIS 12000 W/SE G38 UV-B (Koto)	2365 €
L2.89261.0	Lamp HMI 12000 W/SE XS GX38 (Osram)	2640 €



ARRISUN® 5 EVENT

Type of Lamphead:	PAR, 575 W
Lamp Type:	Metal Halide 575 W/SE
Lamp Base:	G22
Lens Diameter:	180 mm
Mounting:	Spigot 16 mm
Size (HxWxL) /	344 x 259 x 295 mm /
Packed Size:	475 x 380 x 320 mm
Packed Volume:	0.06 m³
Weight / Packed Weight:	approx. 5 kg / 6 kg
Protection Class / IP Rating:	I / IP20
Certifications:	CE, CB, GS

DAYLIGHT EVENT PAR LIGHTS

(cable length 0.5 m, without barndoor)

Ident. No.	Description			Price / EURO
L1.77871.E	ARRISUN® 5 EVENT	silver	Schaltbau	1848 €
L1.77875.E	ARRISUN® 5 EVENT	black	Schaltbau	1848 €

BALLASTS:

Ident. No.	Description					Price / EURO
L2.76259EV	EB® 575 EVENT SINGLE	ALF	ca. 110 Hz	Schaltbau M1	120/230 V~, Appliance Inlet (IEC 320)	1060.4 €
L2.76340.0	EB® 575 EVENT SIX	ALF, DMX	ca. 200 Hz	Schaltbau M3	120/230 V~ 3Ph+N, CEE 16 A	5463.7 €
L2.76341.0	Split Box EVENT Six, 6 x 575 W (6 x 200 W, 3 x 1200 W), Schaltbau (M3, 12 pole + PE)					577.5 €

ACCESSORIES ARRISUN® 5 EVENT:

LIGHT CONTROL:

Ident. No.	Description	Price / EURO
L2.79670.0	4-leaf barndoor (197 mm / 7.8")	66 €
L2.79671.0	4-leaf barndoor, black/silver (197 mm / 7.8")	/26,3 €
L0.77863.0	4 DROP-IN lens set (175 mm / 6.9") (spot, narrow flood, flood, super flood)	40/,3 €
L2.77864.0	DROP-IN lens, spot, blue (175 mm / 6.9")	/32 €
L2.77866.0	DROP-IN lens, narrow flood, small rectangle, black (175 mm / 6.9")	/32 €
L2.77868.0	DROP-IN lens, flood, large rectangle, green (175 mm / 6.9")	/32 €
L2.77870.0	DROP-IN lens, super flood, honeycomb, red (175 mm / 6.9")	/37,3 €
L2.77872.0	DROP-IN lens, super flood frosted, honeycomb, silver (175 mm / 6.9")	/32 €

LIGHTBANKS:

Ident. No.	Description	Price / EURO
L2.89056.0	Chimera Lightbank Quartz Plus "L", incl. 3 front screens (8445)	/703 €
L2.89077.0	Speed ring circular (9445) (530 mm / 20.9")	344,3 €

MOUNTING:

Ident. No.	Description	Price / EURO
L2.88726.0	ARRI Quick Action Super Clamp - black (635)	25,1 €
L2.76100.0	ARRI Super Clamp with plate for EB / EBB	71,3 €
L2.88212.0	Double female adapter 16 mm - 17 mm Pin (E400) (LE.4000.A)	/3,2 €
L2.74144.0	Ballast mount bracket with 16 mm socket	5/,3 €

CABLES:

Ident. No.	Description	Price / EURO
L2.76318.B	Extension cable EVENT 200/575/1200 W, 5 m, Schaltbau (M1, 4 pole + PE)	/13,3 €
L2.76318.C	Extension cable EVENT 200/575/1200 W, 10 m, Schaltbau (M1, 4 pole + PE)	/15,3 €
L2.76342.D	Multicore EVENT 575 W, 20 m, Schaltbau (M3, 12 pole + PE)	306 €

SAFETY:

Ident. No.	Description	Price / EURO
L2.76990.0	Safety cable (4 mm) 1 m, with Carabiner	02,0 €

LAMPS:

Ident. No.	Description	Price / EURO
L2.0003874	Lamp DIS 575 W/SE G22 UV-B (Koto)	/43 €
L2.89253L0	Lamp HMI 575 W/SE G22 Longlife UV (Osram)	181.5 €

MISCELLANEOUS:

Ident. No.	Description	Price / EURO
L2.76786.0	Transmitter pendant module 575	242 €



ARRISUN® 18 EVENT

Type of Lamphead:	PAR, 1800 W
Lamp Type:	Metal Halide 1800 W/SE Metal Halide 1200 W/SE
Lamp Base:	G38
Lens Diameter:	250 mm
Mounting:	Spigot 28 mm
Size (HxWxL) /	543 x 384 x 376 mm /
Packed Size:	550 x 510 x 690 mm
Packed Volume:	0.19 m³
Weight / Packed Weight:	approx. 11 kg / 16 kg
Protection Class / IP Rating:	I / IP23
Certifications:	CE, CB, GS, cNTRLus

DAYLIGHT EVENT PAR LIGHTS

(cable length 0.5 m, without barndoor)

Ident. No.	Description	Colour	Connector	Price / EURO
L1.37595.E	ARRISUN® 18 EVENT	black	Schaltbau	3641 €

BALLASTS:

Ident. No.	Description	Price / EURO
L2.76610.0	EB® 1200/1800 EVENT THREE ALF, ca. 200 Hz DMX, CCL Harting HAN 16B 230 V~ 3Ph+N, CEE 16 A	6930 €
L2.37705.0	Split Box EVENT 1800, 3 x 1200/1800 W, Harting (HAN 16B, 16 pole + PE)	537.9 €

ACCESSORIES ARRISUN® 18 EVENT:

LIGHT CONTROL:

Ident. No.	Description	Price / EURO
L2.40950.0	4-leaf barndoor, True Blue® (344 mm / 13.5")	110 €
L2.80950.0	4-leaf barndoor (344 mm / 13.5")	99 €
L2.80951.0	4-leaf barndoor, black/silver (344 mm / 13.5")	203.5 €
L0.76818.0	4 DROP-IN lens set (250 mm / 9.8"), incl. case (spot, narrow flood, flood, super flood)	1166 €
L2.76821.0	DROP-IN lens, spot, blue (250 mm / 9.8")	209 €
L2.76822.0	DROP-IN lens, narrow flood, small rectangle, black (250 mm / 9.8")	209 €
L2.76823.0	DROP-IN lens, flood, large rectangle, green (250 mm / 9.8")	209 €
L2.76824.0	DROP-IN lens, super flood, honeycomb, red (250 mm / 9.8")	209 €
L2.76825.0	DROP-IN lens, super flood frosted, honeycomb, silver (250 mm / 9.8")	209 €
L2.76827.0	Lens case for 5 lenses, empty (36 x 21 x 41 cm)	330 €

MOUNTING:

Ident. No.	Description	Price / EURO
L2.76989.0	ARRI Swivelling C Clamp (C150)	130.9 €

CABLES:

Ident. No.	Description	Price / EURO
L2.75600.F	Head-to-Ballast cable 575/1200/1800 W, 7 m, Schaltbau / Extension Cable EVENT 1200/1800	308 €
L2.75600.E	Head-to-Ballast cable 575/1200/1800 W, 15 m, Schaltbau / Extension Cable EVENT 1200/1800	390.5 €
L2.37714.D	Multicore EVENT 1200/1800 W, 20 m, Harting (HAN 16B, 16 pole + PE)	528 €

SAFETY:

Ident. No.	Description	Price / EURO
L2.76990.0	Safety cable (4 mm) 1 m, with Carabiner	24.2 €

LAMPS:

Ident. No.	Description	Price / EURO
L2.0003885	Lamp DIS 1200 W/SE G38 UV-B (Koto)	181.5 €
L2.89254.P	Lamp MSR 1200 W/SE G38 HR (Philips)	242 €
L2.89254L0	Lamp HMI 1200 W/SE G38 Longlife UV (Osram)	203.5 €
L2.0003884	Lamp DIS 1800 W/SE G38 (Koto)	324.5 €

MISCELLANEOUS:

Ident. No.	Description	Price / EURO
L2.0000655	Conversion Kit ARRISUN® 18 Event: set of 4 longer brackets and spilling to adjust the optical quality to ARRISUN® 12 (for lampheads purchased before April 2014)	176 €

TRUE BLUE® D5



Type of Lamphead:	Fresnel, 575 W
Lamp Type:	Metal Halide 575 W/SE
Lamp Base:	G22
Lens Diameter:	150 mm
Mounting:	Spigot 28 mm
Size (HxWxL) /	359 x 327 x 223 mm /
Packed Size:	390 x 390 x 360 mm
Packed Volume:	0.05 m³
Weight / Packed Weight:	approx. 6 kg / 7 kg
Protection Class / IP Rating:	I / IP23
Certifications:	CE, CB, GS, cNTRLus

TRUE BLUE® DAYLIGHT FRESNEL LIGHTS

(cable length 0.5 m, without barndoor)

Ident. No.	Description					Price / EURO	
L1.33770.B	True Blue® D5	MAN	blue/silver	International (VEAM)		2106.5	€
L1.33770.F	True Blue® D5	MAN	blue/silver	Schaltbau (GTV-Standard)		2271.5	€
L1.33775.B	True Blue® D5	MAN	black	International (VEAM)		2106.5	€
L1.33775.F	True Blue® D5	MAN	black	Schaltbau (GTV-Standard)		2271.5	€

ELECTRONIC HIGH SPEED BALLASTS

Blue standard housing with handle

Mains frequency 50/60 Hz; given mains voltages are nominal values

Ident. No.	Description					Price / EURO	
L2.76184KH	EB® 575/800 HS	ALF, CCL, DMX	50/60/75/1000 Hz	International (VEAM)	120/230 V~ Schuko-Plug	3294.5	€
L2.76425KH	EB® 575/1200 HS	ALF	50/75/1000 Hz	International (VEAM)	120/230 V~ Schuko-Plug	3866.5	€

ELECTRONIC LOCATION BALLASTS

Blue standard housing with handle

Mains frequency 50/60 Hz; given mains voltages are nominal values

Ident. No.	Description					Price / EURO	
L2.76425.0	EB® 575/1200	ALF	50/60/75 Hz	International (VEAM)	120/230 V~ Schuko-Plug	3217.5	€
L2.76426.0	EB® 575/1200	ALF, DMX	50/60/75 Hz	International (VEAM)	120/230 V~ Schuko-Plug	3646.5	€
L2.76427.0	EB® 575/1200	ALF	50/60/75 Hz	Schaltbau	120/230 V~ Schuko-Plug	3217.5	€

ACCESSORIES TRUE BLUE® D5:

LIGHT CONTROL:

Ident. No.	Description	Price / EURO
L2.39670.0	4-leaf barndoor, True Blue® (197 mm / 7.8")	88 €
L2.39700.0	8-leaf barndoor, True Blue® (197 mm / 7.8")	132 €
L2.79660.0	Set of 4 scrims (197 mm / 7.8")	99 €
L2.79660.A	Scrim, full single (197 mm / 7.8")	25.3 €
L2.79660.B	Scrim, full double (197 mm / 7.8")	27.5 €
L2.79660.C	Scrim, half single (197 mm / 7.8")	25.3 €
L2.79660.D	Scrim, half double (197 mm / 7.8")	27.5 €
L2.79690.0	Filter frame (197 mm / 7.8")	23.1 €
L2.79680.0	Snoot (197 mm / 7.8") with variable aperture	93.5 €

LIGHTBANKS:

Ident. No.	Description	Price / EURO
L2.70844.0	Chimera Lightbank Video Pro Plus "S", incl. 3 front screens (8125)	489.5 €
L2.89053.0	Chimera Lightbank Daylite Junior Plus "S", incl. 3 front screens (8225)	643.5 €
L2.76246.0	Speed ring circular (9190) (197 mm / 7.8")	242 €
L2.89060.0	Speed ring circular (9192) (197 mm / 7.8")	242 €

MOUNTING:

Ident. No.	Description	Price / EURO
L2.76989.0	ARRI Swivelling C Clamp (C150)	130.9 €
L2.76985.0	ARRI Super Clamp (035)	30.8 €
L2.76986.0	Stud 16 mm with thread 3/8" (036-38), plugs into Superclamp (035)	6.6 €

CABLES:

Ident. No.	Description	Price / EURO
L2.75600.0	Head-to-Ballast cable 575/800/1200/1800 W, 7 m, International connector (VEAM)	308 €
L2.75600.C	Head-to-Ballast cable 575/800/1200/1800 W, 15 m, International connector (VEAM)	390.5 €
L2.75600.F	Head-to-Ballast cable 575/1200/1800 W, 7 m, Schaltbau / Extension Cable EVENT 1200/1800 W	308 €
L2.75600.E	Head-to-Ballast cable 575/1200/1800 W, 15 m, Schaltbau / Extension Cable EVENT 1200/1800 W	390.5 €

STANDS:

Ident. No.	Description	Price / EURO
L2.88717.0	Universal ARRI Cine Stand LS.4 (007BA)	171.6 €
L2.88679.0	Wheel set with brakes, Ø 75 mm / 22 mm mount (110)	86.9 €

SAFETY:

Ident. No.	Description	Price / EURO
L2.76990.0	Safety Cable (4 mm) 1 m, with Carabiner	24.2 €

LAMPS:

Ident. No.	Description	Price / EURO
L2.0003874	Lamp DIS 575 W/SE G22 UV-B (Koto)	165 €
L2.89253L0	Lamp HMI 575 W/SE G22 Longlife UV (Osram)	181.5 €

DAYLIGHT

TRUE BLUE® D12



Type of Lamphead:	Fresnel, 1200 W
Lamp Type:	Metal Halide 1200 W/SE
Lamp Base:	G38
Lens Diameter:	175 mm
Mounting:	Spigot 28 mm
Size (HxWxL) /	511 x 375 x 325 mm /
Packed Size:	460 x 400 x 650 mm
Packed Volume:	0.12 m³
Weight / Packed Weight:	approx. 10 kg / 12 kg
Protection Class / IP Rating:	I / IP23
Certifications:	CE, CB, GS, cNTRLus

TRUE BLUE® DAYLIGHT FRESNEL LIGHTS

(cable length 0.6 m, without barndoor)

Ident. No.	Description					Price / EURO
L1.33730.B	True Blue® D12	MAN	blue/silver	International (VEAM)		2920.5 €
L1.33730.F	True Blue® D12	MAN	blue/silver	Schaltbau (GTV-Standard)		3085.5 €
L1.33735.B	True Blue® D12	MAN	black	International (VEAM)		2920.5 €
L1.33735.F	True Blue® D12	MAN	black	Schaltbau (GTV-Standard)		3085.5 €

ELECTRONIC HIGH SPEED BALLASTS

Blue standard housing with handle

Mains frequency 50/60 Hz; given mains voltages are nominal values

Ident. No.	Description					Price / EURO
L2.76425KH	EB® 575/1200 HS	ALF	50/75/1000 Hz	International (VEAM)	120/230 V~ Schuko-Plug	3866.5 €

ELECTRONIC LOCATION BALLASTS

Blue standard housing with handle

Mains frequency 50/60 Hz; given mains voltages are nominal values

Ident. No.	Description					Price / EURO
L2.76425.0	EB® 575/1200	ALF	50/60/75 Hz	International (VEAM)	120/230 V~ Schuko-Plug	3217.5 €
L2.76426.0	EB® 575/1200	ALF, DMX	50/60/75 Hz	International (VEAM)	120/230 V~ Schuko-Plug	3646.5 €
L2.76427.0	EB® 575/1200	ALF	50/60/75 Hz	Schaltbau	120/230 V~ Schuko-Plug	3217.5 €

ACCESSORIES TRUE BLUE® D12:

LIGHT CONTROL:

Ident. No.	Description	Price / EURO
L2.39870.0	4-leaf barndoor, True Blue® (245 mm / 9.7")	99 €
L2.39900.0	8-leaf barndoor, True Blue® (245 mm / 9.7")	165 €
L2.79860.0	Set of 4 scrims (230 mm / 9.1")	99 €
L2.79860.A	Scrim, full single (230 mm / 9.1")	25.3 €
L2.79860.B	Scrim, full double (230 mm / 9.1")	26.4 €
L2.79860.C	Scrim, half single (230 mm / 9.1")	25.3 €
L2.79860.D	Scrim, half double (230 mm / 9.1")	26.4 €
L2.79890.0	Filter frame (230 mm / 9.1")	28.6 €
L2.79880.0	Snoot (245 mm / 9.7") with variable aperture	115.5 €

LIGHTBANKS:

Ident. No.	Description	Price / EURO
L2.76248.0	Speed ring circular (9205) (245 mm / 9.7")	528 €

MOUNTING:

Ident. No.	Description	Price / EURO
L2.76989.0	ARRI Swivelling C Clamp (C150)	130.5 €

CABLES:

Ident. No.	Description	Price / EURO
L2.75600.0	Head-to-Ballast cable 575/800/1200/1800 W, 7 m, International connector (VEAM)	308 €
L2.75600.C	Head-to-Ballast cable 575/800/1200/1800 W, 15 m, International connector (VEAM)	390.5 €
L2.75600.F	Head-to-Ballast cable 575/1200/1800 W, 7 m, Schaltbau / Extension Cable EVENT 1200/1800 W	308 €
L2.75600.E	Head-to-Ballast cable 575/1200/1800 W, 15 m, Schaltbau / Extension Cable EVENT 1200/1800 W	390.5 €

STANDS:

Ident. No.	Description	Price / EURO
L2.88717.0	Universal ARRI Cine Stand LS.4 (007BA)	171.6 €
L2.88679.0	Wheel set with brakes, Ø 75 mm / 22 mm mount (110)	86.9 €

SAFETY:

Ident. No.	Description	Price / EURO
L2.76990.0	Safety cable (4 mm) 1 m, with Carabiner	24.2 €

LAMPS:

Ident. No.	Description	Price / EURO
L2.0003885	Lamp DIS 1200 W/SE G38 UV-B (Koto)	181.5 €
L2.89254.P	Lamp MSR 1200 W/SE G38 HR (Philips)	242 €
L2.89254L0	Lamp HMI 1200 W/SE G38 Longlife UV (Osram)	203.5 €



TRUE BLUE® D25

Type of Lamphead:	Fresnel, 2500 W
Lamp Type:	Metal Halide 2500 W/SE
Lamp Base:	G38
Lens Diameter:	250 mm
Mounting:	Spigot 28 mm
Size (HxWxL) /	643 x 464 x 390 mm /
Packed Size:	550 x 510 x 690 mm
Packed Volume:	0.19 m³
Weight / Packed Weight:	approx. 14 kg / 18 kg
Protection Class / IP Rating:	I / IP23
Certifications:	CE, CB, GS, cNTRLus

TRUE BLUE® DAYLIGHT FRESNEL LIGHTS

(cable length 0.6 m, without barndoor)

Ident. No.	Description						Price / EURO
L1.33670.B	True Blue® D25	MAN	blue/silver	International (VEAM)			4103 €
L1.33670.F	True Blue® D25	MAN	blue/silver	Schaltbau (GTV-Standard)			4268 €
L1.33675.B	True Blue® D25	MAN	black	International (VEAM)			4103 €
L1.33675.F	True Blue® D25	MAN	black	Schaltbau (GTV-Standard)			4268 €

ELECTRONIC HIGH SPEED BALLASTS

Blue standard housing with handle

Mains frequency 50/60 Hz; given mains voltages are nominal values

NEW

Ident. No.	Description						Price / EURO
L2.76651KH	EB® 2.5/4 HS	ALF, CCL, DMX	50/75/1000 Hz	International (VEAM)	230 V~, bare ends		8684.5 €
L2.76675KH	EB® 2.5/4 HS	ALF	60/75/1000 Hz	International (VEAM)	120/230 V~ bare ends		8189.5 €
L2.76640KH	EB® 2.5/4 HS	ALF	50/75/1000 Hz	International (VEAM)	230 V~ bare ends		7529.5 €

ELECTRONIC LOCATION BALLASTS

Blue standard housing with handle

Mains frequency 50/60 Hz; given mains voltages are nominal values

NEW

Ident. No.	Description						Price / EURO
L2.76651.0	EB® 2.5/4	ALF, CCL, DMX	50/60/75 Hz	International (VEAM)	230 V~, bare ends		7694.5 €
L2.76676.0	EB® 2.5/4	ALF, DMX	50/60/75 Hz	International (VEAM)	120/230 V~ bare ends		7595.5 €
L2.76640.0	EB® 2,5/4	ALF	50/60/75 Hz	International (VEAM)	230 V~ ohne Stecker		6440.5 €

ACCESSORIES TRUE BLUE® D25:

LIGHT CONTROL:

Ident. No.	Description	Price / EURO
L2.40950.0	4-leaf barndoor, True Blue® (344 mm / 13.5")	110 €
L2.40960.0	8-leaf barndoor, True Blue® (344 mm / 13.5")	231 €
L2.80980.0	Set of 4 scrims (330 mm / 13.0")	148.5 €
L2.80980.A	Scrim, full single (330 mm / 13.0")	38.5 €
L2.80980.B	Scrim, full double (330 mm / 13.0")	44 €
L2.80980.C	Scrim, half single (330 mm / 13.0")	38.5 €
L2.80980.D	Scrim, half double (330 mm / 13.0")	44 €
L2.80970.0	Filter frame (330 mm / 13.0")	41.8 €
L2.80975.0	Snoot (344 mm / 13.5") with variable aperture	132 €

LIGHTBANKS:

Ident. No.	Description	Price / EURO
L2.89054.0	Chimera Lightbank Quartz Plus "S", incl. 3 front screens (8425)	946 €
L2.76247.0	Speed ring circular (9305) (343 mm / 13.5")	489.5 €

MOUNTING:

Ident. No.	Description	Price / EURO
L2.76100.0	ARRI Super Clamp with plate for EB® / EBB	93.5 €

CABLES:

Ident. No.	Description	Price / EURO
L2.75620.0	Head-to-Ballast cable 2500/4000 W, 7 m, International connector (VEAM)	319 €
L2.75620.C	Head-to-Ballast cable 2500/4000 W, 15 m, International connector (VEAM)	429 €
L2.75620.F	Head-to-Ballast cable 2500/4000 W, 7 m, Schaltbau	330 €
L2.75620.E	Head-to-Ballast cable 2500/4000 W, 15 m, Schaltbau	429 €

STANDS:

Ident. No.	Description	Price / EURO
L2.76979.0	Universal ARRI Steel Stand LS.5 (126A)	217.8 €
L2.88679.0	Wheel set with brakes, Ø 75 mm / 22 mm mount (110)	86.9 €

SAFETY:

Ident. No.	Description	Price / EURO
L2.80864.0	Safety Cable (5 mm) 1 m, with Carabiner	22 €

LAMPS:

Ident. No.	Description	Price / EURO
L2.0003883	Lamp DIS 2500 W/SE G38 UV-B (Koto)	275 €
L2.89255.0	Lamp HMI 2500 W/SE XS G38 (Osram)	308 €

DAYLIGHT



TRUE BLUE® D40

Type of Lamphead:	Fresnel, 4000 W
Lamp Type:	Metal Halide 4000 W/SE
Lamp Base:	G38
Lens Diameter:	300 mm
Mounting:	Spigot 28 mm
Size (HxWxL) /	727 x 534 x 403 mm /
Packed Size:	600 x 600 x 770 mm
Packed Volume:	0.28 m³
Weight / Packed Weight:	approx. 18 kg / 22 kg
Protection Class / IP Rating:	I / IP23
Certifications:	CE, CB, GS, cNTRLus

TRUE BLUE® DAYLIGHT FRESNEL LIGHTS

(cable length 0.6 m, without barndoor)

Ident. No.	Description					Price / EURO	
L1.34000.B	True Blue® D40	MAN	blue/silver	International (VEAM)		5461.5	€
L1.34000.F	True Blue® D40	MAN	blue/silver	Schaltbau (GTV-Standard)		5626.5	€
L1.34005.B	True Blue® D40	MAN	black	International (VEAM)		5461.5	€
L1.34005.F	True Blue® D40	MAN	black	Schaltbau (GTV-Standard)		5626.5	€

ELECTRONIC HIGH SPEED BALLASTS

Blue standard housing with handle

Mains frequency 50/60 Hz; given mains voltages are nominal values

NEW

Ident. No.	Description					Price / EURO	
L2.76651KH	EB® 2.5/4 HS	ALF, CCL, DMX	50/75/1000 Hz	International (VEAM)	230 V~, bare ends	8684.5	€
L2.76675KH	EB® 2.5/4 HS	ALF	60/75/1000 Hz	International (VEAM)	120/230 V~ bare ends	8189.5	€
L2.76640KH	EB® 2.5/4 HS	ALF	50/75/1000 Hz	International (VEAM)	230 V~ bare ends	7529.5	€

ELECTRONIC LOCATION BALLASTS

Blue standard housing with handle

Mains frequency 50/60 Hz; given mains voltages are nominal values

NEW

Ident. No.	Description					Price / EURO	
L2.76651.0	EB® 2.5/4	ALF, CCL, DMX	50/60/75 Hz	International (VEAM)	230 V~, bare ends	7694.5	€
L2.76676.0	EB® 2.5/4	ALF, DMX	50/60/75 Hz	International (VEAM)	120/230 V~ bare ends	7595.5	€
L2.76640.0	EB® 2,5/4	ALF	50/60/75 Hz	International (VEAM)	230 V~ ohne Stecker	6440.5	€

ACCESSORIES TRUE BLUE® D40:

LIGHT CONTROL:

Ident. No.	Description	Price / EURO
L2.41200.0	4-leaf barndoor, True Blue® (413 mm / 16.3")	132 €
L2.81210.0	8-leaf barndoor (413 mm / 16.3")	253 €
L2.81230.0	Set of 4 scrims (400 mm / 15.8")	170.5 €
L2.81230.A	Scrim, full single (400 mm / 15.8")	44 €
L2.81230.B	Scrim, full double (400 mm / 15.8")	49.5 €
L2.81230.C	Scrim, half single (400 mm / 15.8")	44 €
L2.81230.D	Scrim, half double (400 mm / 15.8")	49.5 €
L2.81220.0	Filter frame (400 mm / 15.8")	44 €
L2.81225.0	Snoot (413 mm / 16.3") with variable aperture	269.5 €

LIGHTBANKS:

Ident. No.	Description	Price / EURO
L2.89054.0	Chimera Lightbank Quartz Plus "S", incl. 3 front screens (8425)	946 €
L2.89058.0	Chimera Lightbank Daylite Plus "M", incl. 3 front screens (8635)	1512.5 €
L2.89059.0	Chimera Lightbank Daylite Plus "L", incl. 3 front screens (8645)	2299 €
L2.89062.0	Speed ring circular (9365) (411 mm / 16.2")	566.5 €

MOUNTING:

Ident. No.	Description	Price / EURO
L2.76989.0	ARRI Swivelling C Clamp (C150)	130.9 €

CABLES:

Ident. No.	Description	Price / EURO
L2.75620.0	Head-to-Ballast cable 2500/4000 W, 7 m, International connector (VEAM)	319 €
L2.75620.C	Head-to-Ballast cable 2500/4000 W, 15 m, International connector (VEAM)	429 €
L2.75620.F	Head-to-Ballast cable 2500/4000 W, 7 m, Schaltbau	330 €
L2.75620.E	Head-to-Ballast cable 2500/4000 W, 15 m, Schaltbau	429 €

STANDS:

Ident. No.	Description	Price / EURO
L2.8800561	ARRI Wind-up Stand LS.6 (083NWA)	621.5 €
L2.76959.0	Wheel set with brakes, Ø 75 mm / M10 mount with brakes (104)	77 €
L2.88096.0	Wheel set with brakes, Ø 160 mm / M10 mount with brakes (374)	294.8 €

SAFETY:

Ident. No.	Description	Price / EURO
L2.80864.0	Safety cable (5 mm) 1 m, with Carabiner	22 €

LAMPS:

Ident. No.	Description	Price / EURO
L2.0003882	Lamp DIS 4000 W/SE G38 UV-B (Koto)	467.5 €
L2.89256.0	Lamp HMI 4000 W/SE XS G38 (Osram)	576 €

MISCELLANEOUS:

Ident. No.	Description	Price / EURO
L2.34071.0	Conversion Kit from True Blue® ST5 and D40 to Theater version: Theater stirrup	217.8 €

COMPACT 200



Type of Lamphead:	Fresnel, 200 W
Lamp Type:	Metal Halide 200 W/SE
Lamp Base:	GZY 9,5
Lens Diameter:	112 mm
Mounting:	Socket 16 mm
Size (HxWxL) /	294 x 218 x 193 mm /
Packed Size:	360 x 260 x 290 mm
Packed Volume:	0.27 m ³
Weight / Packed Weight:	approx. 2 kg / 3 kg
Protection Class / IP Rating:	I / IP23
Certifications:	CE

DAYLIGHT FRESNEL LIGHTS

(cable length 1 m, without barndoor)

Ident. No.	Description					Price / EURO
L1.73330.B	COMPACT 200	MAN	blue/silver	Amphenol		1595 €

BALLASTS:

Ident. No.	Description					Price / EURO
L2.76115.0	EB® 200	ALF, IP23, w/o fan	200 Hz	Amphenol	120/230 V~ Schuko-Plug	1380.5 €
L2.76013.B	EB® 125/200	ALF	200 Hz	Binder Amphenol	120/230 V~ Appliance inlet with Schuko-Plug	1182.5 €
L2.76040.B	EBB 125/200		150 Hz	Binder Amphenol	20-36 V~ XLR 4-Plug	1182.5 €
L2.76270.B	EBB 200/400		110 Hz	Amphenol International (VEAM)	20-36 V~ 2 x XLR 4-Plug	1985.5 €

ACCESSORIES COMPACT 200:

LIGHT CONTROL:

Ident. No.	Description	Price / EURO
L2.79470.0	4-leaf barndoor (168 mm / 6.6")	64.9 €
L2.79471.0	4-leaf barndoor, black/silver (168 mm / 6.6")	126.5 €
L2.79500.0	8-leaf barndoor (168 mm / 6.6")	121 €

ACCESSORIES COMPACT 200 (CONTINUE)

L2.79460.0	Set of 4 scrims (168 mm / 6.6")	82.5 €
L2.79460.A	Scrim, full single (168 mm / 6.6")	20.9 €
L2.79460.B	Scrim, full double (168 mm / 6.6")	24.2 €
L2.79460.C	Scrim, half single (168 mm / 6.6")	20.9 €
L2.79460.D	Scrim, half double (168 mm / 6.6")	24.2 €
L2.79490.0	Filter frame (168 mm / 6.6")	22 €
L2.79480.0	Snoot (168 mm / 6.6")	71.5 €

LIGHTBANKS:

Ident. No.	Description	Price / EURO
L2.76106.0	Chimera Lightbank Video Pro Plus "XXS", incl. 3 front screens (8105)	297 €
L2.76719.0	Chimera Lightbank Video Pro Plus "XS", incl. 3 front screens (8115)	390.5 €
L2.70844.0	Chimera Lightbank Video Pro Plus "S", incl. 3 front screens (8125)	489.5 €
L2.89068.0	Speed ring circular (9670) (168 mm / 6.6")	154 €
L2.89069.0	Speed ring circular (9672) (168 mm / 6.6")	203.5 €
L2.89074.0	Speed ring circular metal (9670AL) (168 mm / 6.6")	203.5 €

MOUNTING:

Ident. No.	Description	Price / EURO
L2.76100.0	ARRI Super Clamp with plate for EB® / EBB	93.5 €
L2.73490.0	Universal Clamp with spigot 16 mm (camera mount)	137.5 €
L2.74144.0	Ballast mount bracket with 16 mm socket	71.5 €
L2.76986.0	Stud 16 mm with thread 3/8" (036-38), plugs into Superclamp (035)	6.6 €

CABLES:

Ident. No.	Description	Price / EURO
L2.73372.0	Head-to-Ballast cable 200 W, 7 m, Amphenol	220 €

STANDS:

Ident. No.	Description	Price / EURO
L2.76976.0	Medium ARRI Kit Stand LS.2 (050A)	83.6 €
L2.88679.0	Wheel set with brakes, Ø 75 mm / 22 mm mount (110)	86.9 €

TRANSPORT:

Ident. No.	Description	Price / EURO
L2.73365.0	Case for 1 x COMPACT 200, ballast & accessories (43 x 29 x 34 cm)	412.5 €

SAFETY:

Ident. No.	Description	Price / EURO
L2.76809.0	Safety cable (3 mm) 0.6 m, with Carabiner	18.7 €

LAMPS:

Ident. No.	Description	Price / EURO
L2.0003876	Lamp DIS 200 W/SE GZY 9,5 UV-B (Koto)	143 €
L2.89251.0	Lamp HMI 200 W/SE GZY 9,5 UV (Osram)	159.5 €



COMPACT 6000 PLUS

Type of Lamphead:	Fresnel, 6000 W
Lamp Type:	Metal Halide 6000 W/SE
Lamp Base:	GX38
Lens Diameter:	420 mm
Mounting:	Spigot 28 mm
Size (HxWxL) / Packed Size:	790 x 694 x 590 mm / 780 x 730 x 700 mm
Packed Volume:	0.40 m ³
Weight / Packed Weight:	approx. 31 kg / 39 kg
Protection Class / IP Rating:	I / IP23
Certifications:	CE, CB, GS, cNTRLus

DAYLIGHT FRESNEL LIGHTS

(cable length 0.8 m, without barndoor)

Ident. No.	Description				Price / EURO	
L1.75720.B	COMPACT 6000 Plus	MAN	blue/silver	International (VEAM)	9790	€

ELECTRONIC LOCATION BALLASTS

Blue standard housing with handle

Mains frequency 50/60 Hz; given mains voltages are nominal values

Ident. No.	Description					Price / EURO	
L2.76181.0	EB® 6/9	ALF, CCL, DMX	50/60/75 Hz	International (VEAM)	230 V~ bare ends	11550	€
L2.76172.0	EB® 6/12	ALF	50/60/75 Hz	International (VEAM)	120 V~ (only 6kW) / 230 V~ bare ends	11693	€
L2.76182.0	EB® 6/12	ALF, DMX	50/60/75 Hz	International (VEAM)	120 V~ (only 6kW) / 230 V~ bare ends	12122	€

ACCESSORIES 6000 PLUS:

LIGHT CONTROL:

Ident. No.	Description	Price / EURO
L2.82150.0	4-leaf barndoor (510 mm / 20.1")	451.0 €
L2.82160.0	Set of 4 scrims (495 mm / 19.5")	225.5 €
L2.82160.A	Scrim, full single (495 mm / 19.5")	60.5 €
L2.82160.B	Scrim, full double (495 mm / 19.5")	60.5 €
L2.82160.C	Scrim, half single (495 mm / 19.5")	60.5 €
L2.82160.D	Scrim, half double (495 mm / 19.5")	60.5 €
L2.82155.0	Filter frame (495 mm / 19.5")	115.5 €

LIGHTBANKS:

Ident. No.	Description	Price / EURO
L2.89055.0	Chimera Lightbank Quartz Plus "M", incl. 3 front screens (8435)	1210.0 €
L2.89058.0	Chimera Lightbank Daylite Plus "M", incl. 3 front screens (8635)	15125.5 €
L2.89063.0	Speed ring circular (9435) (508 mm / 20.0")	566.5 €

MOUNTING:

Ident. No.	Description	Price / EURO
L2.76989.0	ARRI Swivelling C Clamp (C150)	130.9 €

CABLES:

Ident. No.	Description	Price / EURO
L2.77940.0	Head-to-Ballast cable 6000/9000 W, 7 m, International connector (VEAM)	676.5 €
L2.77940.A	Head-to-Ballast cable 6000/9000 W, 15 m, International connector (VEAM)	973.5 €

STANDS:

Ident. No.	Description	Price / EURO
L2.8800561	ARRI Wind-up Stand LS.6 (083NWA)	621.5 €
L2.76959.0	Wheel set with brakes, Ø 75 mm / M10 mount with brakes (104)	77 €
L2.88096.0	Wheel set with brakes, Ø 160 mm / M10 mount with brakes (374)	294.8 €

SAFETY:

Ident. No.	Description	Price / EURO
L2.80866.0	Safety Cable (6 mm) 1 m, with Carabiner	23.1 €

LAMPS:

Ident. No.	Description	Price / EURO
L2.0003881	Lamp DIS 6000 W/SE G38 UV-B (Koto)	1534.5 €
L2.89257.0	Lamp HMI 6000 W/SE G38 (Osram)	1705.0 €



COMPACT 12000 BABY

Type of Lamphead:	Fresnel, 12000 W
Lamp Type:	Metal Halide 12000 W/SE
Lamp Base:	GX38
Lens Diameter:	500 mm
Mounting:	Spigot 28 mm
Size (HxWxL) /	997 x 884 x 710 mm
Packed Size:	1120 x 1170 x 1050 mm
Packed Volume:	1.38 m ³
Weight / Packed Weight:	approx. 47 kg / 80 kg (with pallet)
Protection Class / IP Rating:	I / IP23
Certifications:	CE, CB, GS, cNTRLus

DAYLIGHT FRESNEL LIGHTS

(cable length 1 m, without barndoor)

Ident. No.	Description				Price / EURO	
L1.75790.B	COMPACT 12000 Baby	MAN	blue/silver	International (VEAM)	14421	€

ELECTRONIC BALLASTS

Blue standard housing with handle

Mains frequency 50/60 Hz; given mains voltages are nominal values

Ident. No.	Description				Price / EURO	
L2.76172HS	EB® 6/12 HS	ALF	60/75/300 Hz	International (VEAM)	120 V~ (only 6 kW) / 230 V~ bare ends	12875.5 €
L2.76172.0	EB® 6/12	ALF	50/60/75 Hz	International (VEAM)	120 V~ (only 6 kW) / 230 V~ bare ends	11693 €
L2.76182.0	EB® 6/12	ALF, DMX	50/60/75 Hz	International (VEAM)	120 V~ (only 6 kW) / 230 V~ bare ends	12122 €
L2.76290.0	EB® 12/18	ALF, with trolley	50/60/75 Hz	International (VEAM)	230 V~ bare ends	15020 €
L2.76295.0	EB® 12/18	ALF, DMX, with trolley & indication of lamp power	50/60/75 Hz	International (VEAM)	230 V~ bare ends	16093 €

ACCESSORIES COMPACT 12000 BABY:

LIGHT CONTROL:

Ident. No.	Description	Price / EURO
L2.74750.0	4-leaf barndoor (530 mm / 20.9")	374 €
L2.70634.0	Set of 4 scrims (530 mm / 20.9")	297 €
L2.70634.A	Scrim, full single (530 mm / 20.9")	77 €
L2.70634.B	Scrim, full double (530 mm / 20.9")	82.5 €
L2.70634.C	Scrim, half single (530 mm / 20.9")	77 €
L2.70634.D	Scrim, half double (530 mm / 20.9")	82.5 €

LIGHTBANKS:

Ident. No.	Description	Price / EURO
L2.89056.0	Chimera Lightbank Quartz Plus "L", incl. 3 front screens (8445)	1925 €
L2.89059.0	Chimera Lightbank Daylite Plus "L", incl. 3 front screens (8645)	2299 €
L2.89077.0	Speed ring circular (9445) (530 mm / 20.9")	566.5 €

MOUNTING:

Ident. No.	Description	Price / EURO
L2.76989.0	ARRI Swivelling C Clamp (C150)	130.9 €

CABLES:

Ident. No.	Description	Price / EURO
L2.82294.0	Head-to-Ballast/Dimmer cable 12/18/24 kW, 15 m, International connector (VEAM)	1067 €
L2.82294.A	Head-to-Ballast/Dimmer cable 12/18/24 kW, 20 m, International connector (VEAM)	1364 €

LAMPS:

Ident. No.	Description	Price / EURO
L2.000380	Lampe DIS 12000 W/SE G38 UV-B (Koto)	2580 €
L2.89261.0	Lamp HMI 12000 W/SE XS GX38 (Osram)	2840 €

DAYLIGHT



ARRI DAYLIGHT 18/12

Type of Lamphead:	Fresnel, 18000 W
Lamp Type:	Metal Halide 18000 W/DE Metal Halide 12000 W/DE
Lamp Base:	S 30
Lens Diameter:	625 mm
Mounting:	Spigot 28 mm
Size (HxWxL) /	1058 x 1040 x 825 mm
Packed Size:	1135 x 1170 x 1050 mm
Packed Volume:	1.39 m ³
Weight / Packed Weight:	approx. 70 kg / 114 kg (with pallet)
Protection Class / IP Rating:	I / IP23
Certifications:	CE, CB, GS, cNTRLus

DAYLIGHT FRESNEL LIGHTS

(cable length 1 m, without barndoor)

Ident. No.	Description					Price / EURO
L1.71160.B	ARRI DAYLIGHT 18/12	MAN	blue/silver	International (VEAM)		17930 €

ELECTRONIC HIGH SPEED BALLASTS

Blue standard housing with handle

Mains frequency 50/60 Hz; given mains voltages are nominal values

Ident. No.	Description					Price / EURO
L2.76295KH	EB® 12/18 HS	ALF, DMX	50/60/75/1000 Hz	International (VEAM)	230 V~, bare ends	17044.5 €

NEW


ELECTRONIC LOCATION BALLASTS

Blue standard housing with handle

Mains frequency 50/60 Hz; given mains voltages are nominal values

Ident. No.	Description					Price / EURO
L2.76295.0	EB® 12/18	ALF, DMX, with trolley	50/60/75 Hz	International (VEAM)	230 V~ bare ends	16093 €
L2.76290.0	EB® 12/18	ALF, with trolley	50/60/75 Hz	International (VEAM)	230 V~ bare ends	15020.5 €

BALLASTS



LOCATION BALLASTS



Features

ALF	Active Line Filter
CCL	Compensation of Cable Losses

Lamp Frequency Modes

50 / 60 Hz	Low Noise
75 Hz	Standard
300 / 1000 Hz	High Speed

ELECTRONIC HIGH SPEED BALLASTS

Blue standard housing with handle

Mains frequency 50/60 Hz; given mains voltages are nominal values

Ident. No.	Description	Features	Lamp Frequency	Lamphead Connector	Mains Supply	Price / EURO
L2.76184KH	EB® 575/800 HS	ALF, CCL, DMX	50/60/75/1000 Hz	International (VEAM)	120/230 V~ Schuko-Plug	3294.5 €
L2.76425KH	EB® 575/1200 HS	ALF	50/75/1000 Hz	International (VEAM)	120/230 V~ Schuko-Plug	3866.5 €
L2.76625KH	EB® 1200/1800 HS	ALF, CCL	50/75/1000 Hz	International (VEAM)	120/230 V~ Schuko-Plug	5324 €
NEW L2.76651KH	EB® 2.5/4 HS	ALF, CCL, DMX	50/75/1000 Hz	International (VEAM)	230 V~, bare ends	8684.5 €
L2.76640KH	EB® 2,5/4 HS	ALF	50/75/1000 Hz	International (VEAM)	230 V~ bare ends	7529.5 €
L2.76675KH	EB® 2,5/4 HS	ALF	60/75/1000 Hz	International (VEAM)	120/230 V~ bare ends	8189.5 €
NEW L2.76185KH	EB® 6/9 HS AutoScan	ALF, CCL, DMX	50/75/1000 Hz	International (VEAM)	230 V~ bare ends	13475.0 €
L2.76172HS	EB® 6/12 HS	ALF	60/75/300 Hz	International (VEAM)	120 V~ (only 6kW) / 230 V~ bare ends	12875.5 €
NEW L2.76295KH	EB® 12/18 HS	ALF, DMX	50/60/75/1000 Hz	International (VEAM)	230 V~, bare ends	17044.5 €

ELECTRONIC LOCATION BALLASTS

Blue standard housing with handle

Mains frequency 50/60 Hz; given mains voltages are nominal values

Ident. No.	Description	Features	Lamp Frequency	Lamphead Connector	Mains Supply	Price / EURO	
L2.76115.0	EB® 200	ALF, IP23, without Fan	ca. 200 Hz	Amphenol	120/230 V~ Schuko-Plug	1380.5	€
L2.76425.0	EB® 575/1200	ALF	50/60/75 Hz	International (VEAM)	120/230 V~ Schuko-Plug	3217.5	€
L2.76426.0	EB® 575/1200	ALF, DMX	50/60/75 Hz	International (VEAM)	120/230 V~ Schuko-Plug	3646.5	€
L2.76427.0	EB® 575/1200	ALF	50/60/75 Hz	Schaltbau	120/230 V~ Schuko-Plug	3217.5	€
L2.76625.0	EB® 1200/1800	ALF, CCL	50/60/75 Hz	International (VEAM)	120/230 V~ Schuko-Plug	4455.0	€
L2.76695.0	EB® 2500 Baby	ALF	50/60/75 Hz	International (VEAM)	230 V~ Schuko-Plug	5368.0	€
L2.76635.0	EB® 2500	ALF	50/60/75 Hz	International (VEAM)	120/230 V~ bare ends	6072.0	€
L2.76640.0	EB® 2.5/4	ALF	50/60/75 Hz	International (VEAM)	230 V~ bare ends	6440.5	€
L2.76651.0	EB® 2.5/4	ALF, CCL, DMX	50/60/75 Hz	International (VEAM)	230 V~, bare ends	7694.5	€
L2.76641.0	EB® 2.5/4	ALF, DMX	50/60/75 Hz	International (VEAM)	230 V~ bare ends	6935.5	€
L2.76650.0	EB® 2.5/4	ALF, CCL	50/60/75 Hz	International (VEAM)	230 V~ bare ends	7100.5	€
L2.76676.0	EB® 2.5/4	ALF, DMX	50/60/75 Hz	International (VEAM)	120/230 V~ bare ends	7595.5	€
L2.76193.0	EB® 6000 Baby	ALF	50/60/75 Hz	International (VEAM)	230 V~ bare ends	9658.0	€
L2.76181.0	EB® 6/9	ALF, CCL, DMX	50/60/75 Hz	International (VEAM)	230 V~ bare ends	11550.0	€
L2.76172.0	EB® 6/12	ALF	50/60/75 Hz	International (VEAM)	120 V~ (only 6kW) / 230 V~ bare ends	11693.0	€
L2.76182.0	EB® 6/12	ALF, DMX	50/60/75 Hz	International (VEAM)	120 V~ (only 6kW) / 230 V~ bare ends	12144.0	€
L2.76290.0	EB® 12/18	ALF, trolley	50/60/75 Hz	International (VEAM)	230 V~ bare ends	15020.0	€
L2.76295.0	EB® 12/18	ALF, DMX, trolley	50/60/75 Hz	International (VEAM)	230 V~ bare ends	16093.0	€

BALLASTS

ELECTRONIC LIGHTWEIGHT BALLASTS

Silver aluminium profile housing

Mains frequency 50/60 Hz; given mains voltages are nominal values

Ident. No.	Description	Features	Lamp Frequency	Lamphead Connector	Mains Supply	Price / EURO
L2.76013.B	EB® 125/200	ALF	200 Hz	Binder (125 W) Amphenol (200 W)	120/230 V~ Appliance inlet with Schuko-Plug	1182.5 €
L2.76260.0	EB® 400/575	ALF	110 Hz	International (VEAM)	120/230 V~ Appliance inlet with Schuko-Plug	2035.0 €
L2.76262.0	EB® 400/575	ALF	110 Hz	Schaltbau	120/230 V~ Appliance inlet with Schuko-Plug	2035.0 €

ELECTRONIC BATTERY BALLASTS

Silver aluminium profile housing

Ident. No.	Description	Features	Lamp Frequency	Lamphead Connector	Mains Supply	Price / EURO
L2.76040.B	EBB 125/200		150 Hz	Binder (125 W) Amphenol (200 W)	20-36 V~ XLR 4-Plug	1182.5 €
L2.76270.B	EBB 200/400		110 Hz	Amphenol (200 W) International (VEAM) (400 W)	20-36 V~ 2 x XLR 4-Plug*	1985.5 €

* Both battery cables have to be connected when operated with 400 W lampheads.

ELECTRONIC BOOSTER BALLASTS

Silver aluminium 19" housing, 4 units, for rack mount installation

Given mains voltage is nominal value

Ident. No.	Description	Features	Lamp Frequency	Lamphead Connector	Mains Supply	Price / EURO
L2.76693.0	EB® 4000 Booster	ALF, hour counter, remote control connector	75 Hz	Harting (HAN 6 HSB (F))	230 V~ Harting connector	9889.0 €

CHOKE BALLASTS

Stainless steel housing with handle

Switchable mains frequency: 230 - 240 V~/50 Hz, 220 V~/60 Hz

Ident. No.	Description	Features	Lamp Frequency	Lamphead Connector	Mains Supply	Price / EURO
L2.75012.E	CB 1200		50/60 Hz	International (VEAM)	230 V~ Schuko-Plug	1501.5 €
L2.75024.E	CB 2500	DMX	50/60 Hz	International (VEAM)	230 V~ Schuko-Plug	2359.5 €
L2.75870.E	CB 4000	DMX	50/60 Hz	International (VEAM)	230 V~ bare ends	4290.0 €

ELECTRONIC EVENT BALLASTS



ELECTRONIC EVENT BALLASTS


Silver aluminium 19" housing, 4 units, for rack mount installation

* EB® 575 EVENT SINGLE with portable aluminium profile housing

Mains frequency 50/60 Hz; given mains voltages are nominal values

Ident. No.	Description	Features	Lamp Frequency	Lamphead Connector	Mains Supply	Price / EURO	
L2.76259EV	EB® 575 EVENT SINGLE*	ALF	ca. 110 Hz	Schaltbau M1	120/230 V~ Appliance Inlet with Schuko-Plug	1060.0	€
L2.76340.0	EB® 575 EVENT SIX	ALF, DMX	ca. 200 Hz	Schaltbau M3	120/230 V~ 3Ph+N, CEE 16 A	5463.7	€
L2.76610.0	EB® 1200/1800 EVENT THREE	ALF, DMX, CCL	ca. 200 Hz	Harting HAN 16B	230 V~, 3Ph+N, CEE 16 A	6930.0	€

TUNGSTEN



ARRI 300 Plus



Type of Lamphead:	Fresnel, 300 W
Lamp Type:	CP/81 FSL 300 W / 230 V CP/81 FKW 300 W / 120 V
Lamp Base:	GY 9,5
Lens Diameter:	80 mm
Mounting:	Socket 16 mm
Size (HxWxL) /	233 x 187 x 160 mm /
Packed Size:	275 x 190 x 240 mm
Packed Volume:	0.013 m ³
Weight / Packed Weight:	approx. 2 kg / 3 kg
Protection Class / IP Rating:	I / IP20
Certifications:	CE, CB, GS, cNTRLus

TUNGSTEN FRESNEL LIGHTS

(cable length 3.5 m, with line switch; incl. 4-leaf barndoor and filterframe)

Ident. No.	Description					Price / EURO	
L3.79200.B	ARRI 300 Plus	MAN	blue/silver	90 - 250 V~	bare ends	429.0	€
L3.79200.D	ARRI 300 Plus	MAN	blue/silver	90 - 250 V~	Schuko-Plug	434.5	€
L3.79205.B	ARRI 300 Plus	MAN	black	90 - 250 V~	bare ends	429.0	€
L3.79205.D	ARRI 300 Plus	MAN	black	90 - 250 V~	Schuko-Plug	434.5	€

ACCESSORIES ARRI 300 PLUS:

LIGHT CONTROL:

Ident. No.	Description	Price / EURO
L2.79170.0	4-leaf barndoor (130 mm / 5.1")	49.5 €
L2.79160.0	Set of 4 scrims (130 mm / 5.1")	71.5 €
L2.79160.A	Scrim, full single (130 mm / 5.1")	18.7 €
L2.79160.B	Scrim, full double (130 mm / 5.1")	20.9 €
L2.79160.C	Scrim, half single (130 mm / 5.1")	18.7 €
L2.79160.D	Scrim, half double (130 mm / 5.1")	20.9 €
L2.79190.0	Filter frame (130 mm / 5.1")	20.9 €
L2.79180.0	Snoot (130 mm / 5.1")	58.3 €

LIGHTBANKS:

Ident. No.	Description	Price / EURO
L2.76719.0	Chimera Lightbank Video Pro Plus "XS", incl. 3 front screens (8115)	390.5 €
L2.70844.0	Chimera Lightbank Video Pro Plus "S", incl. 3 front screens (8125)	489.5 €
L2.89067.0	Speed ring circular (9640) (130 mm / 5.1")	132.0 €

MOUNTING:

Ident. No.	Description	Price / EURO
L2.76985.0	ARRI Super Clamp (035)	30.8 €
L2.76986.0	Stud 16 mm with thread 3/8" (036-38), plugs into Superclamp (035)	6.6 €

STANDS:

Ident. No.	Description	Price / EURO
L2.76976.0	Medium ARRI Kit Stand LS.2 (050A)	83.6 €
L2.76965.0	Compact ARRI Kit Stand LS.01 (050MKA)	90.2 €
L2.88679.0	Wheel set with brakes, Ø 75 mm / 22 mm mount (110)	86.9 €

SAFETY:

Ident. No.	Description	Price / EURO
L2.76809.0	Safety cable (3 mm) 0,6 m, with Carabiner	18.7 €

TRANSPORT:

Ident. No.	Description	Price / EURO
L2.88020.0	Soft bag for stands, gel rolls or frames	77.0 €

LAMPS:

Ident. No.	Description	Price / EURO
L2.89203.G	Lamp T 300 W /240 V GY 9,5 CP/81 (GE)	25.3 €
L2.89203.0	Lamp T 300 W / 240 V GY 9,5 CP/81 (Osram)	19.8 €

ARRI 650 Plus



Type of Lamphead:	Fresnel, 650 W
Lamp Type:	CP/89 FRL 650 W / 230 V; CP/89 FRK 650 W / 120 V; CP/82 500 W; CP/81 300 W
Lamp Base:	GY 9,5
Lens Diameter:	112 mm
Mounting:	Socket 16 mm
Size (HxWxL) /	276 x 220 x 190 mm /
Packed Size:	295 x 220 x 255 mm
Packed Volume:	0.017 m ³
Weight / Packed Weight:	approx. 3 kg / 4 kg
Protection Class / IP Rating:	I / IP20
Certifications:	CE, CB, GS, cNTRLus

TUNGSTEN FRESNEL LIGHTS

(cable length 3 m, with line switch (MAN version), 2 m (P.O. version); incl. 4-leaf barndoor and filterframe)

Ident. No.	Description					Price / EURO	
L3.79400.B	ARRI 650 Plus	MAN	blue/silver	90 - 250 V~	bare ends	456.5	€
L3.79400.D	ARRI 650 Plus	MAN	blue/silver	90 - 250 V~	Schuko-Plug	462.0	€
L3.79400.I	ARRI 650 Plus	P.O.	blue/silver	90 - 250 V~	bare ends	693.0	€
L3.79400.K	ARRI 650 Plus	P.O.	blue/silver	90 - 250 V~	Schuko-Plug	709.5	€
L3.79405.B	ARRI 650 Plus	MAN	black	90 - 250 V~	bare ends	456.5	€
L3.79405.D	ARRI 650 Plus	MAN	black	90 - 250 V~	Schuko-Plug	462.0	€
L3.79405.K	ARRI 650 Plus	P.O.	black	90 - 250 V~	Schuko-Plug	709.5	€

ACCESSORIES ARRI 650 PLUS:

LIGHT CONTROL:

Ident. No.	Description	Price / EURO
L2.79470.0	4-leaf barndoor (168 mm / 6.6")	64.9 €
L2.79471.0	4-leaf barndoor, black/silver (168 mm / 6.6")	126.5 €
L2.79500.0	8-leaf barndoor (168 mm / 6.6")	121.0 €
L2.79490.0	Filter frame (168 mm / 6.6")	22.0 €
L2.79460.0	Set of 4 scrims (168 mm / 6.6")	82.5 €
L2.79460.A	Scrim, full single (168 mm / 6.6")	20.9 €
L2.79460.B	Scrim, full double (168 mm / 6.6")	24.2 €
L2.79460.C	Scrim, half single (168 mm / 6.6")	20.9 €
L2.79460.D	Scrim, half double (168 mm / 6.6")	24.2 €
L2.79480.0	Snoot (168 mm / 6.6")	71.5 €

LIGHTBANKS:

Ident. No.	Description	Price / EURO
L2.70844.0	Chimera Lightbank Video Pro Plus "S", incl. 3 front screens (8125)	489.5 €
L2.89068.0	Speed ring circular (9670) (168 mm / 6.6")	154.0 €
L2.89074.0	Speed ring circular metal (9670AL) (168 mm / 6.6")	203.5 €
L2.89069.0	Speed ring circular (9672) (168 mm / 6.6")	203.5 €

MOUNTING:

Ident. No.	Description	Price / EURO
L2.76985.0	ARRI Super Clamp (035)	30.8 €
L2.76986.0	Stud 16 mm with thread 3/8" (036-38), plugs into Superclamp (035)	6.6 €

STANDS:

Ident. No.	Description	Price / EURO
L2.76976.0	Medium ARRI Kit Stand LS.2 (050A)	83.6 €
L2.76965.0	Compact ARRI Kit Stand LS.01 (050MKA)	90.2 €
L2.88679.0	Wheel set with brakes, Ø 75 mm / 22 mm mount (110)	86.9 €

SAFETY:

Ident. No.	Description	Price / EURO
L2.76809.0	Safety cable (3 mm) 0,6 m, with Carabiner	18.7 €

TRANSPORT:

Ident. No.	Description	Price / EURO
L2.88020.0	Soft bag for stands, gel rolls or frames	77.0 €

LAMPS:

Ident. No.	Description	Price / EURO
L2.89205.0	Lamp 650 W / 230 V GY9,5 FRL CP89 (Osram)	27.5 €

TRUE BLUE® T1



Type of Lamphead:	Fresnel, 1000 W
Lamp Type:	CP/40 FKJ 1000 W, 230 V CP/71 FKJ 1000 W, 230 V
Lamp Base:	G22
Lens Diameter:	150 mm
Mounting:	Spigot 28 mm (short), 16 mm Socket
Size (HxWxL) /	357 x 323 x 216 mm /
Packed Size:	330 x 395 x 390 mm
Packed Volume:	0.05 m ³
Weight / Packed Weight:	approx. 6 kg / 7 kg
Protection Class / IP Rating:	I / IP23
Certifications:	CE, CB, GS, cNTRLus

TRUE BLUE® TUNGSTEN FRESNEL LIGHTS

(cable length 3 m, with line switch (MAN version), 1.5 m (P.O. version); incl. 4-leaf barndoor and filterframe)

Ident. No.	Description						Price / EURO
L3.39610.B	True Blue® T1	MAN	blue/silver	220 - 250 V~	bare ends		726.0 €
L3.39610.D	True Blue® T1	MAN	blue/silver	220 - 250 V~	Schuko-Plug		737.0 €
L3.39610.I	True Blue® T1	P.O.	blue/silver	220 - 250 V~	bare ends		913.0 €
L3.39615.B	True Blue® T1	MAN	black	220 - 250 V~	bare ends		726.0 €
L3.39615.D	True Blue® T1	MAN	black	220 - 250 V~	Schuko-Plug		737.0 €
L3.39615.I	True Blue® T1	P.O.	black	220 - 250 V~	bare ends		913.0 €

ACCESSORIES TRUE BLUE® T1:

LIGHT CONTROL:

Ident. No.	Description	Price / EURO
L2.39670.0	4-leaf barndoor, True Blue® (197 mm / 7.8")	88.0 €
L2.39700.0	8-leaf barndoor, True Blue® (197 mm / 7.8")	132.0 €
L2.79660.0	Set of 4 scrims (197 mm / 7.8")	99.0 €
L2.79660.A	Scrim, full single (197 mm / 7.8")	25.3 €
L2.79660.B	Scrim, full double (197 mm / 7.8")	27.5 €
L2.79660.C	Scrim, half single (197 mm / 7.8")	25.3 €
L2.79660.D	Scrim, half double (197 mm / 7.8")	27.5 €
L2.79690.0	Filter frame (197 mm / 7.8")	23.1 €
L2.79680.0	Snoot (197 mm / 7.8") with variable aperture	93.5 €

ACCESSORIES TRUE BLUE® T1 (CONTINUE)

LIGHTBANKS:

Ident. No.	Description	Price / EURO
L2.70844.0	Chimera Lightbank Video Pro Plus "S", incl. 3 front screens (8125)	489.5 €
L2.89053.0	Chimera Lightbank Daylite Junior Plus "S", incl. 3 front screens (8225)	643.5 €
L2.76246.0	Speed ring circular (9190) (197 mm / 7.8")	242.0 €
L2.89060.0	Speed ring circular (9192) (197 mm / 7.8")	242.0 €

MOUNTING:

Ident. No.	Description	Price / EURO
L2.76985.0	ARRI Super Clamp (035)	30.8 €
L2.40703.1	Spigot 28 mm, long, with flange & allen screw, fits profile stirrups without sleeve cuff	16.5 €

STANDS:

Ident. No.	Description	Price / EURO
L2.8803653	Master Stand (1004BAC)	143.0 €
L2.88717.0	Universal ARRI Cine Stand LS.4 (007BA)	171.6 €
L2.88679.0	Wheel set with brakes, Ø 75 mm / 22 mm mount (110)	86.9 €

SAFETY:

Ident. No.	Description	Price / EURO
L2.76990.0	Safety cable (4 mm) 1 m, with "Kettbiner"	24.2 €

TRANSPORT:

Ident. No.	Description	Price / EURO
L2.76956.P	Case for 2 lampheads (70 x 39 x 37 cm)	352.0 €

LAMPS:

Ident. No.	Description	Price / EURO
L2.89208.0	Lamp 1000 W / 230 V G22 FKJ CP71 (Osram)	22.0 €

MISCELLANEOUS:

Ident. No.	Description	Price / EURO
L2.39712.0	Conversion Kit from True Blue® T1 MAN to P.O. version: stirrup for pole operated pan, tilt and focus	242.0 €
L2.80575.0	CEE-connector 16 A / 230 V 1Ph+PE (assembled when ordered with lamphead)	44.0 €
L2.33835.0	Mains indicator (green diode in cable entry) 230 V for T1, ST1, T2, ST2 (mounted when ordered with luminaire)	44.0 €

TRUE BLUE® T2



Type of Lamphead:	Fresnel, 2000 W
Lamp Type:	CP/41 FKK 2000 W / 230 V ; CP/73 FKK 2000 W / 230 V
Lamp Base:	G38
Lens Diameter:	175 mm
Mounting:	Spigot 28 mm
Size (HxWxL) / Packed Size:	398 x 375 x 315 mm / 395 x 405 x 470 mm
Packed Volume:	0.08 m ³
Weight / Packed Weight:	approx. 7 kg / 10 kg
Protection Class / IP Rating:	I / IP23
Certifications:	CE, CB, GS, cNTRLus

TRUE BLUE® TUNGSTEN FRESNEL LIGHTS

(cable length 3 m, with line switch (MAN version), 1.5 m (P.O. version); incl. 4-leaf barndoor and filterframe)

Ident. No.	Description						Price / EURO	
L3.41250.B	True Blue® T2	MAN	blue/silver	220 - 250 V~	bare ends		891.0	€
L3.41250.D	True Blue® T2	MAN	blue/silver	220 - 250 V~	Schuko-Plug		902.0	€
L3.41250.I	True Blue® T2	P.O.	blue/silver	220 - 250 V~	bare ends		1100.0	€
L3.41255.B	True Blue® T2	MAN	black	220 - 250 V~	bare ends		891.0	€
L3.41255.D	True Blue® T2	MAN	black	220 - 250 V~	Schuko-Plug		902.0	€
L3.41255.I	True Blue® T2	P.O.	black	220 - 250 V~	bare ends		1210.0	€

ACCESSORIES TRUE BLUE® T2:

LIGHT CONTROL:

Ident. No.	Description	Price / EURO
L2.39870.0	4-leaf barndoor, True Blue® (245 mm / 9.7")	99.0 €
L2.39900.0	8-leaf barndoor, True Blue® (245 mm / 9.7")	165.0 €
L2.79860.0	Set of 4 scrims (230 mm / 9.1")	99.0 €
L2.79860.A	Scrim, full single (230 mm / 9.1")	25.3 €
L2.79860.B	Scrim, full double (230 mm / 9.1")	26.4 €
L2.79860.C	Scrim, half single (230 mm / 9.1")	25.3 €
L2.79860.D	Scrim, half double (230 mm / 9.1")	26.4 €
L2.79890.0	Filter frame (230 mm / 9.1")	28.6 €
L2.79880.0	Snoot (245 mm / 9.7") with variable aperture	115.5 €

LIGHTBANKS:

Ident. No.	Description	Price / EURO
L2.76248.0	Speed ring circular (9205) (245 mm / 9.7")	576.0 €

MOUNTING:

Ident. No.	Description	Price / EURO
L2.76989.0	ARRI Swivelling C Clamp (C150)	130.9 €

STANDS:

Ident. No.	Description	Price / EURO
L2.88717.0	Universal ARRI Cine Stand LS.4 (007BA)	171.6 €
L2.88679.0	Wheel set with brakes, Ø 75 mm / 22 mm mount (110)	86.9 €

SAFETY:

Ident. No.	Description	Price / EURO
L2.76990.0	Safety cable (4 mm) 1 m, with "Kettbiner"	24.2 €

LAMPS:

Ident. No.	Description	Price / EURO
L2.89213.0	Lamp 2000 W / 230 V G38 FKK CP73 (Osram)	38.5 €

MISCELLANEOUS:

Ident. No.	Description	Price / EURO
L2.33811.0	Conversion Kit from True Blue® ST1 and T2 to Theater version: Theater cassette with barndoor insert	363.0 €
L2.80575.0	CEE-connector 16 A / 230 V 1Ph+PE (assembled when ordered with lamphead)	44.0 €
L2.33835.0	Mains indicator (green diode in cable entry) 230 V for T1, ST1, T2, ST2 (mounted when ordered with luminaire)	44.0 €



TRUE BLUE® T5

Type of Lamphead:	Fresnel, 5000 W
Lamp Type:	CP/29 5000 W / 230 V ; CP/85 5000 W / 230 V
Lamp Base:	G38
Lens Diameter:	250 mm
Mounting:	Spigot 28 mm
Size (HxWxL) /	522 x 465 x 390 mm /
Packed Size:	495 x 510 x 555 mm
Packed Volume:	0.14 m³
Weight / Packed Weight:	approx. 12 kg / 17 kg
Protection Class / IP Rating:	I / IP23
Certifications:	CE, CB, GS, cNTRLus

TRUE BLUE® TUNGSTEN FRESNEL LIGHTS

(cable length 3 m, with line switch; incl. 4-leaf barndoor and filterframe)

Ident. No.	Description					Price / EURO	
L3.40000.B	True Blue® T5	MAN	blue/silver	220 - 250 V~	bare ends	1424.5	€
L3.40005.B	True Blue® T5	MAN	black	220 - 250 V~	bare ends	1424.5	€

ACCESSORIES TRUE BLUE® T5:

LIGHT CONTROL:

Ident. No.	Description	Price / EURO
L2.40950.0	4-leaf barndoor, True Blue® (344 mm / 13.5")	110.0 €
L2.40960.0	8-leaf barndoor, True Blue® (344 mm / 13.5")	231.0 €
L2.80980.0	Set of 4 scrims (330 mm / 13.0")	148.5 €
L2.80980.A	Scrim, full single (330 mm / 13.0")	38.5 €
L2.80980.B	Scrim, full double (330 mm / 13.0")	44.0 €
L2.80980.C	Scrim, half single (330 mm / 13.0")	38.5 €
L2.80980.D	Scrim, half double (330 mm / 13.0")	44.0 €
L2.80970.0	Filter frame (330 mm / 13.0")	41.8 €
L2.80975.0	Snoot (344 mm / 13.5") with variable aperture	132.0 €

LIGHTBANKS:

Ident. No.	Description	Price / EURO
L2.89054.0	Chimera Lightbank Quartz Plus "S", incl. 3 front screens (8425)	946.0 €
L2.89058.0	Chimera Lightbank Daylite Plus "M", incl. 3 front screens (8635)	1512.5 €
L2.76247.0	Speed ring circular (9305) (343 mm / 13.5")	489.5 €

MOUNTING:

Ident. No.	Description	Price / EURO
L2.76989.0	ARRI Swivelling C Clamp (C150)	130.9 €

STANDS:

Ident. No.	Description	Price / EURO
L2.76979.0	Universal ARRI Steel Stand LS.5 (126A)	217.8 €
L2.88679.0	Wheel set with brakes, Ø 75 mm / 22 mm mount (110)	86.9 €

SAFETY:

Ident. No.	Description	Price / EURO
L2.80864.0	Safety cable (5 mm) 1 m, with "Kettbiner"	22.0 €

LAMPS:

Ident. No.	Description	Price / EURO
L2.89214.0	Lamp 5000 W / 230 V G38 CP85 (Osram)	143.0 €
L2.89214.P	Lamp 5000 W / 240 V G38 CP85 (Philips)	143.0 €

TRUE BLUE® ST1



Type of Lamphead:	Fresnel, 1000 W
Lamp Type:	CP/40 FKJ 1000 W / 230 V CP/71 FKJ 1000 W / 230 V
Lamp Base:	G22
Lens Diameter:	175 mm
Mounting:	Spigot 28 mm
Size (HxWxL) /	398 x 362 x 325 mm /
Packed Size:	395 x 405 x 475 mm
Packed Volume:	0.08 m ³
Weight / Packed Weight:	approx. 7 kg / 9 kg
Protection Class / IP Rating:	I / IP23
Certifications:	CE, CB, GS, cNTRLus

TRUE BLUE® TUNGSTEN FRESNEL LIGHTS

(cable length 1.5 m*; incl. 4-leaf barndoor and filterframe**)

Ident. No.	Description					Price / EURO	
L3.40500.B	True Blue® ST1	MAN	blue/silver	100 - 240 V~	bare ends	786.5	€
L3.40500.D	True Blue® ST1	MAN	blue/silver	100 - 240 V~	Schuko-Plug	797.5	€
L3.40500LB	True Blue® ST1	MAN Location*	blue/silver	100 - 240 V~	bare ends	858.0	€
L1.40501.B	True Blue® ST1	MAN	silver**	100 - 240 V~	bare ends	770.0	€
L3.40505.B	True Blue® ST1	MAN	black	100 - 240 V~	bare ends	786.5	€
L3.40505.D	True Blue® ST1	MAN	black	100 - 240 V~	Schuko-Plug	797.5	€
L3.40500.I	True Blue® ST1	P.O.	blue/silver	100 - 240 V~	bare ends	1012.0	€
L3.40500.K	True Blue® ST1	P.O.	blue/silver	100 - 240 V~	Schuko-Plug	1023.0	€
L3.40505.I	True Blue® ST1	P.O.	black	100 - 240 V~	bare ends	1012.0	€
L3.40505.K	True Blue® ST1	P.O.	black	100 - 240 V~	Schuko-Plug	1023.0	€
L3.40505.L	True Blue® ST1/2	P.O.	black	220 - 240 V~	bare ends	1144.0	€

* MAN Location version equipped with 3 m cable and line switch

** silver version without barndoor and filter frame. Caution: Minimum order quantity!

ACCESSORIES TRUE BLUE® ST1:

LIGHT CONTROL:

Ident. No.	Description	Price / EURO
L2.39870.0	4-leaf barndoor, True Blue® (245 mm / 9.7")	99.0 €
L2.39900.0	8-leaf barndoor, True Blue® (245 mm / 9.7")	165.0 €
L2.79860.0	Set of 4 scrims (230 mm / 9.1")	99.0 €
L2.79860.A	Scrim, full single (230 mm / 9.1")	25.3 €
L2.79860.B	Scrim, full double (230 mm / 9.1")	26.4 €
L2.79860.C	Scrim, half single (230 mm / 9.1")	25.3 €
L2.79860.D	Scrim, half double (230 mm / 9.1")	26.4 €
L2.79890.0	Filter frame (230 mm / 9.1")	28.6 €
L2.79880.0	Snoot (245 mm / 9.7") with variable aperture	115.5 €

LIGHTBANKS:

Ident. No.	Description	Price / EURO
L2.76248.0	Speed ring circular (9205) (245 mm / 9.7")	576.0 €

MOUNTING:

Ident. No.	Description	Price / EURO
L2.76989.0	ARRI Swivelling C Clamp (C150)	130.9 €

STANDS:

Ident. No.	Description	Price / EURO
L2.8803224	Combo Steel Stand (A1035CS)	401.5 €
L2.88717.0	Universal ARRI Cine Stand LS.4 (007BA)	171.6 €
L2.88679.0	Wheel set with brakes, Ø 75 mm / 22 mm mount (110)	86.9 €
L2.76980.0	Wheel set with brakes, Ø 125 mm / 25 x 25 mm square mount (90000A)	140.8 €

SAFETY:

Ident. No.	Description	Price / EURO
L2.76990.0	Safety cable (4 mm) 1 m, with Carabiner	24.2 €

LAMPS:

Ident. No.	Description	Price / EURO
L2.89208.0	Lamp 1000 W / 230 V G22 FKJ CP71 (Osram)	22.0 €

MISCELLANEOUS:

Ident. No.	Description	Price / EURO
L2.33811.0	Conversion Kit from True Blue® ST1 and T2 to Theater version: Theater cassette with barndoor insert	363.0 €
L2.80575.0	CEE-connector 16 A / 230 V 1Ph+PE (assembled when ordered with lamphead)	44.0 €
L2.33835.0	Mains indicator (green diode in cable entry) 230 V for T1, ST1, T2, ST2 (mounted when ordered with luminaire)	44.0 €

TRUE BLUE® ST2/3



Type of Lamphead:

Lamp Type:

Lamp Base:

Lens Diameter:

Mounting:

Size (HxWxL) /

Packed Size:

Packed Volume:

Weight / Packed Weight:

Protection Class / IP Rating:

Certifications:

Fresnel, 2000 W

CP/41 FKK 2000 W / 230 V;

CP/73 FKK 2000 W / 230 V;

HX48 3000 W / 230 - 240 V

G38

250 mm

Spigot 28 mm

522 x 448 x 380 mm /

495 x 515 x 550 mm

0.14 m³

approx. 12 kg / 15 kg

I / IP23

CE, CB, GS

TRUE BLUE® TUNGSTEN FRESNEL LIGHTS

(cable length 1.5 m*; incl. 4-leaf barndoor and filterframe)

Ident. No.	Description						Price / EURO
L3.40750.B	True Blue® ST2/3	MAN	blue/silver	220 - 250 V~	bare ends	1177.0	€
L3.40750.D	True Blue® ST2/3	MAN	blue/silver	220 - 250 V~	Schuko-Plug	1188.0	€
L3.40750LB	True Blue® ST2/3	MAN Location*	blue/silver	220 - 250 V~	bare ends	1210.0	€
NEW L1.40751.B	True Blue® ST2/3	MAN**	silver	220 - 250 V~	bare ends	1100.0	€
L3.40755.B	True Blue® ST2/3	MAN	black	220 - 250 V~	bare ends	1177.0	€
L3.40755.D	True Blue® ST2/3	MAN	black	220 - 250 V~	Schuko-Plug	1188.0	€
L3.40750.I	True Blue® ST2/3	P.O.	blue/silver	220 - 250 V~	bare ends	1430.0	€
L3.40750.K	True Blue® ST2/3	P.O.	blue/silver	220 - 250 V~	Schuko-Plug	1441.0	€
L3.40755.I	True Blue® ST2/3	P.O.	black	220 - 250 V~	bare ends	1430.0	€
L3.40755.K	True Blue® ST2/3	P.O.	black	220 - 250 V~	Schuko-Plug	1441.0	€

* MAN Location version equipped with 3 m cable, line switch and location top latch

** silver version without barndoor and filter frame. Caution: Minimum order quantity!

ACCESSORIES TRUE BLUE® ST2/3:

LIGHT CONTROL:

Ident. No.	Description	Price / EURO
L2.40950.0	4-leaf barndoor, True Blue® (344 mm / 13.5")	110.0 €
L2.40960.0	8-leaf barndoor, True Blue® (344 mm / 13.5")	231.0 €
L2.80980.0	Set of 4 scrims (330 mm / 13.0")	148.5 €
L2.80980.A	Scrim, full single (330 mm / 13.0")	38.5 €
L2.80980.B	Scrim, full double (330 mm / 13.0")	44.0 €
L2.80980.C	Scrim, half single (330 mm / 13.0")	38.5 €
L2.80980.D	Scrim, half double (330 mm / 13.0")	44.0 €
L2.80970.0	Filter frame (330 mm / 13.0")	41.8 €
L2.80975.0	Snoot (344 mm / 13.5") with variable aperture	132.0 €

LIGHTBANKS:

Ident. No.	Description	Price / EURO
L2.89054.0	Chimera Lightbank Quartz Plus "S", incl. 3 front screens (8425)	946.0 €
L2.76247.0	Speed ring circular (9305) (343 mm / 13.5")	489.5 €

MOUNTING:

Ident. No.	Description	Price / EURO
L2.76989.0	ARRI Swivelling C Clamp (C150)	130.9 €

STANDS:

Ident. No.	Description	Price / EURO
L2.76979.0	Universal ARRI Steel Stand LS.5 (126A)	217.8 €
L2.88679.0	Wheel set with brakes, Ø 75 mm / 22 mm mount (110)	86.9 €

SAFETY:

Ident. No.	Description	Price / EURO
L2.80864.0	Safety cable (5 mm) 1 m, with Carabiner	22.0 €

LAMPS:

Ident. No.	Description	Price / EURO
L2.89213.G	Lamp 2000 W / 230 V G38 FKK CP41 (GE)	48.4 €
L2.89213.0	Lamp 2000 W / 230 V G38 FKK CP73 (Osram)	38.5 €

MISCELLANEOUS:

Ident. No.	Description	Price / EURO
L2.80575.0	CEE-connector 16 A / 230 V 1Ph+PE (assembled when ordered with lamphead)	44.0 €
L2.33835.0	Mains indicator (green diode in cable entry) 230 V for T1, ST1, T2, ST2 (mounted when ordered with luminaire)	44.0 €



TRUE BLUE® ST5

Type of Lamphead:	Fresnel, 5000 W
Lamp Type:	CP/85 5000 W / 230 V ; CP/29 5000 W / 230 V
Lamp Base:	G38
Lens Diameter:	300 mm
Mounting:	Spigot 28 mm
Size (HxWxL) /	595 x 518 x 393 mm /
Packed Size:	575 x 605 x 605 mm
Packed Volume:	0.21 m ³
Weight / Packed Weight:	approx. 15 kg / 20 kg
Protection Class / IP Rating:	I / IP23
Certifications:	CE, CB, GS, cNTRLus

TRUE BLUE® TUNGSTEN FRESNEL LIGHTS

(cable length 1.5 m*; incl. 4-leaf barndoor and filterframe)

Ident. No.	Description						Price / EURO
L3.41000.B	True Blue® ST5	MAN	blue/silver	220 - 250 V~	bare ends	1529.0	€
L3.41000.I	True Blue® ST5	P.O.	blue/silver	220 - 250 V~	bare ends	1782.0	€
L3.41005.B	True Blue® ST5	MAN	black	220 - 250 V~	bare ends	1529.0	€
L3.41005.I	True Blue® ST5	P.O.	black	220 - 250 V~	bare ends	1782.0	€
L3.41000LB	True Blue® ST5	MAN Location*	blue/silver	220 - 250 V~	bare ends	1650.0	€

* MAN Location version equipped with 3 m cable, line switch and location top latch

ACCESSORIES TRUE BLUE® ST5:

LIGHT CONTROL:

Ident. No.	Description	Price / EURO
L2.41200.0	4-leaf barndoor, True Blue® (413 mm / 16.3")	132.0 €
L2.81210.0	8-leaf barndoor (413 mm / 16.3")	253.0 €
L2.81230.0	Set of 4 scrims (400 mm / 15.8")	170.5 €
L2.81230.A	Scrim, full single (400 mm / 15.8")	44.0 €
L2.81230.B	Scrim, full double (400 mm / 15.8")	49.5 €
L2.81230.C	Scrim, half single (400 mm / 15.8")	44.0 €
L2.81230.D	Scrim, half double (400 mm / 15.8")	49.5 €
L2.81220.0	Filter frame (400 mm / 15.8")	44.0 €
L2.81225.0	Snoot (413 mm / 16.3") with variable aperture	269.5 €

LIGHTBANKS:

Ident. No.	Description	Price / EURO
L2.89058.0	Chimera Lightbank Daylite Plus "M", incl. 3 front screens (8635)	1512.5 €
L2.89059.0	Chimera Lightbank Daylite Plus "L", incl. 3 front screens (8645)	2299.0 €
L2.89062.0	Speed ring circular (9365) (411 mm / 16.2")	566.5 €

MOUNTING:

Ident. No.	Description	Price / EURO
L2.76989.0	ARRI Swivelling C Clamp (C150)	130.9 €

STANDS:

Ident. No.	Description	Price / EURO
L2.8803225	Combo Alu Stand (A1035B)	401.5 €
L2.8800561	ARRI Wind-up Stand LS.6 (083NWA)	621.5 €
L2.76959.0	Wheel set with brakes, Ø 75 mm / M10 mount with brakes (104)	77.0 €
L2.88096.0	Wheel set with brakes, Ø 160 mm / M10 mount with brakes (374)	294.8 €

SAFETY:

Ident. No.	Description	Price / EURO
L2.80864.0	Safety cable (5 mm) 1 m, with "Kettbiner"	22.0 €

LAMPS:

Ident. No.	Description	Price / EURO
L2.89214.0	Lamp 5000 W / 230 V G38 CP85 (Osram)	143.0 €
L2.89214.P	Lamp 5000 W / 240 V G38 CP85 (Philips)	143.0 €

MISCELLANEOUS:

Ident. No.	Description	Price / EURO
L2.34065.0	Conversion Kit from True Blue® ST5 to Theater version: Theater cassette with barndoor insert	517.0 €



STUDIO T 12®

Type of Lamphead:	Fresnel, 12000 W
Lamp Type:	12000 W / 230 V monoplane ; CP/83 10000 W / 230 V monoplane
Lamp Base:	G38
Lens Diameter:	420 mm
Mounting:	Spigot 28 mm
Size (HxWxL) /	748 x 682 x 562 mm /
Packed Size:	695 x 725 x 780 mm
Packed Volume:	0.39 m³
Weight / Packed Weight:	approx. 25 kg / 32 kg
Protection Class / IP Rating:	I / IP20
Certifications:	CE, CB, GS, cNTRLus

TUNGSTEN FRESNEL LIGHTS

(cable length 4 m, incl. 4-leaf barndoor)

Ident. No.	Description					Price / EURO
L0.82120.B	STUDIO T 12®	MAN	blue/silver	220 - 250 V~	bare ends	3795 €

ACCESSORIES STUDIO T 12®:

LIGHT CONTROL:

Ident. No.	Description	Price / EURO
L2.82150.0	4-leaf barndoor (510 mm / 20.1")	451.0 €
L2.82160.0	Set of 4 scrims (495 mm / 19.5")	225.5 €
L2.82160.A	Scrim, full single (495 mm / 19.5")	60.5 €
L2.82160.B	Scrim, full double (495 mm / 19.5")	60.5 €
L2.82160.C	Scrim, half single (495 mm / 19.5")	60.5 €
L2.82160.D	Scrim, half double (495 mm / 19.5")	60.5 €
L2.82155.0	Filter frame (495 mm / 19.5")	115.5 €

LIGHTBANKS:

Ident. No.	Description	Price / EURO
L2.89059.0	Chimera Lightbank Daylite Plus "L", incl. 3 front screens (8645)	2299.0 €
L2.89063.0	Speed ring circular (9435) (508 mm / 20.0")	566.5 €

MOUNTING:

Ident. No.	Description	Price / EURO
L2.76989.0	ARRI Swivelling C Clamp (C150)	130.9 €
L2.0000885	T12 Top latch for heavy accessories	170.5 €

STANDS:

Ident. No.	Description	Price / EURO
L2.8800561	ARRI Wind-up Stand LS.6 (083NWA)	621.5 €
L2.76959.0	Wheel set with brakes, Ø 75 mm / M10 mount with brakes (104)	77.0 €
L2.88096.0	Wheel set with brakes, Ø 160 mm / M10 mount with brakes (374)	294.8 €

SAFETY:

Ident. No.	Description	Price / EURO
L2.80866.0	Safety cable (6 mm) 1 m, with "Kettbiner"	23.1 €

LAMPS:

Ident. No.	Description	Price / EURO
L2.89217.G	Lamp 12000 W / 240 V GX38 Q12MT26/CL (GE)	1210.0 €
L2.89265.G	Lamp 12000 W / 230 V GX38 KP120Q12MT26/CL (GE)	1210.0 €



STUDIO T 24®

Type of Lamphead:	Fresnel, 24000 W
Lamp Type:	24000 W / 240 V monoplane ; 20000 W / 230 V CP/99 monoplane
Lamp Base:	G38
Lens Diameter:	625 mm
Mounting:	Spigot 28 mm
Size (HxWxL) /	1068 x 1040 x 830 mm
Packed Size:	1135 x 1050 x 1170 mm
Packed Volume:	1.39 m ³
Weight / Packed Weight:	approx. 61 kg / 114 kg (with pallet)
Protection Class / IP Rating:	I / IP20
Certifications:	CE, CB, GS, cNTRLus

TUNGSTEN FRESNEL LIGHTS

(cable length 1 m, without barn door)

Ident. No.	Description					Price / EURO	
L1.82270.B	STUDIO T 24®	MAN	blue/silver	220 - 250 V~	International (VEAM)	11660.0	€
L0.82270.D	STUDIO T 24® Set*	MAN	blue/silver	220 - 250 V~	International (VEAM)	18848.5	€

* Set incl. lamphead, 4-leaf barn door, dimmer, mains and dimmer cable with International connector (VEAM)

ACCESSORIES STUDIO T 24®:

LIGHT CONTROL:

Ident. No.	Description	Price / EURO
L2.71100.0	4-leaf barndoor (740 mm / 29.1")	698.5 €
L2.71115.0	Set of 4 scrims (740 mm / 29.1")	357.5 €
L2.71115.A	Scrim, full single (740 mm / 29.1")	88.0 €
L2.71115.B	Scrim, full double (740 mm / 29.1")	93.5 €
L2.71115.C	Scrim, half single (740 mm / 29.1")	88.0 €
L2.71115.D	Scrim, half double (740 mm / 29.1")	93.5 €
L2.71110.0	Filter frame (740 mm / 29.1")	187.0 €

LIGHTBANKS:

Ident. No.	Description	Price / EURO
L2.89064.0	Speed ring circular (9464) (735 mm / 29.0")	621.5 €

CABLES:

Ident. No.	Description	Price / EURO
L2.82294.0	Head-to-Ballast/Dimmer cable 12/18/24 kW, 15 m, International connector (VEAM)	1067.0 €
L2.82294.A	Head-to-Ballast/Dimmer cable 12/18/24 kW, 20 m, International connector (VEAM)	1364.0 €
L2.82297.0	Mains cable 125 A / 230 V, 7 m, International connector (Cannon) / CEE blue	880.0 €


LAMPS:

Ident. No.	Description	Price / EURO
L2.89218.0	Lamp 20000 W / 230 V G38 CP99 (Osram)	2541.0 €
L2.89219.K	Lamp 24000 W / 240 V GX38 Q24MT32/CL (GE)	5135.9 €

MISCELLANEOUS:

Ident. No.	Description	Price / EURO
L2.82765.0	Retrofit lampcarriage with fan for STUDIO T 24® (220/230 V~ version)	1782.0 €
L2.83396.0	Retrofit lampcarriage with fan for STUDIO T 24® (200 V~ version)	1782.0 €
L2.82296.0	Dimmer ADM 24, 24 kW / 230 V, with lamp hour counter, XLR-5 pin connector for remote control, pre-heat function, international connector, blue standard housing with handle	4543.0 €

FLUORESCENT





STUDIO COOL 2

Type of Lamphead:	Flood, 110 W
Lamp Type:	TC-L 55 W
Lamp Base:	2G11
Mounting:	Spigot 28 mm
Size (HxWxL) /	309 x 733 x 175 mm /
Packed Size:	430 x 765 x 285 mm
Packed Volume:	0.09 m ³
Weight / Packed Weight:	approx. 5 kg / 7 kg
Protection Class / IP Rating:	I / IP20
Certifications:	CE, CB, cNTRLus

FLUORESCENCE LAMPHEADS

(cable length 2 m; with multicontrol* panel; without barndoor)

Ident. No.	Description					Price / EURO
L1.84002.B	STUDIO COOL 2 Multicontrol*	MAN	black	220 - 250 V~	Schuko-Plug	1430.0 €
L1.84002.I	STUDIO COOL 2 Multicontrol*	P.O.	black	220 - 250 V~	Schuko-Plug	1540.0 €

* Dimmable via DMX, 1 - 10 V or manual

ACCESSORIES STUDIO COOL 2:

LIGHT CONTROL:

Ident. No.	Description	Price / EURO
L2.84006.0	4-leaf barndoor for STUDIO COOL 2	143.0 €
L2.84007.0	Filter frame for STUDIO COOL 2	77.0 €
L2.84005.A	Eggcrate, SPS3, silver, flood, red (13 mm / 0.5")	93.5 €
L2.84005.C	Eggcrate, SPH6, silver, medium, blue (15 mm / 0.6")	77.0 €
L2.84005.D	Eggcrate, BTS3, black, narrow, black (13 mm / 0.5")	77.0 €

CABLES:

Ident. No.	Description	Price / EURO
L2.84080.0	Extension cable 16 A / 230 V~, 2 m, PowerCon blue	44.0 €
L2.84080.B	Extension cable 16 A / 230 V~, 5 m, PowerCon blue	62.7 €

SAFETY:

Ident. No.	Description	Price / EURO
L2.76990.0	Safety cable (4 mm) 1 m, with Carabiner	24.2 €

LAMPS:

Ident. No.	Description	Price / EURO
L2.84019.0	Lamp 55 W / 3200 K 2G11 Studioline Fluorescent Tube (Osram)	33.0 €
L2.84029.0	Lamp 55 W / 5600 K 2G11 Studioline Fluorescent Tube (Osram)	33.0 €

MISCELLANEOUS:

Ident. No.	Description	Price / EURO
L2.84175.0	Conversion Kit from STUDIO COOL 2 MAN to P.O. version: stirrup for pole operated pan, tilt and focus	231.0 €
L2.84102.B	Electronic multicontrol module for STUDIO COOL 2 (cable: 2 m)	181.5 €



STUDIO COOL 2+2

Type of Lamphead:	Flood, 220 W
Lamp Type:	TC-L 55 W
Lamp Base:	2G11
Mounting:	Spigot 28 mm
Size (HxWxL) /	314 x 1338 x 175 mm /
Packed Size:	375 x 285 x 1350 mm
Packed Volume:	0.14 m ³
Weight / Packed Weight:	approx. 10 kg / 13 kg
Protection Class / IP Rating:	I / IP20
Certifications:	CE, CB, cNTRLus

FLUORESCENCE LAMPHEADS

(cable length 2 m; with multicontrol* panel; without barndoor)

Ident. No.	Description						Price / EURO
L1.84102.B	STUDIO COOL 2+2 Multicontrol*	MAN	black	220 - 250 V~	Schuko-Plug	2035.0	€

* Dimmable via DMX, 1 - 10 V or manual

ACCESSORIES STUDIO COOL 2+2:

LIGHT CONTROL:

Ident. No.	Description	Price / EURO
L2.84146.0	Filter frame for STUDIO COOL 2+2	121.0 €
L2.84139.C	Eggcrate, SPH6, silver, medium, blue (15 mm / 0.6")	140.8 €
L2.84139.D	Eggcrate, BTS3, black, narrow, black (13 mm / 0.5")	140.8 €

CABLES:

Ident. No.	Description	Price / EURO
L2.84080.0	Extension cable 16 A / 230 V~, 2 m, PowerCon blue	44.0 €
L2.84080.B	Extension cable 16 A / 230 V~, 5 m, PowerCon blue	62.7 €

SAFETY:

Ident. No.	Description	Price / EURO
L2.76990.0	Safety cable (4 mm) 1 m, with Carabiner	24.2 €

LAMPS:

Ident. No.	Description	Price / EURO
L2.84019.0	Lamp 55 W / 3200 K 2G11 Studioline Fluorescent Tube (Osram)	33.0 €
L2.84029.0	Lamp 55 W / 5600 K 2G11 Studioline Fluorescent Tube (Osram)	33.0 €

MISCELLANEOUS:

Ident. No.	Description	Price / EURO
L2.84070.0	Conversion Kit from STUDIO COOL 4 and 2+2 MAN to P.O. version: stirrup for pole operated pan, tilt and focus	192.5 €



STUDIO COOL 4

Type of Lamphead:	Flood, 220 W
Lamp Type:	TC-L 55 W
Lamp Base:	2G11
Mounting:	Spigot 28 mm
Size (HxWxL) /	435 x 733 x 176 mm /
Packed Size:	600 x 765 x 285 mm
Packed Volume:	0.13 m ³
Weight / Packed Weight:	approx. 8 kg / 10 kg
Protection Class / IP Rating:	I / IP20
Certifications:	CE, CB, cNTRLus

FLUORESCENCE LAMPHEADS

(cable length 2 m; with multicontrol* panel; without barndoor)

Ident. No.	Description	Price / EURO					
L1.84004.B	STUDIO COOL 4 Multicontrol*	MAN	black	220 - 250 V~	Schuko-Plug	1650.0	€
L1.84004.I	STUDIO COOL 4 Multicontrol*	P.O.	black	220 - 250 V~	Schuko-Plug	1760.0	€

* Dimmable via DMX, 1 - 10 V or manual

ACCESSORIES STUDIO COOL 4:

LIGHT CONTROL:

Ident. No.	Description	Price / EURO	
L2.84066.0	4-leaf barndoor for STUDIO COOL 4	176.0	€
L2.84064.0	Filter frame for STUDIO COOL 4	81.4	€
L2.84065.A	Eggcrate, SPS3, silver, flood, red (13 mm / 0.5")	126.5	€
L2.84065.C	Eggcrate, SPH6, silver, medium, blue (15 mm / 0.6")	126.5	€
L2.84065.D	Eggcrate, BTS3, black, narrow, black (13 mm / 0.5")	126.5	€

MOUNTING:

Ident. No.	Description	Price / EURO	
L2.88459.0	3" Mounting baby plate male with swivel pin (LF.8010.A)	37.4	€

CABLES AND SAFETY:

Ident. No.	Description	Price / EURO	
L2.84080.0	Extension cable 16 A / 230 V~, 2 m, PowerCon blue	44.0	€
L2.84080.B	Extension cable 16 A / 230 V~, 5 m, PowerCon blue	62.7	€
L2.76990.0	Safety cable (4 mm) 1 m, with Carabiner	24.2	€

LAMPS:

Ident. No.	Description	Price / EURO	
L2.84019.0	Lamp 55 W / 3200 K 2G11 Studioline Fluorescent Tube (Osram)	33.0	€
L2.84029.0	Lamp 55 W / 5600 K 2G11 Studioline Fluorescent Tube (Osram)	33.0	€

MISCELLANEOUS:

Ident. No.	Description	Price / EURO	
L2.84070.0	Conversion Kit from STUDIO COOL 4 and 2+2 MAN to P.O. version: stirrup for pole operated pan, tilt and focus	192.5	€

CONVERSION FILTERS, PHOSPHOR PANELS & PROTECTIVE GLASSES



CONVERSION FILTERS

Ident. No.	Description	Price / EURO
L2.73488.0	Conversion Filter 3/4 CTO, 5600 to 3200 K (78 mm / 3.1")	99.0 €
L2.74264.0	Conversion Filter 1/2 CTO, 5600 to 3800 K (78 mm / 3.1")	99.0 €
L2.74266.0	Conversion Filter 1/4 CTO, 5600 to 4500 K (78 mm / 3.1")	99.0 €
L2.74268.0	Conversion Filter 1/8 CTO, 5600 to 4900 K (78 mm / 3.1")	99.0 €
L2.70819.0	Conversion Filter 3/4 CTO, 5600 to 3200 K (112 mm / 4.4")	148.5 €
L2.70846.0	Conversion Filter 3/4 CTO, 5600 to 3200 K (130 mm / 5.1")	154.0 €
L2.76571.0	Dichroic daylight filter (254 mm / 10")	291.5 €
L2.76966.0	Dichroic daylight filter (166 mm / 6.5")	132.0 €
L2.77180.0	ARRI filter pack (Frost F2, Heavy Frost 129, Daylight Blue Frost 224, Daylight 3/4 Blue 201; each 2 x)	38.5 €

PHOSPHOR PANEL

Ident. No.	Description	Price / EURO
L2.0007520	Remote Phosphor Panel SkyPanel® S30 - 2,700 K NEW	489.5 €
L2.0007521	Remote Phosphor Panel SkyPanel® S30 - 3,200 K NEW	489.5 €
L2.0007522	Remote Phosphor Panel SkyPanel® S30 - 4,300 K NEW	489.5 €
L2.0007523	Remote Phosphor Panel SkyPanel® S30 - 5,600 K NEW	489.5 €
L2.0007524	Remote Phosphor Panel SkyPanel® S30 - 6,500 K NEW	489.5 €
L2.0007789	Remote Phosphor Panel SkyPanel® S30 - 10,000 K NEW	489.5 €
L2.0007525	Remote Phosphor Panel SkyPanel® S30 - Chroma Green NEW	962.5 €
L2.0003347	Remote Phosphor Panel SkyPanel® S60 - 2,700 K NEW	803.0 €
L2.0003348	Remote Phosphor Panel SkyPanel® S60 - 3,200 K NEW	803.0 €
L2.0003349	Remote Phosphor Panel SkyPanel® S60 - 4,300 K NEW	803.0 €
L2.0003350	Remote Phosphor Panel SkyPanel® S60 - 5,600 K NEW	803.0 €
L2.0003346	Remote Phosphor Panel SkyPanel® S60 - 6,500 K NEW	803.0 €
L2.0007778	Remote Phosphor Panel SkyPanel® S60 - 10,000 K NEW	803.0 €
L2.0003351	Remote Phosphor Panel SkyPanel® S60 - Chroma Green NEW	1424.5 €

MOTORIZATION



MOTORIZED YOKE

Ident. No.	Description	Price / EURO
L2.0003613	Motorized Yoke BigBee universal motorized yoke, steplessly adjustable, made of heavy duty torsion-resistant aluminum housing, black, inkl. flight case and adapter for ARRIMAX 18/12, ARRI Daylight 18/12, Compact 6000, Compact 12000, ARRISUN 120, Studio T12 and Studio T24 Width: for fixtures from 0,30 m (12") to 1 m (39") Control: pan (360°) and tilt (180°) via DMX or Licht-Technik control unit; focus via external focus-unit (L2.0003614) Total load: up to 100 kg (220,5 lbs) Mains input: 100 – 240 V~, Max: 100 W Speed: 5°/s (pan/tilt) Memory precision: < 0,3° IP Protection: IP 54	28875.0 €
L2.0003614	Motorized Yoke BigBee - Focus Unit for the steplessly adjustable motorized yoke, black	4125.0 €
L2.0003975	Flight case for Motorized Yoke BigBee	2695.0 €
L2.0003969	M40 adapter for Motorized Yoke BigBee	1375.0 €
L2.0003968	M90 adapter for Motorized Yoke BigBee	1375.0 €
L2.0003970	M90 adapter for focus-unit BigBee	385.0 €
L2.0003971	Cable Remote Control for Motorized Yoke BigBee	2200.0 €
L2.0003976	Extension Cable for Cable Remote Control, 25 m	698.5 €
L2.0003982	Extension Cable for Cable Remote Control, 40 m	957.0 €

